



GLACANAGARI	PONTIAC	BLACK HAWK
MONTEZUMA	CAPTAIN PIPE	KIOUXIK
QUATIMOTZIN	LOGAN	SACAGAWEA
POW-HATAN	CORN-PLANTER	BENITO J. AREZ
POCAHONTAS	JOSEPH BRANT	MANGUS
SAMOSET	RED JACKET	COLORADAS
MASSASOIT	LITTLE TURTLE	LITTLE CROW
KING PHILIP	TECUMSEH	SITTING BULL
UNCAS	OSCEOLA	CHIEF JOSEPH
TEDYUSKUNG	SEQUOYA	GERONIMO
	SHABONEE	




TO PERPETUATE THE HISTORY
AND DEVELOPMENT OF THE
PEOPLE REPRESENTED BY THE
ABOVE CHIEFS AND WISE MEN
THIS COLLECTION HAS BEEN
GATHERED BY THEIR FRIEND
EDWARD EVERETT AYER


AND PRESENTED BY HIM
TO
THE NEWBERRY LIBRARY
1911











MEMOIR

OF

A TOUR TO NORTHERN MEXICO,

CONNECTED WITH COL. DONIPHAN'S EXPEDITION,

IN 1846 AND 1847.

BY A. WISLIZENUS, M. D.

[WITH A SCIENTIFIC APPENDIX AND THREE MAPS.]

JANUARY 13, 1848.—Ordered that 5,000 copies be printed for the use of the Senate, and 200 additional for Dr. Wislizenus.

WASHINGTON.
TIPPIN & STREEPER, PRINTERS.
1848.

160.5
T4
W8
1848

IN THE SENATE OF THE UNITED STATES,

January 13, 1848.

The Committee on Printing, to whom were referred the resolutions submitted by Mr. Benton, viz:

"*Resolved*, That there be printed, for the use of the Senate, — copies of the tour, or memoir, of Dr. Wislizenus through the northern parts of Mexico, as physician to Col. Doniphan's column, being a history of the expedition of Col. Doniphan, with scientific observations upon the face of the country:

"Also that there be engraved, or lithographed, for the use of the Senate, — copies of the superficies map which accompanies the same; also the same number of the barometrical map of the profile of elevations above the level of the sea from St. Louis, in Missouri, on the line of march of said expedition, to Santa Fe in New Mexico, and thence by Chihuahua, the Bolson de Mapimi, Parras, Saltillo, and Monterey, to Reynosa, on the Rio Grande; also the same number of the geological map, and the same number of the table of meteorological observations, which accompany the same:

"*Also, be it resolved*, That — copies of the said memoir, with the accompanying maps, be printed for the use of Dr. Wislizenus:"

report, that there be printed for the use of the Senate 5,000 copies of the tour, and that there be lithographed a like number of the maps accompanying the same; also 200 copies for the use of Dr. Wislizenus.

Attest:

ASBURY DICKINS, *Secretary*.

Ayer 3998

PREFACE.

Instead of the many apologies generally offered to the public by an author who has the hardihood to present them what, in spite of all prefaces, it will either accept or refuse, I take the liberty to explain at once to the reader with what intention I undertook my excursion, and under what circumstances I pursued it; and he will accordingly be enabled to perceive if the records of such a journey may suit his own taste or not.

In the spring of 1846, I left St. Louis, Missouri, with the intention of making a tour through Northern Mexico and Upper California, and of returning in the fall of the next year. The principal object of my expedition was scientific. I desired to examine the geography, natural history, and statistics of that country, by taking directions on the road with the compass, and by determining the principal points by astronomical observations. I made a rich collection of quite new and undescribed plants. I examined the character of the rocks, to gain insight into the geological formations of the whole country. I visited as many mines as possible, and analyzed some of the ores. I made barometrical observations, to ascertain the elevations above the sea. I kept meteorological tables, to draw general results from them for the climate, its salubrity and fitness for agriculture, and took memoranda in relation to the people—their number, industry, manners, previous history, &c. The intention, in short, for which I started, was to gain information of a country that was but little known. All that I can, therefore, offer the public in the following pages is, what I have sought myself—a collection of matters of fact, related not in the exciting description of an historical novel, but in the plain narrative form of a journal, through which the incidents and adventures of the trip are but occasionally interwoven.

How far I have succeeded in it, the reader must judge for himself at the end of the work; though I am myself free to confess, that, for various reasons, the result of my expedition has by far not satisfied the expectations I entertained of it at the beginning.

After having outfitted myself for the trip by private means, and being already on the road, the war between the United States and Mexico broke out, very untimely for my purposes, and deranged my plans considerably. By the arbitrary government of the State of Chihuahua, as the reader will perceive in the course of my narrative, I was detained for six months in a very passive situation; and after the arrival of the American troops in Chihuahua, seeing the impracticability of continuing my journey as far as intended, I accepted a situation in the medical department of the army, and returned with it, by way of Monterey, to the States. My connexion with the army enabled me to become acquainted with the principal events of that campaign; but not having been an eye-witness to all of them, I consider my historical allusions only as a contribution to a future history of the campaign; a task that will soon be accomplished by a more competent friend of mine in St. Louis, a late officer in Colonel Doniphan's regiment.

As unsatisfactory, however, as the fruits of my researches have generally been to myself, I must content myself for the present with the reflection of having been one of the first scientific pioneers through a great part of that country; and as the log cabin of the pioneer of the west disappears in coming years before the more imposing residences of advancing civilization, so will my little work have fulfilled its purpose, when, in later years, scientific men, under more favorable circumstances, shall explore thoroughly that country, and open its treasures as well as its deserts to the knowledge of the whole civilized world.

In one particular I have to ask the indulgence of the public. I am a German by birth, and an American by choice; and though well aware that by study and daily practice one may acquire the use of many languages, there are few who can express their thoughts as freely and distinctly in one language as in another. The usual language of our youth generally leaves the deepest impression on our mind, and unconsciously influences the more extensive knowledge of later years. If the reader should, therefore—as I have no doubt he will—discover some Germanism in my English style, I hope he will not judge me with the severe criticism of an English grammarian, but with the philanthropic liberality of a citizen of the world.

Finally, it affords me great pleasure to acknowledge the co-operation of many scientific men in the furtherance of this publication. Among them I am mostly indebted to my friend and former partner in medical practice, Dr. G. Engelmann, of St. Louis, for the arrangement of my botanical collection; to Professor Goebel, for the most exact calculation of my astronomical and barometrical observations; to W. Palm, esq., for the skillful drawing of the maps; to Dr. I. Gregg, for an exchange of his astronomical observations from Chihuahua to Matamoras, against my barometrical ones; to Lieutenant C. Kribben, of the artillery, for his aid in sketching the road from Chihuahua to Monterey; to Dr. H. King, of St. Louis, and to Dr. S. G. Morton, of Philadelphia, for their assistance in the geological department.

Last, though not least, I am indebted to the distinguished and learned Senator from Missouri, Thomas H. Benton, for the favor of laying my little work before the Senate of the United States, and of having given it publicity under the auspices of that eminent body.

This generous protection does not relieve me, of course, of the responsibility for the individual opinions and conclusions formed and expressed by me in the work. As they emanate only from my own observation and judgment, I am alone to be blamed for them when incorrect; but however erroneous they may be considered by some, the impartial reader will concede, at least, that they are based upon facts, and apparently intended to promote the best interests of my adopted country.

A. WISLIZENUS.

WASHINGTON CITY, *January*, 1848.

MEMOIR.

INDEPENDENCE, Mo., May 9, 1846.

Having left St. Louis on the 4th of May, I arrived to day here in this well known frontier town of Missouri, the usual starting place of the companies going to Santa Fe, Oregon, or California, though some of the latter select Westport or Kansas. Seven years ago, when I returned from an excursion to Oregon, I had seen Independence as a small village. I now find it very much improved, and the great throng of emigrants to the "far west," and of Santa Fe traders, at present there collected, gives it quite a lively appearance. This varied crowd of strangers was composed of the most different materials—all united in one object; that is, to launch themselves upon the waste ocean of the prairie, and to steer through it in some western direction. My own object was, to join the first large company destined for Santa Fe, and my enterprising countryman, Mr. A. Speyer, whose name is very well known in the Santa Fe trade for his energy, perseverance and fearlessness, afforded me all the facilities of doing so. Mr. Speyer's preparations not being quite finished, and longing myself for the prairie, I left Independence on the 14th of May for Big Blue camp, the first camp in the prairie, about 20 miles west of Independence. My barometrical observations during my stay in Independence gave as its elevation above the sea 1,040 feet.

Big Blue Camp, May 15.—A charming spot is this first camp in the prairie. It lies just on the western boundary line of the State of Missouri, the military road from Fort Towson to Fort Leavenworth passing by it. This road forms the dividing line between the last settlements and the Indian country. Situated thus at the very junction of civilization and wilderness, we could overlook them both with a single glance. Towards the east we perceived the blessings of civilization—fine farms, with corn fields, orchards, dwelling houses, and all the sweet comforts of home: towards the west, the lonesome, far stretching prairie, without house or cultivation—the abode of the restless Indian, the highway of the adventurous white man. The scenery was enlivened by thousands of stock grazing around us, and by the daily arrival of new wagons and prairie travellers, who take their final start from here to the prairie. Amongst this bustle and activity of the whole caravan, I had to remain about a week. I made some astronomical and barometrical observations of our camp. The first gave me $38^{\circ} 59' 27''$ north latitude; the latter, an elevation of 1,020 feet.

May 22.—Our whole caravan started, consisting of 22 large wagons, (each drawn by 10 mules,) several smaller vehicles, and 35 men. I had provided myself with a small wagon on springs, to carry my baggage and instruments, and as a comfortable retreat in bad weather. The confusion and bustle of such a first start, the inexperience of some of the drivers, and the fractiousness of the mules, render it advisable to make the first day's march merely a trial. If everything works well, one may go ahead afterwards. For

that reason, we marched to-day but five miles on the Santa Fe road, and encamped in the prairie, with good grass and near water.

May 23.—We started in the morning for "*Lone Elm-tree*," or "*Round Grove*," (10 miles.) The prairie over which we travelled looked more beautiful than I had ever seen it. The grass had all the freshness of spring, and the whole plain was so covered with flowers, principally with the blue-sky *Tradescan in Virginica*, and the light-red *Phlox aris'ata*, that it resembled a vast carpet of green, interwoven with the most brilliant colors. The road was excellent. This long trail through the prairie, the Santa Fe road, made only by thousands of large wagons that have travelled over it, is really a better road than is met with in a great part of Missouri and Illinois. The higher elevation of the prairie, with a most gradual ascent and descent, and the facility of leading the road over the most favorable part of the ground, explains it sufficiently. At "*Lone Elm-tree*" we halted at noon: rather a poor camping place, with bad water, scanty grass, and a single elm-tree; some bushes growing along the water. How long the venerable elm-tree, that must have seen many ages, will yet be respected by the traveller, I am unable to say; but I fear that its days are numbered, and that the little valley will look then more desolate than ever. We started again in the afternoon, and camped, after five miles, near a water-pool in the prairie. At every camping place the wagons were formed into a "*corrál*," that is, so as to embrace an oval space with but one opening. The animals were turned loose to graze, at the time of starting driven into the corrál, and caught there in the Mexican fashion, with the lazo.

May 24.—This morning we passed the road to Oregon, that leaves, about eight miles from Round Grove, the Santa Fe road, and turns to the right towards the Kansas. A way post had been put there, marked: "*Road to Oregon*," (to Japan, China, the East Indies, etc., might have been added.) At noon we reached *Black Jack Point*, (12 miles.) In our camp, and still more to our right, we saw plenty of those dwarfish oak-trees, the so-called black jack, whose dark green leaves contrast strikingly with the livelier green of the prairie. The black jack grows rather on wet ground and poor soil, and the locality seemed to answer. In the afternoon we marched eight miles to *Hickory Point*, and four miles beyond to *Wackarussi Point*, a well wooded camp, with a fine spring, in the timber. Before reaching our night camp, going over high ground, we enjoyed a beautiful view over a valley towards the north, containing many hills resembling Indian mounds, and with the distant bluffs of the Kansas in the background. I understood that it is a favorite hunting ground of the Kansas Indians.

May 25.—Noon halt, after five miles, near water; night camp, ten miles further on *Rock creek*. On the latter we found good grass, tolerable water, but no wood. For the first time since our start, I saw to-day limestone in the prairie, cropping out on the creek of our noon halt, as well as on *Rock creek*. At both places it was a yellow compact limestone, with encrinurites and other fossils of the carboniferous limestone formation.

May 26.—We reached at noon *110 miles creek*, (10 miles,) with fine timber, but no running water. The name of the creek refers to its distance from the old Fort Osage. Eight miles further, on *Bridge creek*, we found a beautiful night camp. A severe thunder storm came on in the night, during which some of our mules took it into their heads to run back to cultivated life; but our Mexican mule boys (the best set of men for that purpose) brought the prisoners to camp in the morning.

May 27.—Made eight miles in the morning, to *Switzler's creek*, a fine running water. In the afternoon we passed three small creeks, and encamped on the fourth, *Fish creek*, (10 miles.)

May 28.—Passed in the morning two small creeks, and halted at noon on the third, *Pleasant Valley creek*, (15 miles.) The camp deserves its name: there is good grass, and plenty of water and timber, the three great requisites of a prairie camp. On the opposite bluffs exist two kinds of limestone: one is compact, white, like the carboniferous limestone near St. Louis, with some indistinct fossils; the other an argillaceous, soft, earthy limestone without fossils, resembling in appearance rocks of the cretaceous formation, but probably the same first limestone in a state of decomposition. On account of rain we marched in the afternoon but three miles, and encamped in the prairie, as we had taken wood and water along.

May 29.—Went five miles to *Bluff creek*, also a beautiful camp, with clear water, plenty of timber, and bluffs of limestone; but the finest camp, so far, we met with in the evening. After having passed Big John creek, we reached the well known *Council Grove*, (six miles,) and encamped on the right bank of the small stream running by it. The valley in which Council Grove lies, affords peculiar advantages. It is better wooded than any other on this road. A strip from half a mile to one mile in width of timber skirts the water-course; the trees are full grown and of good size, and consist mostly of oak, hickory, walnut, elm, ash, etc. The vegetation is quite luxuriant, and the soil very fertile. For agriculture, as well as raising stock, the place would be excellent. The bluffs on both sides of Council Grove consist of a grayish argillaceous limestone, without fossils. Several graves of Indians, as well as of white men, are here erected in the usual prairie manner, with rocks heaped upon the ground.

Council Grove forms, as it were, a dividing point in the character of the country east and west of it. The country east of it is formed of prairie, with slight ascents and descents—constant undulations, as I might call them; sometimes shorter and more rapid; sometimes larger and fuller, resembling the waves of the ocean, which no doubt once covered those plains, and partly moulded their present form. Of those slight undulations, the barometrical measurements will give evident proof. Big Blue camp was 1,020 feet elevated above the sea; Council Grove is 1,190; and the highest intermediate point is 1,420 feet, on the divide between the waters of the Osage and the Neosho or Grand river. This eastern portion is well watered, and along the water courses sufficiently timbered to sustain settlements. The soil is generally very fertile, and, to judge from the higher elevation, more exempt from fevers, the plague of the bottom-land. Let us take a prospective view now of the country west of Council Grove. A short distance west, the country rises suddenly to the elevation of 1,500 feet, and ascends gradually towards the Arkansas to 2,000 and more feet above the sea. The intermediate country yet exhibits sometimes the short, wavelike form of the eastern portion, but oftener it resembles already the plateaux or high plains between the Arkansas and Cimarron, those representatives of the calm, immense high seas, where the horizon extends further, the soil becomes dryer and more sandy, the vegetation scantier, timber and water more rare. The country between Council Grove and the Arkansas forms the transition to the sandy plains on the other side of the Arkansas; the soil is generally less fertile than in the eastern portion, but all along its water-courses (as Cottonwood creek, Little Arkansas, Walnut creek, Ash creek,

Pawnee Fork, and along the Arkansas,) settlements might succeed, though they would have to depend more upon stock-raising than agriculture.

May 30.—We went in the forenoon 15 miles from Council Grove, to *Diamond Spring*, gradually ascending. We killed on the road some large snipes, probably the long-billed curlew, (*Numenius longirostris*—Wilson,) and saw the first antelopes. In the evening we travelled seven miles further, and encamped in the prairie, without water: soil generally good, and grass fine.

May 31.—Passing the "Lower springs," we travelled 14 miles to *Willowgreen*, over a high plain, where no prominent object relieved the eye from the distant horizon of the prairie. In the afternoon we encountered a severe thunder storm, and it rained all night.

June 1.—In rather a drenched condition, we started this morning for *Cottonwood creek*, (six miles,) a fine camp, with cotton trees, (*Populus Canadensis*,) the first on this road, and willows along the creek, which forms, by a semicircular bend, a natural corral. The *Malva papaver*, with its violet flower, was here very common. In the evening we travelled six miles further, and encamped near a water pool. On the road to our night camp I found some bog-ore in the prairie, and a great deal of yellow, brown, and bluish sandstone, combined with the hydrated oxyde of iron; which sandstone, as I have often to mention it, I will for brevity's sake call ferruginous sandstone. For the first time, we that night put guards out, as we were then approaching the country of hostile Indians.

June 2.—Travelled the whole day again over a high plain, the favorite resort of the antelope; halted at noon near *Little Turkey creek*, (12 miles,) and camped beyond Big Turkey creek, in the prairie, without water, (10 miles.)

June 3.—Reached at noon the *Little Arkansas*, (12 miles.) On the march we perceived for the first time, to our left, at a distance of about 10 miles, the low sandy bluffs of the Arkansas river, partly wooded with cotton trees. The Little Arkansas, its tributary, was now a small, very fordable creek; but when swelled by rains it becomes a wild torrent, overflowing its steep banks, and the whole valley. The soil is sandy; grass rather indifferent. For the first time on our road I found to-day the representative of a dry sandy region—a prickly pear, or cactus—that constant companion of mine in my travels through Mexico. It was the *Opuntia vulgaris*, with its bright yellow flower. Charming as are all the brilliant flowers of the cactus family, more charming yet, to use no harsher expression, are their thorns, hooks, and prickles. A man collecting them ought either to provide himself with nerves of iron, to become insensible against pain; or, better still, with iron gloves, to handle them unpunished. On the bluffs near the Little Arkansas I found a spotted, yellow, calcareous sandstone, without fossils, and loose pieces of ferruginous sandstone. In the evening we travelled six miles, and encamped in the prairie, without water. On the road we met with a train of 22 wagons from Bent's Fort; they reported to us that the Camanches and Pawnees were very hostile, and had killed one of their men on Pawnee Fork.

June 4.—The morning was very chilly; we passed several "*Little Cow creeks*," near one of which the Mexican trader Chavez was robbed and killed in 1843, and halted at noon at *Big Cow creek*, (14 miles:) soil was sandy, grass small and dry. In the evening we started again, and arrived

late in the night at *Camp Osage*, (16 miles,) the first camp near the Arkansas. To-day we saw signs of the buffalo, and the first prairie dog village.

June 5.—Along the Arkansas, about two miles north of the river, we marched eight miles, up to *Walnut creek*, another of its tributaries, to make our usual noon halt. On the road we met with the first buffaloes, in small bands, but they were too wild for us to approach them.

Half way on our morning march, about three miles north of the Arkansas, there is a slight chain of hills in the prairie, mostly overgrown with grass. Attracted by a prairie grave on this elevation, made of a heap of rocks, I was astonished to find these rocks not to be lime or sandstone, but to resemble a volcanic formation; and upon further examination, I discovered the same rock *in situ*, cropping out at the southern end of the hill: the rock is a porous, red, black, and yellow mass, as if earthy substances containing iron had been baked together by strong fire. It shows great similarity to the burnt rocks in the cretaceous formation on the upper Missouri, specimens of which the late Mr. Nicollet brought back from his expedition; but the latter are blacker and lighter. The character of the rock, as well as of the surrounding country, excludes the idea that it was thrown up from the depths by volcanic action; but it is more likely that it was produced by pseudo-volcanic fires, or subterraneous fires near the surface, ("Erdbraende," as the German geologists call it,) such as are generally called forth by spontaneous or accidental ignition of underlying coalfields.* When, in the evening of the same day, I found the same formation again on Pawnee Rock, it was in so intimate connexion with the ferruginous sandstone that it left no doubt in my mind that this scoriaceous rock is the product of action of such fires upon the ferruginous sandstone.

In the afternoon we started again for *Ash creek*, (19 miles.) Our road went through a sandy plain, with short and fine grass, the so-called buffalo grass, (*Sessleria dauctyloides*;) the Arkansas river running a few miles south of the road. The whole plain through which we passed was really covered with bands of buffaloes; their number must have been at least 30,000. The hunting fever soon became epidemic; all rifles and pistols were put into action, but the huge animals were more frightened than injured. The level of the plain did not allow us to take them by surrounding, and only the hunters, who chased them on fast horses, had the good fortune to kill any. About six miles east of Ash creek there is a prominent rock seen to the right of the road, connected with a small chain of hills, and known under the

* John Bradbury, (Travels in the Interior of America in 1809, '10, and '11: Liverpool, 1817.) p. 153, says: "I observed a vein of fine coal, about 18 inches thick, in the perpendicular bluff, below the fort—(the Missouri Fur Company's fort, on the upper Missouri, above the Mandan village.) On showing some specimens of it to some of the hunters in the fort, they assured me it was a very common substance higher up the river, and that there were places on which it was on fire. As pumice is often found floating down the Missouri, I have made frequent inquiries of the hunters if any volcano existed on the river or its branches, but could not procure from them any information that would warrant any such conclusion. It is probable, therefore, that this pumice-stone proceeds from these burning coalbeds."

Major Stephen H. Long, (Account of an Expedition from Pittsburg to the Rocky Mountains, in 1819 and '20: Philadelphia, 1823, vol. ii, p. 80,) when passing through the Raton mountains, remarks: "This sand rock, disclosed at the bottom of a ravine, is of a slaty structure, and embraces a narrow bed of bituminous clay slate, which contains pieces of charcoal, or the carbonized remains of vegetables, in every possible respect resembling the charcoal produced by the process of combustion in the open air. In the ravines and over the surface of the soil we observed masses of light, porous, reddish brown substance, greatly resembling that so often seen floating down the Missouri—by some considered a product of pseudo-volcanic fires, said to exist on the upper branches of that river."

name of Pawnee Rock. It is a yellow sandstone, overlaid and surrounded by ferruginous sandstone and the scoriaceous rock. The gradual transition of the ferruginous sandstone into the scoriaceous rock is here very distinct, and leaves no doubt as to the origin of the latter. Having no other light but the moonshine, I was not able to examine the surrounding hills closer. Late in the night we reached Ash creek; there was plenty of wood, but not a drop of water in the creek: it did not, however, prevent us from enjoying first some roasted hump-ribs, and then sleeping soundly in our blankets.

June 6.—Went in the morning but six miles, to *Pawnee Fork*. Near that place I discovered again yellow and red sandstone, uplifted, as it were, from southwest to northeast, by the scoriaceous rock. The ferruginous sandstone itself is here more compact, and deep red. Pawnee Fork is an excellent camp. The short buffalo grass is rather dry, as everywhere else now, but there is plenty of timber, and fine running water, containing fish. In the evening we left again, and travelled through the same plain till late in the night. Having passed several dry creeks, we camped at last about 16 miles from Pawnee Fork, in the prairie, without wood and water, and with but tolerable grass. On the road we saw the grave of the unfortunate man who but a week ago had been killed by the Indians, as his companions, from Bent's Fort, had already told us.

June 7.—We reached in the morning *Little Coon creek*, (six miles,) and rested near a water pool. In the evening we travelled on; and finding no water in *Big Coon creek*, we camped again in the prairie, without water, (15 miles.) Although we travel yet through the same plain, with the Arkansas to our left, less and less buffaloes are seen every day.

June 8.—After a few miles march we found in the morning some standing water in a creek, probably a branch of *Big Coon creek*. The bluffs of the creek consist of common sandstone below, and a white, fine grained marl, without fossils, above it. This marl also resembles some specimens brought by Mr. Nicollet from the upper Missouri, and belonging to the cretaceous formation. Having refreshed our animals, we travelled in the forenoon 10 miles further, gradually ascending till we reached the Arkansas, and halted at noon. The *Arkansas*, like all prairie rivers, is rather monotonous and tiresome: broad, but shallow and sandy, with low bluffs or none at all, bordered sometimes with cotton trees, but generally quite bare, it hurries its waves rapidly through the open prairie, as if it were itself very anxious for a change. However, after having travelled for some 100 miles through the prairie, one is contented even with a less beautiful river, and considers it an improvement in the scenery. On the place of our noon halt I found low bluffs on the river, formed by a grayish limestone, with some very small and rather indistinct fossils, and granulated, like a fine conglomerate. In the afternoon we went about 12 miles up the river. The valley of the Arkansas is here several miles wide, the soil sandy, and the bluffs mere hills, covered with grass. Our night camp was on the "*Carhes*;" so called from a party having, in 1822, hid their goods here. Near this place, it is understood, passes the hundredth degree of longitude west of Greenwich, but I had no chance to make an observation.

June 9.—Moved about 20 miles up the Arkansas; sometimes travelling in the valley, sometimes on the bluffs, and over a high plain into which they run out. The bluffs to-day were formed by a coarse conglomerate

of sand and quartz, united by cement of lime. On the afternoon we arrived at the usual fording place of the Arkansas, and, to our great satisfaction, we perceived on the other bank of the river a corral of wagons, belonging to some smaller companies that had started before us. Riding over on horseback, we shook hands with our friends and joined them in a hearty buffalo dinner. The crossing with the wagons was deferred till next day. The river is here several hundred yards wide, very sandy but not deep, and generally easily forded. The road, which continues to run up the river on its northern bank, leads to Bent's Fort, and is considered more practicable for an army, while the more difficult but shorter route by crossing here the Arkansas, and striking southwest for the Cimarron, is preferred by the Santa Fe traders.

June 10.—The whole morning was spent in crossing the wagons. To each of the large wagons from 8 to 10 couple of mules were put, and in about six hours all stood safe on the other shore. We rested yet till evening, and provided ourselves with wood and water, because it was doubtful whether we should find any within 50 miles in the sandy region, equally destitute of wood and water, that lay now before us. My barometrical observations, made on the river bank of the Arkansas at the crossing place, showed an elevation above the sea of 2,700 feet, the highest point yet got on the road. From here our ascent will be more rapid, and without interruption, till we reach, near Santa Fe, an elevation of 7,000 feet.

Towards evening we started again. Our road led through deep sand. Grass was very scanty, but there was quite an abundance of sand-plants; and the ground was so covered with the most variegated flowers, especially the gay *Gaillardia pulchella*, that it looked more like an immense flower garden than a sandy desert. At first ascending a little, we travelled afterwards over a high plain, with good road, and pitched our night camp on "*Battle Ground*," (15 miles from Arkansas,) with poor, dry grass, but a small water-pool. The name of this camp refers to the small band of Texans under Colonel Snively, who, in 1843, here fell in with the vanguard of General Armijo's army. With their rifles and bowie knives they made a dreadful havoc among them; and the few Mexicans who escaped frightened Armijo so with their reports, that he, with his whole army, ran back to Santa Fe.

June 11.—Travelled about 15 miles before we halted, without seeing wood or water. Buffalo have entirely disappeared; not even buffalo chips, the usual substitute for fire wood, were to be seen. The high plain between the Arkansas and Cimarron, whose elevation above the sea is about 3,000 feet, is the most desolate part on the whole Santa Fe road, and the first adventurers in Santa Fe trade stood many severe trials here. Within the distance of 66 miles, from the Arkansas to the lower springs of Cimarron, there is not one water-course or water pool to be depended upon in the dry season. The soil is generally dry and hard; the vegetation poor; scarcely anything grows there but short and parched buffalo grass and some cacti. Though the horizon is very distant, there is no shrub or tree to fix your eye upon, and no other game attracts your attention except once in awhile a wild antelope, which is apt to allure you to a useless chase. But, for one quality this desert is distinguished. When your patience has been worn out by the long ride, and by the monotonous sameness of the scenery; when your lips are parched from thirst, and a friend at your side, in cruel consolation, reminds you of the luxuries of

cultivated life—to all of which you would nevertheless prefer a refreshing draught of cold water—there emerges in the plain before your astonished eyes a beautiful lake. Its surface looks like crystal; the wind moves but slightly the wide sheet of water; but the faster you hurry forward, the nearer you approach it, the sooner you will be disenchanted; the lake disappears again before your presence; and when you arrive at the very spot, you perceive nothing but the same hard, dry, parched soil, over which you have travelled all day. This is the celebrated “*mirage*,” (*false ponds; futa morgana.*) Though it also appears in other parts of the prairie, it is nowhere so common, so deceptive, and so well developed, as here. In examining the causes which produce it at this high plain, I have arrived at the following conclusions:

The phenomenon of mirage requires—

1. A wide high plain, with extensive horizon, and but slight undulations of the ground.

2. A dry, hard ground, either quite barren, or but coated with parched and isolated vegetation, like the short buffalo grass.

3. Dry and warm weather, with a clear sky. On such days, and less in the morning and evening, but rather when the sun has the most power, mirage is the most frequent and the plainest.

4. A slight hollow in the undulating plain, however insignificant it may be, producing a background. Where this low background is interrupted by the horizon, on that place the mirage grows more dim and disappears entirely.

5. The distance of several miles from the stand of the observer. The nearer one approaches, the more indistinct becomes the mirage, and it changes at last into a glimmering of the air, such as can be seen on hot summer days upon dry, solid, macadamized roads, from which the rays of the sun are powerfully reflected.

6. The mirage is therefore the effect of a strong reflection of the rays of the sun from the ground, seen out of a certain distance, on certain localities.

7. That objects, being near the mirage, as trees, animals, men, &c., are seen double, can also be explained by the following law of reflection:

When two strata of air, one of common middle temperature and density, and the other hotter, meet together, an observer, standing also in a common temperature and looking at an object near where the two strata meet, will see that object double, directly in the stratum of common air, in which he stands himself, and indirectly by reflected light in the hotter stratum. The direct image will stand upright; the reflected one inverted.

But let us return to our caravan. While we were travelling to-day over the lonesome plain, men and animals quite tired and exhausted, on the rising of a hill before us quite suddenly appeared a number of savage-looking riders on horseback, which at first sight we took for Indians; but their covered heads convinced us soon of our mistake, because Indians never wear hats of any kind: it was a band of Ciboleros, or Mexican buffalo hunters, dressed in leather or blankets, armed with bows and arrows and a lance—sometimes, too, with a gun—and leading along a large train of jaded pack animals. Those Ciboleros are generally poor Mexicans from the frontier settlements of New Mexico, and by their yearly expeditions into the buffalo regions they provide themselves with dried buffalo meat for their own support and for sale. Their principal weapon is the lance,

which in riding they plunge so adroitly into the buffalo's flanks, that they seldom miss their aim. They are never hostile towards white men, and seem to be afraid of the Indians. In their manners, dress, weapons, and faces, they resemble the Indians so much, that they may be easily mistaken for them. The company which we met with consisted of about 100 men and some women, and they felt rather disappointed when we told them how far they had to travel to find the buffalo. We left our noon camp again towards evening, determined not to stop any more before we should reach water. Late in the night we arrived at *Sand creek*, (17 miles,) and were fortunate enough to find here some muddy water and tolerable grass.

June 12.—Early in the morning we were honored in our camp with the visit of five Indians, (Shayenes,) who reported that 500 lodges of their people were camped near the Cimarron, to trade with the Camanches, and they would be happy to see us this evening. The messengers themselves had "dreamed" that we would regale them with a good breakfast; their dream was granted, and they left us contented. We started very late this morning, and reached about noon the *lower springs of Cimarron*, (eight miles,) a small green valley, spread out like an oasis in the desert. The water is fresh and running, and rushes grow on the banks. We had not been a long time in our camp, when a whole crowd of Shayenes—warriors, squaws, and papooses—made their appearance. The warriors sat down to a smoke and talk, were fed, and received some presents; the squaws, some of whom were quite handsome, sold ropes, moccasins, &c., to our men, and we parted all in friendship. In the evening we marched eight miles more, and encamped near the Cimarron, on which we shall ascend for several days. The *Cimarron* is here a mere dry bed of sand; but after digging some feet deep, the hole will soon be filled with water.

June 13.—Went 18 miles in the morning over a dry plain before we halted on the Cimarron, from whose dry bed we drew again some water. In the evening we reached the *middle springs of Cimarron*, (8 miles,) with tolerable water. For the first time I saw some rocks again, a sandy limestone, above a pure sandstone.

June 14.—Next morning we marched but three miles and rested near a water-hole made in the Cimarron. The soil has now become entirely sandy; different species of artemisia, those shrubs with bitter taste and terebinthine flavor, cover the whole plain; horn frogs, lizards, and rattlesnakes find a comfortable abode in the warm sand; thousands of grasshoppers occupy all shrubs and plants, mosquitoes and buffalo gnats the air;—what a great place for settlements this would be! We travelled in the evening about 10 miles, and camped without water, but with tolerable grass, considering that we were on the Cimarron.

June 15.—Went up the Cimarron for about six miles, and halted at noon. For the first time we saw here running water in the creek, but of bad, brackish taste. The plains through which we travel are often coated with alkaline salts, in a state of efflorescence. The soil is less sandy, and the grass decidedly better; flowers, which I had not seen since we left the Arkansas, reappeared. In the afternoon we passed *Willow creek*, and encamped on the *crossing of Cimarron*, (eight miles.) On the road to-day we saw the skulls and bones of about 100 miles, which Mr. Speyer had lost here several years ago, when he travelled over these plains late in the fall, and a snowstorm overtook him in the night. The poor animals (so he

told me) crowded all around a little fire which he had kindled, but the cold was so intense that most of them died the same night; and others, in a state of starvation, commenced eating the ears of the dead ones.

The Cimarron at our night camp is a fine running creek, with good grass, but without wood. The elevation of our night camp is 3,830 feet. Tomorrow we shall leave the Cimarron entirely, for better regions. In looking back from here towards the Arkansas, it is hardly necessary to remark, that this whole country, from the crossing of the Arkansas to the crossing of the Cimarron, will never be settled, from the scantness of grass, the scarcity of water, and the entire want of wood. But westward from here we shall come to regions more favored by nature, and more accessible to human industry.

June 16.—Started in the morning, passing by the upper springs of Cimarron, (12 miles,) to Cold spring, (17 miles.) The road becomes more gravelly. To our right we perceived distant, table-forned hills, with timber—a refreshing sight to a traveller who comes from the Cimarron.

About five miles from the crossing, light bluffs rise in the prairie, consisting of a yellow and reddish sandstone below, and a spotted sandstone, combined with lime and argyle, above. Five miles further, to the right of our road, rises a small mountain, formed by masses of rocks heaped up in irregular shapes to the height of nearly 100 feet. Ascending over those blocks to the top, I found them all to consist either of pure quartz or a very compact silicious sandstone of different colors, from white to deep red, (colored by oxyde of iron.) For a moment, I was at a loss to explain the presence and origin of this mountain. There was common sandstone all around it in the prairie, even at the foot of the mountain, but I could discover no connexion at all between this sandstone and the isolated mountain, and nowhere else could I perceive igneous rocks. This mountain could not therefore be *in situ*; it was an immense mass of boulders, transported here from more distant places by water, ice, or whatever theory one may accept for the explanation of those heavy masses of rocks, found very distant from the place of their origin, and known under the name of *boulders*. My opinion was confirmed by some polished surfaces that I found on the southwest side of the blocks, even of those lying on the top of the mountain. Some miles further I met with many isolated blocks of the same character; also with erratic rocks of serpentine and amygdaloidal basalt.

Cold Spring, where we halted, afforded us the best water we have tasted since we left the Arkansas; it breaks out of the sandstone that prevails here, and has a refreshing coolness. In the evening we marched six miles on our road, and encamped in the prairie. Towards evening we enjoyed the most beautiful scenery, which but a landscape of so mixed a character, where prairie and mountains meet, can produce. In the distant mountains before us, and to our left, a thunder storm was gathering; and the setting sun illuminated the fast sailing clouds with so many tinted colors, changing their hues every minute, that it would be impossible even for the pencil of a Salvador Rosa to do justice to the grandeur of the scenery.

June 17.—We started this morning in a thick fog, with drizzling rain, but at last the sun overcame the clouds. The road is good, gradually ascending, and leads through the plain, while mountains, timbered with cedar, are on our right, a distance of 10 miles, and the rabbit ear mounds about 40 miles before us. At noon we halted at Cedar creek, (eight miles.) Some cedars and cotton trees grow here; sandstone prevails; the water is

good; grass tolerable. In the afternoon we marched to *McNees' creek*, (12 miles,) but found not a drop of water in it.

June 18.—At our noon halt to day we met with water again on *Cotton-wood branch*, (12 miles.) Here, as well as on McNees' creek, a yellow sandstone prevails. The road is approaching nearer and nearer to the mountains. In the afternoon we passed to the right of the rabbit ear mounds, whose resemblance to rabbit ears, with some stretch of imagination, one may discover very easily, and arrived on *Rabbit ear creek*, (12 miles,) a camp with good grass and water, and cotton-trees and willows along the creek. On the right bank of the creek rise steep bluffs, formed by that porous, black looking basaltic rock, known as amygdaloidal basalt, and so common throughout the whole of Mexico. This is the first place where I have seen it *in situ*. It forms perpendicular walls, and is found strewn over the whole river bank. Below is a compact quartzose sandstone, as if common sandstone had been changed by volcanic action. The basalt, as well as the sandstone, lay horizontal.

June 19.—For want of water we marched 20 miles without rest, to *Rock creek*. About eight miles from Rabbit ear creek a mountain rises in the prairie, nearly one mile south of the road—the so-called *Round mound*. I ascended it, and by barometrical measurement found the difference between the foot and the top of the mountain to be 610 feet, or its absolute elevation above the sea 6,655 feet. So rapid has been our ascent since we left the Cimarron. On the top of the mountain grow cedars. The rocks composing it appear to be basaltic, in a state of decomposition; they look brown, and are sometimes very compact—sometimes more granular and friable. The view from the Round mound over the surrounding country is beautiful. The Taos mountains, in the west, are quite conspicuous; and towards the north west I discovered high mountains—some of them with snowy summits—probably the Spanish peaks. On Rock creek I saw the amygdaloidal basalt again *in situ*, with its underlying sandstone.

June 20.—In the morning we made but five miles, to *Whetstone creek*, and halted, with good grass and water. The sandstone here contains some lime, and may be used for coarse whetstones. The amygdaloidal basalt, which I found near our noon camp, is intermixed with silicious particles, glittering like mica. In the afternoon we made 14 miles, to "*Point of Rocks*," the projecting spur of a chain of mountains, to our right, that here approached the road. In going to our night camp we passed extensive strata of yellow quartzose sandstone, dipping gently towards the northeast. Point of Rocks itself is a mass of large blocks of sienite, towering to the height of several hundred feet. A clear mountain spring comes out of the rock. Here we camped.

June 21.—Travelled in the morning eight miles over excellent road, and halted at noon in a ravine, or cañon, 6,486 feet above the sea. During the whole day we enjoyed a beautiful view of the mountains before and around us, the most distant of them being covered with snow. In our afternoon march I met, in the plain, with a hill of a very compact black basalt, underlaid by sandstone. In the evening we reached the *Rio Colorado*, (12 miles,) the principal headwaters of the Canadian river, and found an excellent camp. The Rio Colorado is a clear mountain stream, with fine grass and good soil; cedars grow on the neighboring hills, and further down on the creek. A settlement would succeed very well here.

June 22.—We left the Colorado this morning for the *Ocaté creek*, (six miles.) The *Ocaté* contained but little water at that time, but its bed of sandstone and its steep banks seemed to be made for a big river, which form it assumes sometimes. On *Ocaté creek* there are some pines, the first we have seen close on the road. The elevation of the *Ocaté* above the sea is about 6,000 feet. We started in the afternoon for *Wagon mound*. Our road, as usual, runs through a wide plain, with the constant view of the northwest mountains before us. Half way a hail-storm overtook us, and forced us to camp in the prairie, (12 miles.)

June 23.—Made this morning 12 miles, to *Santa Clara*. We are travelling still over a high plain, though more encompassed by mountains than before. The western mountains before us are all covered thickly with pine timber. Some isolated mountains rise in the plains through which we travel. The road passes at the foot of the highest of them, the so-called *Wagon mound*, which I ascended as far as the rocks would allow. On the *Wagon mound* I found for the first time a dry specimen of the *Opuntia arborescens*, (Eng.), so common throughout Mexico, and whose porous stems are used in the south as torches. The rock composing the *Wagon mound* is a compact black and spotted basalt, that rises on the top to steep, perpendicular, indented columns of about 100 feet. During my excursion the caravan had come to a halt, and camped on a spring near the *Wagon mound*, called the *Santa Clara*. On riding to camp I was taken by surprise at hearing suddenly the warlike sound of a trumpet, and seeing a captain, with 30 Mexican soldiers and a flock of sheep, encamped near the caravan. The soldiers looked as poor and miserable as they could be. Some wore pieces of uniform; some were dressed in mere rags; some seated on mules, and some walked barefooted. All of them were armed with short lances, like the *Ciboleros*, but few had rusty guns. After all, they made no formidable appearance; and had no use for it, neither, because they appeared with the most friendly intentions. It was the usual escort sent out by the Governor of Santa Fe to receive the caravans, to protect them from the Indians; to sell his sheep to them if they wanted to buy some, but especially to prevent smuggling. The Mexicans reported that everything was quiet in Santa Fe, and that General Armijo was at the head of government in New Mexico. We travelled in the afternoon about eight miles, and camped in the plain without water, the Mexicans some distance from us.

June 24.—Went in the morning but five miles, to *Wolf creek*. The descent on the river bank is very steep and rocky. The creek, as well as the whole neighborhood, exhibited again the amygdaloidal basalt, with quartzose sandstone below, both horizontal. Pine, cedars, and sundry shrubs, grow along the creek; the grass and water are good.

Travelling this morning quietly over the plain, we heard in the distance of several miles a singular, awful noise, like a combination of falling rocks, breaking of bones, screams of anguish and cries of children, but the deep impression which the mysterious concert had made upon my ears was but surpassed by the surprising effect, when with my own eyes I descried the wonderful machine whose action produced that unearthly music—a Mexican *carréta*. Imagine to yourself a cart, made without any nails or iron of any kind, with two solid wheels formed out of the trunk of a big tree, and in the circumference rounded, or rather squared, and with a frame of ox-skin or sticks fastened together by rawhide, and this machine then put

in motion by three yoke of oxen, and carrying a load, which on a better vehicle one animal could transport much faster and easier, and you will have an idea of this primitive and only known vehicle used in Northern Mexico. The present carréts were loaded with maize, for which Mr. Speyer had sent to the nearest settlements; and our animals, somewhat exhausted by the journey, enjoyed for several days a sumptuous dinner, which the poor Mexican soldiers, whose only food was beans, seemed to envy them. A plain and good road led us in the afternoon through mountains to our right and left, covered with pine.

About eight miles from Wolf creek we reached the *Rio Mora*, a fine mountain stream, and a charming valley was spreading out before us. Soil, grass, and water, are excellent; the surrounding mountains furnish an abundance of pine, and protect the valley at the same time from severe cold in the winter. Stock increases here very fast; nevertheless, there are very few settlements at present in this part of the valley, because they are constantly exposed to the depredations of Indians. We stopped a short time at the first settlement, belonging to Messrs. Smith and Wells. The house (quite a new sight to us since we had left Missouri) was built in the Mexican fashion of sun-dried bricks or *adobes*, and with a flat roof. Delicacies of milk, butter, and pie were offered to us, and of course not refused. We marched about six miles beyond Rio Mora, and encamped in the plain.

June 25.—Made in the morning 12 miles as far as *Gallinas creek*. Half way, we had a beautiful view over the whole chain of mountains through which we have now to travel. The descent on the left bank of the creek is very steep. The bluffs here consist of a dark-bluish, shistose limestone, with fossils belonging to the cretaceous formation. About a mile from the creek lies the small town of las Vegas, or Gallinas, a village of 100 and odd houses, and poor and dirty-looking inhabitants, who cultivate some fields around town by means of irrigation, and raise some stock. The valley of Vegas is not so fertile as that of Mora, and more exposed to the rigor of the winter. In the afternoon we passed through town and turned immediately into the mountains. Instead of over a high plain, we shall now travel mostly in narrow valleys, and through mountainous passes, surrounded by high precipitous rocks, so called *cañons*. Through such a cañon we travelled on that same afternoon. The steep rocks overtowering our road sometimes, consisted of common and silicious sandstone, red, white and grayish. Two species of pine grow on the mountains, both of them undescribed yet. The one (*Pinus brachyptera*, Eng.) is the most common pine of New Mexico, and the most useful for timber; the other, (*Pinus edulis*, Eng.) or so-called *piñon*, contains in the cones seed of small nuts, that are roasted and eaten. We encamped at the end of the cañon, in a small valley, about five miles from las Vegas; our camp was on all sides surrounded by rocks. The grass brought out by the late rains is very fresh and tender, but had a singular bluish-green color, probably the effect of light reflected from pine timber. Our night camp, as I understood afterwards, is the place where General Armija, in his late memorable campaign, had at first collected his troops, with the intention to attack the Americans in the cañon.

June 26.—Travelled in the morning through a mountainous and timbered country to *Tecolote Abajo*, a small village of about 30 houses, and halted some miles beyond it on a small creek, (seven miles.) A coarse, conglomerate sandstone prevailed here, and pine and cedar grew all around.

In the afternoon we ascended first a steep, very rocky hill; passed afterwards by Ojo de Bernal or San Miguel spring, surrounded by a dozen houses, and camped some miles east of San Miguel, (10 miles.) The rocks near our night camp are a coarse conglomerate of decomposed granite, sandstone, and lime.

June 27.—Passed this morning through *San Miguel*, or the Rio Pecos. The place seems somewhat larger and wealthier than las Vegas. A church, built of adobes, is the prominent building in town. San Miguel is the most southern point on the Santa Fe road, and from here our mountain road takes a northwestern direction. About three miles beyond San Miguel we halted at noon, and started again in the afternoon for the mountains. According to my custom, I rode ahead to examine the country. The day was excessively hot; and with the design to reach the watering place of our to-night camp, I rode faster on and passed it unperceived, because it lay aside of the road. Determined, however, to find water ahead, I rode 20 miles, till I reached the *Rio Pecos*, opposite the old Pecos village. The bed of the creek above was entirely dry, but where the road crosses it two springs come out of the sand, whose clear and cold water my horse enjoyed not less than myself. A little below I selected my solitary night camp. My horse, which I had picketed when he got tired of grazing, laid down close at my side, and the night passed without any disturbance.

June 28.—I awoke rather chilly this morning, as I had no blanket with me, but a good fire soon made me comfortable. To spend my time till the caravan should arrive, I walked along the bed of the creek and examined the rocks; it was granite in a decomposed state. While knocking with my hammer some specimens from the heavy granite blocks, I suddenly perceived an Indian on horseback, galloping over the hill straight towards me. Having kept my horse always saddled and near me, I was mounted in a minute, but the Indian was already at my side, followed by about 20 others. Without saluting or showing any marks of friendship, he at once told me by signs, in a rather commanding way, to dismount. I refused it as positively, giving him to understand that I had to ride far yet, and left before all his followers could come up. The old chief (such he was apparently) looked at me for some minutes, as if irresolute what to do; but having no doubt perceived my rifle gun and pistols ready for emergency, he grumbled something like an oath, and let me pass. I rode on, not very fast, till I was out of their sight, and then turned back into my old road, and waited in the timber for the arrival of the caravan; which reached the place about noon, and halted at the Pecos spring. The Indians, as I understood afterwards, were a party of Camanches.

About one mile north of the Pecos springs lies the *old Pecos village*. When the caravan started in the afternoon, I rode aside to examine this interesting place. The village is entirely deserted. The most remarkable house in it is an old, spacious building, of adobes, two stories high, with strong doors and columns of cedar, ornamented by carved work. This old building is the temple of Montezuma, in whose subterranean vaults an eternal fire was kept up by the tribe of Pecos Indians, in consequence of an old tradition prevalent amongst them, that Montezuma himself had kindled this sacred fire, and that he would return finally, if the fire was kept burning by his followers. For centuries they have been careful to preserve their sanctuary; but their tribe has dwindled down at last to a trifling

number, and either from necessity or shaken faith, they left some six years ago the home of their fathers, and joined another tribe.

From Pecos springs we went that afternoon six miles, over a very mountainous road, to *Cottonwood branch*, a small valley amidst high mountains, where oaks, maple (*Negundo fraxinifolia*), common and bitter cottonwood, (*Populus Canadensis* and *angustifolia*) grow, surrounded by pine trees. This is the highest point on the Santa Fe road; according to my barometrical measurements, it is 7,250 feet above the level of the sea.

June 29.—Travelled in the forenoon eight miles over rough road, through a narrow valley, or rather a cañon with a ravine running through it. We halted at noon on a clear mountain stream. From Cotton branch to this camp, all the rocks around us consisted of sandstone in the most varied forms—of common, silicious, and calcareous sandstone, white, red, grayish, striped, and spotted—sometimes looser and coarse grained; sometimes finer and very compact. The strata were generally horizontal, except near our noon camp, where they seemed to have been uplifted from southwest to northeast, in an angle of nearly 100 degrees. From our noon camp the caravan started through another cañon about six miles long, while I preferred, for better examination of the country, to ride over a mountain path, that cut off several miles. This mountain path was extremely steep, and strewn all over with blocks of granite and some gneiss. This is the first place on the Santa Fe road where I found the granite undoubtedly *in situ*. On Rio Pecos, and some other localities, the granite was always in a decomposed and conglomerate state, and was most likely transported there in the course of centuries by the yearly risings of the river. But here I stood upon firm granite ground, thrown up from the bowels of the earth in one of the grand revolutions which, in time immemorial, have changed the nature of our globe. This granitic formation extends without interruption from here to Santa Fe. At the highest point of the road is a small plain with good grass, and a fine view over the mountains. Many wooden crosses are here erected upon heaps of granite rocks—a sign that many travellers have met here with an untimely grave by the hand of robbers. Descending again, I reached the common wagon road on the other end of the cañon, and waited for the wagons, which soon afterwards arrived, and we encamped near some springs. Our night camp is the same spot where, some months after this narrative, Governor Arniño was encamped with his whole army, prepared for a battle with General Kearny. On a small eminence at the outlet of the cañon he had put his batteries, intending probably to molest the Americans through the whole length of the cañon, and to give here the decisive battle. The ground was easy enough to be defended. The whole mountain road, in fact, from Las Vegas to Santa Fe, is by nature so fortified, that the Americans may congratulate themselves not to have encountered a more energetic enemy, who, without fighting any great battle, by mere skirmishing and harassing might have destroyed the whole army.

June 30.—In the morning we travelled six miles over a sandy and gravelly road, surrounded, as usual, by thick pine timber, and halted at a small creek. From here Santa Fe is but four miles distant. Riding ahead, I passed several hills, and overlooked then at once the beautiful wide valley, environed by nearer or more distant mountains, in which *Santa Fe*, the celebrated capital of New Mexico, lies. My expectations of seeing a fine city had already been cooled down by previous accounts of

travellers, and by the sight of the Mexican country towns through which we had passed. However, when I perceived before me that irregular cluster of low, flat roofed, mud built, dirty houses, called Santa Fe, and resembling in the distance more a prairie-dog village than a capital, I had to lower them yet for some degrees. After a short ride, I came to the "plaza," or public square of the town, and met there with some of my friends, who had gone in advance of me.

The first important news which I heard in Santa Fe was an account of the battle of Palo Alto, that had reached Santa Fe from the interior of Mexico one day previous to my arrival. When we left the frontier of Missouri, the latest newspapers reported the first skirmish, near Matamoros, that preceded this war, and the requisition of General Gaines for more troops; but there was no war declared yet, and the general impression prevailed, that if war at all should grow out of these difficulties, it would be finished in a short time. I myself, unacquainted with the obstinacy of Mexican character, and confident that our government would take energetic measures to finish the war at a single blow, shared their opinion. Under this conviction, I started for New Mexico, and the present joyful news rather confirmed me in it. The people in Santa Fe appeared indifferent to the defeat at Palo Alto; no excitement prevailed; only Governor Armijo felt alarmed, because he had been informed that troops would be sent over the plains to occupy New Mexico. All the information we could really give him on that account was, that such a plan had been thought of; that no troops were ready when we left; and that if they started at all, they could hardly reach New Mexico in less than two months hence. In the meanwhile, Governor Armijo treated the traders as usual. After some bargaining, they agreed to pay \$625 duty on each wagon; those who wanted to go into the interior received the usual passports from him, and everything went on as in perfect peace. While the traders were occupied with the arrangement of their mercantile business, I availed myself of this delay to take a look at the strange life in Santa Fe, to make some scientific observations, and to collect as much information about the country as circumstances would allow, the summary of which I insert here as an abridged statistical account of New Mexico. My short stay, as well as the general want of statistical documents in this State, and the very unpropitious time to ask insight into the few that existed, render it impossible for me to give any more definite account for the present.

Statistics of New Mexico.

To define the *boundaries of New Mexico* is no easy task, for the reason that they never seem to have been clearly defined; and the recent controversy in relation to the boundaries of Texas, makes them more indefinite still. To come to a clear result, we must begin with the facts, known as such. Towards the north and northeast, New Mexico meets with the boundary of the United States, as agreed upon the 22d February, 1819, between the United States and Spain, to wit: that part of the line which runs from Red river in the 100° longitude west of Greenwich, up to the Arkansas; then along the Arkansas to its sources; from thence in a straight line north to the 42° north latitude, and following the 42° west to the Pacific. The southeastern boundary of New Mexico is directly connected with the still still undecided question of the boundaries of Texas. The limits of the Mexican province Texas, previous to its revolution, are generally consid-

ered the Nueces river in the southwest, the Red river on the north, the Sabine on the east, and the gulf of Mexico on the southeast.* The State of Texas, after its declaration of independence from Mexico in 1836, resolved, as a matter of expediency, to extend the southwestern boundary of Texas from the mouth of the Rio Grande along the river to its source, and up to the 42° north latitude.† The settlement of this question would therefore change the boundary of New Mexico towards the north, east, and southeast, at the same time. Towards the south, the State of Chihuahua forms the principal boundary of New Mexico. This State claims as its northern boundary towards New Mexico 32° 30' latitude north; this line to be protracted towards the east to the Rio Pecos or Puerco, and towards the west to the headwaters of the Gila, and descending this river to its junction with the San Francisco.‡ This northwestern angle of the State of Chihuahua is by Mexicans supposed to be in 32° 57' 43" north latitude. The northern boundary of the State of Sonora that comes from hence in contact with New Mexico has never been exactly defined, but

* Under the Spanish government, Texas, with Coahuila, New Santander, and New Leon, belonged to the general commandancia of the provincias internas orientales. This division was made in 1807. In 1824, when 19 independent States and some territories formed themselves into the present republic of Mexico, New Leon and New Santander became two of those States, the latter having changed its name into Tamaulipas, and Coahuila and Texas united formed a third State. The boundaries of those States continued to be the same as under the Spanish government. All the authorities which I had an opportunity to compare, in regard to the then southern boundary of Texas, seem to agree in a line along the Nueces; but the respective boundary between Coahuila and Texas appears to have been somewhat indefinite from the earliest settlements. Humboldt, in his *Essay Politique sur le royaume de la Nouvelle Espagne*, v. i, p. 282, says: "J'ai tracé les limites de Coahuila et Texas près de l'embouchure du Rio Puerco et vers les sources du Rio de San Saba, telles que je les ai trouvées indiquées dans les cartes spéciales conservées dans les archives de la vicéroyauté, et dressées par des ingénieurs au service du roi d'Espagne. Mais comment déterminer des limites territoriales dans des savannes immenses où les métairies sont éloignées les unes des autres de 15 à 20 lieues, et où l'on ne trouve presque aucune trace de défrichement ou de culture."

A late German work on Mexico by Muehlenpfordt, published in 1844, contains the following comment upon the same object: "The boundaries of the present State of Coahuila towards Texas in the north and northeast are rather indefinite, but we presume that towards the north the boundary of the State of Coahuila extends from the mouth of the Rio Puerco to the small lake of San Saba, near the 32° north latitude." And in another place the same author says of the State of Tamaulipas: "This State, formerly called the colony of New Santander, and belonging to the intendency of San Luis Potosi, but since the revolution of Mexico an independent State, is bound on the north by the State of Coahuila and the present republic of Texas, and on the east by the gulf of Mexico, from the Laguna de Tampico to the Nueces river, or from the 22° to the 28° north latitude!"

† This revolutionary title of Texas to the Rio Grande seems to me far superior to the doubtful right acquired by the forced promise of Santa Anna, while a prisoner in Texas, to acknowledge such a boundary. The right of revolution has already become sanctioned in this part of the globe; the existence of the United States is based upon it, and the whole continent will be regenerated by it. But the revolutionary right includes, in my humble opinion, *eo ipso*, the right of conquest, whenever the oppressed party, in its strife for republican existence, shall consider it necessary or expedient to secure its victory by such means.

‡ In the "Ensayo estadístico sobre el Estado de Chihuahua," published in Chihuahua, 1842, I find (p. 10) the following passage:

"El Rio de Pecos forma la línea divisoria del Estado con el de Coahuila y Tejas, desde los 32° 30' latitud norte, hasta se desembocan en el Rio Grande del Norte."

"The Pecos river forms the dividing line between the State of Chihuahua and that of Coahuila and Texas, from 32° 30' north latitude, down to its mouth, into the Rio Grande."

In the same work, p. 11, is said:

"Los vertientes del Rio de Gila nacen en la Sierra de Mogoyon, y forman el lindero mas boreal del Estado hasta su reunion con el Rio de San Francisco; recorre hacia este punto 27 leguas."

"The headwaters of the Rio Gila come from the Mogoyon mountains, and form the most northern line of the State (of Chihuahua) until their junction with the San Francisco, a distance of 27 miles."

generally the Rio Gila is considered to form it. Towards the west of New Mexico an immense country is spread out between the Rio Colorado and the Gila, inhabited only by wild Indian tribes. This whole wide country is sometimes allotted in the Mexican maps to Sonora, sometimes to Upper California, but generally to New Mexico, while the large waste desert northwest of the Colorado is generally attributed to California.

If we accept now in all directions the widest boundaries for New Mexico, it would extend from $32^{\circ} 30'$ to 42° north latitude, and from 100° to about 114° longitude west of Greenwich. But as the country of the wild Indians has never been under any jurisdiction or control of the Mexicans, and settlements have never extended over the whole territory, the name of New Mexico has generally been applied only to the settled country between the 32° and 38° latitude north, and from about 104° to 108° longitude west of Greenwich. In this limited extent, whose lines are drawn by custom, gradual development, and natural connexion, it will be most convenient at present to consider New Mexico.

New Mexico is a very mountainous country, with a large valley in the middle, running from north to south, and formed by the *Rio del Norte*. The valley is generally about 20 miles wide, and bordered on the east and west by mountain chains, continuations of the Rocky mountains, which have received here different names, as Sierra blanca, de los Organos, oscura, on the eastern side, and Sierra de los Grullas, de Acha, de los Minibres, towards the west. The height of these mountains south of Santa Fe may, upon an average, be between six and eight thousand feet, while near Santa Fe, and in the more northern regions, some snow covered peaks are seen that may rise from 10,000 to 12,000 feet above the sea. The mountains are principally composed of igneous rocks, as granite, sienite, diorite, basalt, &c. On the higher mountains excellent pine timber grows; on the lower, cedars, and sometimes oak; in the valley of the Rio Grande, mezquite.

The main artery of New Mexico is the Rio del Norte, the longest and largest river in Mexico. Its headwaters were explored in 1807 by Captain Pike, between the 37° and 38° north latitude; but its highest sources are supposed to be about two degrees farther north in the Rocky mountains, near the headwaters of the Arkansas and the Rio Grande, (of the Colorado of the west.) Following a generally southern direction, it runs through New Mexico, where its principal affluent is the Rio Chamas from the west, and winds its way then in a southeastern direction through the States of Chihuahua, Coahuila and Tamaulipas, to the gulf of Mexico, in $25^{\circ} 56'$ north latitude. Its tributaries in the latter States are the Pecos, from the north; the Conchos, Salado, Alamo, and San Juan, from the south. The whole course of the river, in a straight line, would be near 1,200 miles; but by the meandering of its lower half, it runs at least about 2,000 miles from the region of eternal snow to the almost tropical climate of the gulf. The elevation of the river above the sea near Albuquerque, in New Mexico, is about 4,800 feet; in el Paso del Norte about 3,800; and at Reynosa, between three and four hundred miles from its mouth, about 170 feet. The fall of its water appeared to be, between Albuquerque and el Paso, from two to three feet in a mile, and below Reynosa one foot in two miles. The fall of the river is seldom used as motive power, except for some flour mills, which are oftener worked by mules than by water. The principal advantage which is at present derived from the river is for agriculture, by their well managed system of irrigation. As to its navigation

in New Mexico, I doubt very much if even canoes could be used, except perhaps during May or June, when the river is in its highest state, from the melting of the snow in the mountains. The river is entirely too shallow, and interrupted by too many sand bars, to promise anything for navigation. On the southern portion of the river the recent exploration by Captain Sterling, of the United States steamer Major Brown, has proved that steamboats may ascend from the gulf as far as Laredo, a distance of 700 miles. Although said steamboat did not draw over two feet of water, yet the explorers of that region express their opinion, that "by spending some \$100,000 in a proper improvement of the river above Mier, boats drawing four feet could readily ply between the mouth of the Rio Grande and Laredo." Whenever a closer connexion between this headpoint of navigation and New Mexico shall be considered, nothing would answer but a railroad, crossing from the valley of the Rio Grande to the high table land in the State of Chihuahua.

The *soil* in the valley of the Rio del Norte, in New Mexico, is generally sandy and looks poor, but by irrigation it produces abundant crops. Though agriculture is carried on in a very primitive way, with the hoe alone, or with a rough plough, made often entirely of wood, without any particle of iron, they raise large quantities of Indian corn and wheat, beans, onions, red peppers, and some fruits. The most fertile part of the valley begins below Santa Fe, along the river, and is called "rio abajo," or (the country) down the river. It is not uncommon there to raise two crops within one year. The general dryness of the climate, and the aridity of the soil in New Mexico, will always confine agriculture to the valleys of the water courses, which are as rare as over all Mexico—such, at least, as contain running water throughout the year. But this important defect may be remedied by Artesian wells. On several occasions I remarked on the high table-land from Santa Fe south, that in a certain depth layers of clay are found, that may form reservoirs of the sunken water-courses from the eastern and western mountain chain, which, by the improved method of boring, or Artesian wells, might be easily made to yield their water to the surface. If experiments to that effect should prove successful, the progress of agriculture in New Mexico would be more rapid, and even many dreaded "Jornadas" might be changed from waterless deserts into cultivated plains. But at present, irrigation from a water course is the only available means of carrying on agriculture. The irrigation is effected by damming the streams and throwing the water into larger and smaller ditches (*acequias*) surrounding and intersecting the whole cultivated land. The inhabitants of towns and villages, therefore, locate their lands together, and allot to each one a part of the water at certain periods. These common fields are generally without fences, which are less needed, as the grazing stock is guarded by herdsmen. The finest fields are generally seen on the *haciendas*, or large estates, belonging to the rich property holders in New Mexico. These haciendas are apparently a remnant of the old feudal system, where large tracts of land, with the appurtenances of Indian inhabitants as serfs, were granted by the Spanish crown to their vassals. The great number of human beings attached to these haciendas are, in fact, nothing more than serfs; they receive from their masters only food, lodging, and clothing, or perhaps a mere nominal pay, and are therefore kept in constant debt and dependence to their landlords; so that if old custom and natural indolence did not prevail upon them to stay with their hered-

itary masters, the enforcement of the Mexican laws against debtors would be sufficient to continue their servitude from generation to generation. This actual slavery exists throughout Mexico, in spite of its liberal constitution; and as long as this contradiction is not abolished, the declamations of the Mexican press against the slavery in the United States must appear as hypocritical cant.

Besides agriculture, the inhabitants of New Mexico pay a great deal of attention to the *raising of stock*, as horses, mules, cattle, sheep, and goats. Their stock is all rather of a small size, because they care very little for the improvement of the breed; but it increases very fast, and as no feeding in stables is needed in the winter, it gives them very little trouble. There are large tracts of land in New Mexico too distant from water to be cultivated, or in too mountainous parts, which afford, nevertheless, excellent pasturage for millions of stock during the whole year; but unfortunately here, as well as in the State of Chihuahua, the raising of stock has been crippled by the invasions of the hostile Indians, who considered themselves secret partners in the business, and annually take their share away.

A third, much neglected branch of industry in New Mexico are the *mines*. Great many now deserted mining places in New Mexico prove that mining was pursued with greater zeal in the old Spanish times than at present, which may be accounted for in various ways, as the present want of capital, want of knowledge in mining, but especially the unsettled state of the country and the avarice of its arbitrary rulers. The mountainous parts of New Mexico are very rich in gold, copper, iron, and some silver. Gold seems to be found to a large extent in all the mountains near Santa Fe, south of it in a distance of about 100 miles, as far as Gran Quivira, and north for about 120 miles up to the river Sangre de Cristo. Throughout this whole region gold dust has been abundantly found by the poorer classes of Mexicans, who occupy themselves with the washing of this metal out of the mountain streams. At present the old and the new *Placer*, near Santa Fe, have attracted most attention, and not only gold washes, but some gold mines too, are worked there. They are, so far as my knowledge extends, the only gold mines worked now in New Mexico. But as I have made from Santa Fe an excursion there for the special purpose of examining those mines, I must refer the reader, in relation to them, to that chapter of my narrative. As to the annual amount of gold produced in New Mexico, I am unable to give even an estimate. But as nearly all the gold of New Mexico is bought up by the traders, and smuggled out of the country to the United States, I believe that a closer calculation of the gold produced in New Mexico could be made in the different mints of the United States than in Mexico itself. Several rich silver mines were, in Spanish times, worked at Avo, at Cerrillos, and in the Nambe mountains, but none at present. Copper is found in abundance throughout the country, but principally at las Tijeras, Jemas, Abiquiu, Guadalupe de Mora, etc. I heard of but one copper mine worked at present south of the Placers. Iron, though also abundantly found, is entirely overlooked. Coal has been discovered in different localities, as in the Raton mountains, near the village of Jemez, southwest of Santa Fe, in a place south of the Placers, etc. Gypsum, common and selenite, are found in large quantities in Mexico; most extensive layers of it, I understood, exist in the mountains near Algodones, on the Rio del Norte, and in the neighborhood of the celebrated "Salinas." It is used as common

lime for whitewashing, and the crystalline or selenite instead of window-glass. About four days travelling (probably 100 miles) south-southeast of Santa Fe, on the high table-land between the Rio del Norte and Pecos, are some extensive *salt lakes*, or "*salinas*," from which all the salt (muriate of soda) used in New Mexico is procured. Large caravans go there every year from Santa Fe in the dry season, and return with as much as they can transport. They exchange, generally, one bushel of salt for one of Indian corn, or sell it for one and even two dollars a bushel.

Not far from these *salinas* the ruins of an old city are found, of the fabulous "*la Gran Quivira*." The common report in relation to this place is, that a very large and wealthy city was once here situated, with very rich mines, the produce of which was once or twice a year sent to Spain. At one season, when they were making extraordinary preparations for transporting the precious metals, the Indians attacked them; whereupon the miners buried their treasures, worth 50 millions, and left the city together; but they were all killed except two, who went to Mexico, giving the particulars of the affair and soliciting aid to return. But the distance being so great and the Indians so numerous, nobody would advance, and the thing was dropped. One of the two went to New Orleans, then under the dominion of Spain, raised 500 men and started by way of the Sabine, but was never heard of afterwards. So far the report. Within the last few years several Americans and Frenchmen have visited the place; and, although they have not found the treasure, they certify at least to the existence of an aqueduct, about 10 miles in length, to the still standing walls of several churches, the sculptures of the Spanish coat of arms, and to many spacious pits, supposed to be silver mines. It was no doubt a Spanish mining town, and it is not unlikely that it was destroyed in 1680, in the general, successful insurrection of the Indians in New Mexico against the Spaniards. Dr. Samuel G. Morton, in a late pamphlet, suggests the probability that it was originally an old Indian city, into which the Spaniards, as in several other instances, had intruded themselves, and subsequently abandoned it. Further investigation, it is to be hoped, will clear up this point.

The *climate* of New Mexico is of course very different in the higher, mountainous parts, from the lower valley of the Rio del Norte; but generally taken, it is temperate, constant, and healthy. The summer heat in the valley of the river will sometimes rise to nearly 100° Fahrenheit, but the nights are always cool and pleasant. The winters are much longer and more severe than in Chihuahua, the higher mountains are always covered with snow, and ice and snow are common in Santa Fe; but the Rio del Norte is never frozen with ice thick enough to admit the passage of horses and carriages, as was formerly believed. The sky is generally clear, and the atmosphere dry. Between July and October, rains fall; but the rainy seasons are here not so constant and regular as in the southern States. Disease seems to be very little known, except some inflammations and typhoid fevers in the winter season.

The *history* of New Mexico lies very much in the dark. The Spaniards, it seems, received the first information about it in 1581 from a party of adventurers under Captain Francisco de Leyva Bonillo, who, upon finding the aboriginal inhabitants and the mineral wealth of the country to be similar to those of Mexico, called it New Mexico. In 1594, the then

viceroy of Mexico, Count de Monterey, sent the gallant Juan de Oñate, of Zacatecas, to New Mexico, to take formal possession of the country in the name of Spain, and to establish colonies, missions, and presidios, (forts.) They found a great many Indian tribes and settlements, which they succeeded in christianizing in the usual Spanish way, with sword in hand, and made them their slaves. The villages of the christianized Indians were called *pueblos*, in opposition to the wild and roving tribes that refused such favors. Many towns, of which only ruins exist now, were established at that time; many mines were worked, and the occupation of the country seemed to be secured, when quite unexpectedly, in 1680, a general insurrection of all the Indian tribes broke out against the Spanish yoke. The Indians massacred every white male, and the then Governor of New Mexico, Don Antonio de Otermin, after a hard fight, had to retreat with his men from Santa Fe, and marched as far south as Paso del Norte, where they met with some friendly Indians, and laid the foundation of the present town of that name. It lasted ten years, until Spain recovered the whole province of New Mexico again. Several other insurrections took place after that, but none so disastrous as the first. However, the deep rancour of the Indian race against the white has continued to the present time, and in all the frequent and bloody revolutions of later years in New Mexico the pueblos generally acted a conspicuous and cruel part. There is constantly some distance between them and the rest of the Mexicans. They live always isolated in their villages, cultivate the soil, and raise some stock, and are generally poor, frugal, and sober. Their different tribes, of which about twenty yet exist, are reduced to about ten thousand souls. They speak different Indian dialects; sometimes, too, broken Spanish. All of them know the old tradition of Montezuma, mentioned already in the account of the old Pecos village; but none have carried the veneration of their expected Saviour so far as this faithful tribe. For the regulation of their communities they select a chief or cacique, and a council, and in war a capitan. Their religious rites are a mixture of Catholicism and Indian paganism; the Spanish priests themselves favored this combination, from policy. Their villages are built with great regularity; sometimes they have but one large house, with several stories, and a great many small rooms, in which the whole village is quartered. Instead of doors in front, they use trap-doors on the roofs of their houses, to which they climb up on a ladder, which is withdrawn in the night for greater security. Their dress consists of moccasins, short breeches, and a woolen jacket, or blanket; they generally wear their hair long. Bows and arrows and a lance, and sometimes a gun, constitute their weapons.

The whole population of New Mexico was in 1793, according to a census, 30,953; in 1833 it was calculated to amount to 52,360, and that number to consist of $\frac{1}{8}$ Apachines, (native Spaniards,) $\frac{1}{8}$ Creoles, $\frac{1}{8}$ Mestizes of all grades, and $\frac{1}{8}$ of pueblo Indians. In 1842, the population was estimated at 57,026, and at present at about 70,000 souls.

The manners and customs of the New Mexicans proper are very similar to those over all Mexico, described so often by travellers to that country. While the higher classes conform themselves more to American and European fashions, the men of the lower classes are faithful to their serapes or colored blankets, and to their wide trousers with glittering buttons, and split from hip to ankle to give the white cotton drawers also a chance to be

seen; and the ladies of all classes are more than justified in not giving up their coquetish rebozo, a small shawl drawn over the head. Both sexes enjoy the cigarrito or paper cigar, hold their siesta after dinner, and amuse themselves in the evening with monte, (a hazard game,) or fandangos. Their dances are, by the-by, very graceful, and generally a combination of quadrille and waltz. The principal ingredient in the Mexican race is Indian blood, which is visible in their features, complexion, and disposition. The men are, generally taken, ill-featured, while the women are often quite handsome. Another striking singularity is the wide difference in the character of the two sexes. While the men have often been censured for their indolence, mendacity, treachery, and cruelty, the women are active, affectionate, open-hearted, and even faithful when their affections are reciprocated. Though generally not initiated in the art of reading and writing, the females possess, nevertheless, a strong common sense, and a natural sympathy for every suffering being, be it friend or foe; which compensates them to some degree for the wants of a refined education. The treatment of the Texan prisoners is but one of the many instances where the cruelties of the Mexican men were mitigated by the disinterested kindness of their women.

The *rules of New Mexico*, under the Mexican government, used to be a governor and a legislative power, (junta departmental;) but as the latter was more a nominal than a real power, the governor was generally unrestrained, and subject only to the law of revolution, which the New Mexicans used to administer very freely, by upsetting the gubernatorial chair as often as the whole republic did that of the President. Governor Armijo, the last ruler of New Mexico, before it was invaded by the Americans, has already received his full share of comment from the public press. He is one of those smart, self-confident men, who, like their prototype Santa Anna, are aware that the wheel of fortune is always turning, and that the Mexicans are a most credulous and easily deceived people; and though at present he is a fugitive from his country, and subdued, I have no doubt he will before long appear once more on the stage, and by some means come into power again. The judiciary power in New Mexico has always been as dependent as the governor was independent. Besides that, the clergy, as well as the military class, had their own courts of justice. In relation to the general government of Mexico, New Mexico has always maintained greater independence than most of the other States—partly from its distance from Mexico, and partly from the spirit of opposition in the inhabitants, who derived very little benefit from their connexion with the republic, and would therefore not be taxed without an equivalent. Several times the general government tried to introduce in New Mexico the so called *estanquillas*, or the sale of tobacco in all its forms, as a monopoly of the general government; but it never succeeded. In the same way the introduction of copper coin was resisted. This loose connexion with the mother country will aid a great deal its annexation to the United States, provided that the latter will bestow upon it what the Mexican government never could—stability of government, safety of property and personal rights, and especially protection from the hostile Indians.

Finally, we will take a view of the capital of New Mexico. *Santa Fe* is one of the oldest Spanish settlements in New Mexico; its origin dates probably as far back as the end of the sixteenth century. It lies in 35° 41' 6"

north latitude, and $106^{\circ} 2' 30''$ longitude west of Greenwich.* Its elevation above the sea, according to my own observations, is 7,047 feet.

Santa Fe lies in a direct line about 20 miles east of the Rio del Norte, in a wide plain, surrounded on all sides by mountains. The eastern mountains are the nearest; those towards the northeast, the Taos mountains, the highest: some of their snow-capped peaks are supposed to be from four to five thousand feet higher than Santa Fe. A small creek, that comes from the eastern mountains, provides the town with water, and runs about 25 miles southwest from it into the Rio del Norte. There is no timber on the plains, but the mountains are covered with pine and cedar. The soil around Santa Fe is poor and sandy; without irrigation, scarcely anything can be raised. There is no good pasturage on the plains; stock is generally sent to the mountains, and only asses, mules, and goats—the stock of the poorer classes—are kept near the settlements.

The climate of Santa Fe is rather pleasant; not excessively warm in the summer, and moderately cold in the winter, though snow is a common occurrence. Nearly all the year the sky is clear, and the atmosphere dry. All the houses in Santa Fe are built of adobes, but one story high, with flat roofs; each house in a square form, with a court or open area in the centre. The streets are irregular, narrow, and dusty. The best looking place is the "plaza;" a spacious square, one side of which the so-called palacio, the residence of the Governor, occupies. The palace is a better building than the rest; it has a sort of portico, and exhibits two great curiosities, to wit: windows of glass, and festoons of Indian ears. Glass is a great luxury in Santa Fe; common houses have shutters instead of windows, or quite small windows of selenite, (crystallized gypsum.) The festoons of Indian ears were made up of several strings of dried ears of Indians, killed by the hired parties that are occasionally sent out against hostile Indians, and who are paid a certain sum for each head. In Chihuahua, they make a great exhibition with the whole scalps of Indians which they happen to kill by proxy; the refined New Mexicans show but the ears. Among the distinguished buildings in Santa Fe, I have to mention yet two churches with steeples, but of very common construction.

The inhabitants of Santa Fe are a mixed race of Spanish and Indian blood, though the latter prevails. The number of inhabitants was in former times reported as high as 4,000; at present it contains at most 3,000; and with the surrounding settlements belonging to the jurisdiction of Santa Fe, about 6,000. The manners and customs of the inhabitants of Santa Fe are those of whole Northern Mexico; they are indolent, frugal, sociable, very fond of gambling and fundangos, and the lower classes, at least, exceedingly filthy. As in most Mexican towns, I was at a loss to find out by what branch of industry the mass of the people support themselves; and I came at last to the conclusion, that if from natural indolence they work as little as possible, their extreme frugality, too, enables them to subsist upon almost nothing.

* This is the result of the most numerous astronomical observations made by Lieut. Emory, of the engineer corps, during his stay in Santa Fe, and which he has kindly allowed me to refer to. The result of my own observations for latitude, made during my short sojourn in Santa Fe, differs from his but in seconds. Dr. J. Gregg had already determined it as in $35^{\circ} 41'$. There can, therefore, be no doubt as to the real latitude of Santa Fe. Nevertheless, all the Mexican maps have generally laid it nearly one degree further north. This northern tendency of Mexican maps I observed on many other points where I made observations for latitude.

Since the commencement of the Santa Fe trade, the Mexicans there have been accustomed to see strangers among them; and the trading companies from the United States are anxiously looked for by the government and people of Santa Fe, because they fill the empty pockets of the one, and provide the other with the necessities and comforts of life. Santa Fe receives nearly all its goods from the United States, and some foreigners, mostly Americans and Frenchmen, generally reside there for commercial purposes. Among the then foreign residents of Santa Fe, it affords me pleasure to recollect Mr. Houghton, Mr. Alvarez, and others, who gave me in relation to the country all the information in their power to give.

As to the Santa Fe trade carried on between the United States and New Mexico, I cannot add anything to what has been published already by Dr. J. Gregg, in the "Commerce of the Prairies," to which interesting work I refer the reader, in relation to it. I will mention, only, that on an average the annual amount of merchandise carried there is estimated at half a million of dollars.

After a week, Mr. Speyer had finished his business in Santa Fe, and resolved to go on to Chihuahua. No further news had during that time been received either from below or from the plains. In this state of uncertainty, I thought it best, instead of waiting idle in Santa Fe for the possible arrival of an army over the plains, to spend my time more usefully by extending my excursion as far as Chihuahua, where, according to all accounts, everything was as quiet as in Santa Fe. Besides, I had a passport from Governor Armijo, drawn up in the usual form, and securing my retreat in case of necessity.

Mr. Speyer's caravan was encamped five miles west of Santa Fe, in Agua Fria, and was ready to start on the 9th.

July 8.—I left Santa Fe for the camp in Agua Fria.

July 9.—The caravan started on the usual road, by Algodones, for the Rio del Norte. But being anxious myself to examine the celebrated gold mines of New Mexico, the old and new Placer, in a range of mountains southwest from Santa Fe, I intended to make first from here this out of the way excursion, and to join the caravan afterwards on the Rio del Norte, near Albuquerque. I started, therefore, in this direction, riding alone and taking nothing along but my arms and a pair of saddle-bags.

The distance from here to old Placer is about 25 miles; from Santa Fe, 27. In a southern direction I rode through the valley that separates the mountains east of Santa Fe from the chain of the Placers. This valley is about 25 miles broad, very sandy and sterile, covered with artemisia, and nearer the foot of the Placer mountains with dwarfish cedars. Travelling along a low chain of hills that form an outward wall to the mountains of old Placer, I passed by two springs, on the first of which I found sienite; on the other a fresh water limestone. Ascending afterwards to the hills, I met everywhere with a red and brown sandstone, looser or more compact, and with large masses of petrified wood. From here the ascent to the mountains is rather rapid till a plain is gained, from which a fine retrospective view is enjoyed towards Santa Fe, and over the whole valley. Pine and cedar cover the mountains all around. Slightly ascending from the plain for some miles, a narrow ravine between high walls of mountains suddenly opposes further advance, and about 20 houses are seen hanging on both sides of the narrow valley. This solitary place is el Real de Dolores, or, as

it is commonly called, old Placer. Several foreigners live here. The first one I saw was Mr. Watrous, a New Englander, but for many years a resident of this country. He received me very hospitably, and invited me to his dwelling. Some fresh skins of grizzly bears were spread out on scaffolds, the sure American rifle stood in the corner, and everything else bore the character of the backwoodsman; but by his intelligent conversation he showed himself a man of very good sense, and as an acute observer. Though Mr. Watrous had not himself been engaged in mining, he paid attention to his whole neighborhood, and showed me many specimens of gold ores, which in his rambles through the mountains he had collected. I took a walk with him to the nearest gold washes. The first instance of this operation I witnessed on the small creek that runs through old Placer. From the bed of the creek, which was in most places dry, they took up some of the ground—gravel, sand and earth—put it in a spacious, rather flat wooden bowl, (*batéa*,) added water, removing first, by stirring with the hand, the coarse pieces of gravel, and then, by well balanced shaking, all the earthy and sandy particles, till at last nothing is left at the bottom but the finest sand, from which all the visible portions of gold are picked out. The poorer class of Mexicans are generally occupied with those gold washes in the creek; and they divide for that purpose the creek with the water amongst themselves, in lots, which often call forth as many claims and contests as the finest building lots in our cities. As the gold is apparently carried here by the waters of the creek from higher auriferous regions, the gain from these washings is different according to the season. The most gold is generally found in and after the rainy season, and it diminishes with the failing of water. Occasionally they discover a larger piece of gold in the sand; but generally the gold is so divided, that a whole day's work will amount on an average to not more than a quarter or half a dollar. Every evening they sell their small gains to the storekeepers, and take provisions or goods in exchange, or receive cash for it at the rate of sixteen dollars per ounce. This is the most common but least profitable way of gold washing. It may be practised on all the water-courses in those mountains, provided that there is sufficient water to wash with. In going from this to some other gold washes in the neighborhood, I took notice of the prevalent rocks in old Placer; they are white and yellow quartzose sandstone, quartz, hornblende and quartz, sienite and greenstone, (*diorit*.) The second place where I saw the process of gold washing was on a high piece of ground not far from a creek. They had opened here a great many pits to the depth of from 50 to 60 feet, and raised the ground, a sandy earth mixed with iron ochre, to the surface, where it was washed for gold in the same way, in *batéas*. These gold washings are said to be profitable, but they would in my opinion be more so where a regular mining was done by sinking a shaft, and by separating the gold by quicksilver, or in some other way than mere washing.

On the next day I went to see a gold mine, near the upper part of the town, belonging to Mr. Tournier, a French resident of the place. The mine lies between one and two miles west of the town, on the slope of some mountains. It was discovered several years ago by Mr. Roubadoux, who commenced working it, but for some reason gave it up. Mr. Tournier had worked it for one year, and found it very profitable. The gold vein runs from SSE. to NNW., with a very slight dip. It is generally from two to four feet wide. Mr. Tournier has sunk a shaft already in the entire depth of 40 varas, and with the drift of about 30 varas, and the ore prom-

ises to hold out very fairly. The vein is found in sienite and greenstone, the gang consists of argillaceous iron ore, (yellow and brown iron ochre,) with which the native gold is very intimately mixed. A yellow or brown earth, a decomposition of the same rocks and found among them, is considered peculiarly rich in gold. The ores are carried in bags to the surface, and on mules to the amalgamation mill in town. After the ores have been ground, by hand, (pounding them with rocks,) they are put in the mill, a small circular basin formed with rocks, with one or two millstones, which are constantly turned around in it by mule power. These millstones are placed on their face, revolving round a centre pole, which is turned by the animal. To the coarsely powdered ore, water, and then quicksilver, are added, and the amalgamation goes on in the usual way. Mr. Tournier told me that he worked in this way every day about two and a half cargas (750 pounds) of the ore, and that he draws, on an average, three-quarters of an ounce (about \$12 worth) of gold out of it. Although the whole work at present is done on a very small scale, and would allow yet many improvements, Mr. Tournier makes nevertheless a smart business of it, and will soon turn his gold mine into real gold. Near Mr. Tournier's gold mine is a copper mine, (sulphuret of copper,) said to contain gold ore, and worked for some time, but now given up. Several other specimens of copper ore from the vicinity were shown me; a very rich iron ore I saw myself in the neighborhood; but neither of them is worked.

The old Placer is a very promising place for mines. The gold ores there were discovered by mere accident in 1828, and gold washings established; but besides that, the ground is barely touched, and will yet open rich treasures to the mining enchanter, who knows how to unlock them.

In the afternoon of the same day I left old Placer to pay a visit to the other mining place, southwest from it, called new Placer, and about nine miles distant. I rode there with Mr. Nolan, a French resident of new Placer. Our way lay through fine pine timber, over steep mountains, and through narrow ravines; the road is so rough, that no wagons can pass it. After having reached the highest point, an extensive plain is seen towards the south; and towards the west a small valley opens, in which new Placer, or Real del Tuesto, a town of about 100 buildings, is situated. Several foreigners reside here, generally storekeepers. In the house of one of them, with Mr. Trigg, I found a kind and hospitable reception.

The gold in new Placer is also got in two ways, by washing and by mining. The principal place for gold washing is about one mile southwest from the town, at the foot of a naked granitic mountain, the so-called "Bonanza." A cluster of houses, or rather huts, form here a small village, whose inhabitants live exclusively by gold washing, but look as poor and wretched as if they never handled any gold of their own. The whole place is excavated with pits, from whose depths they dig the same yellow auriferous ground as in old Placer, and they wash it also in the same way. Not a drop of water is found here; all the water for washing must be brought in barrels from new Placer. The wash gold obtained from new Placer is generally considered inferior to that of old Placer, as being more impure. To ascertain the correctness of this opinion, I examined some wash-gold from new Placer, and found it to contain:

Native gold	-	-	-	-	-	-	-	92.5
Silver	-	-	-	-	-	-	-	3.5
Iron and silice	-	-	-	:	-	-	-	4.0
								<hr/> 100.0 <hr/>

I am sorry that I have no wash-gold from old Placer at hand for a comparative analysis, but the above mentioned result shows that if any difference exists between the two ores, it cannot be considerable.

Two gold mines are worked at this time in new Placer; one by Mexicans, the other by an American. They are said to be very similar to each other. I visited but the nearest, belonging to Mr. Campbell, an American resident of new Placer. Mr. Campbell commenced mining only a short time since. His amalgamation mill was not yet in operation; but he had already collected heaps of gold ores, and invited me to see the mine that he had opened. It lies about one and a half mile southwest from the town, near the top of a high mountain, to which a rough and steep road leads, accessible only to pack-mules. The gold mine is found, as in old Placer, in sienite and greenstone; it runs horizontally from east to west: the gang is iron ochre and crystallized quartz. The vein was from eight to ten feet wide, and explored only to the length of about 20 feet, and to the depth of about 10 feet. The ore seems to be very rich in gold, and the prospects it offers to Mr. Campbell are certainly very flattering.

The new Placer adds to the attraction of the gold ores, which seem to be found in this whole range of mountains, that of a better situation as a town than old Placer, and of more passable roads. But many other mining places will no doubt spring up in this neighborhood as soon as the state of the country allows it. Up to this time many causes have existed to prevent rather than to encourage mining enterprise. Though the law in New Mexico was generally very liberal in granting lots for mining, the instability of Mexican laws, and their arbitrary administration, have neutralized and annihilated it. When a New Mexican wants to work a gold or other mine, not yet occupied by another, he has to apply to the nearest alcalde; (justice of peace of the district,) who, according to the means and intended work of the individual, allows him a smaller or larger tract of land, measured only in front, and reaching in depth as far as the owner pleases to go. The price of the land is trifling; but if the owner does not work a certain portion of the mine every year, it falls back to the government. Foreigners were, in consequence of the eternal revolutions and new law-codes in Mexico, sometimes excluded, sometimes allowed to participate in this privilege. By taking a Mexican as partner, they obviated the law; but the most dangerous enemy was generally the avaricious Mexican government itself. Often when a foreigner had opened a profitable mine, those trustees of justice interfered for some reason or other, and ejected the owner of his property. Several instances of such proceedings are known. If we add to these causes the isolated situation of New Mexico, the thin population, the want of good mechanics and real miners, the hostilities and depredations of Indians, it will not astonish us at all, that notwithstanding the great mineral resources of the country, so few mines are worked at present.

The annual production of gold in the two Placers seems to vary consid-

erable. In some years it was estimated from 30 to \$40,000, in others from 60 to \$80,000, and in latter years even as high as \$250,000 per annum.

July 11.—Loaded with specimens of gold ore, I started this morning to join the caravan again, which expected to reach Albuquerque within four days. The road from here to Albuquerque leads at first through a cañon in a SSE. direction; because a chain of granitic mountains to the west does not allow a more direct course. Tall pines, cedars, and sometimes a small oak tree, grow in the narrow valley, and all over the surrounding mountains. After having travelled six miles, I passed by a small Indian village or pueblo; they cultivate some fields by way of irrigation, but look exceedingly poor. The entrance to their houses was, as usual, a hole on the top, to which they climb on a ladder. Riding on through a solitary valley, I met with a Mexican soldier, who recognised me at once as a "Tejano," and, professing great friendship, bothered me so long with his Spanish that I put my horse in a trot and left him, with his mule, behind. About 10 miles farther I reached a Mexican town, San Antonio; my horse was tired, and I would have wished, myself, to stop; but everything looked so mean and filthy that I passed through the town, and rode three miles farther. Here I met with a little stream, and followed it some distance into the mountains; and grass and water being excellent, I resolved to camp here for the night. I picketed my horse to the best grass, and prepared for myself a supper. In the night my horse, watchful as a dog, disturbed me several times by getting frightened and running towards me, but it was caused by nothing but wolves, deers, and other innocent animals.

July 12.—Following the course of the creek, I went in a southern direction about six miles through the valley, hemmed in on both sides by rugged granitic mountains. Turning then towards the west, I left the mountains for a plain, at the western end of which, in a distance of 10 miles, Albuquerque and the Rio del Norte lay before me. The plain affords good pasturage, and a great deal of stock was grazing here. The first view of the Rio del Norte was not imposing: it is a flat, shallow river, with bare and sandy banks, and with no mountains towards the west to form a background. Albuquerque is a town as large as Santa Fe, stretched for several miles along the left bank of the Rio del Norte, and if not a handsomer, is at least not a worse looking place than the capital. It is the usual residence of Governor Armijo; whenever he was out of power, he retired hither to work himself into power again.

Having ascertained in Albuquerque that the caravan had not passed yet, I retired to a rancho (small farm) near the town, to await its arrival. For several days I looked in vain for the caravan; but as it had rained in the latter days, I attributed their delay to the impaired roads. My poor but hospitable ranchero in the meanwhile did all in his power to make me comfortable. He picketed my horse to the fattest grass, and provided myself with milk, beans, and "tortillas," *ad libitum*. Those rancheros or small farmers seemed to me generally to be more honest than the rest of the population. "They do not work to excess, because it is anti-Mexican; but at the same time they are so frugal, that they raise all they want. The country around Albuquerque appears to be well cultivated. Though the soil is sandy, and apparently not fertile, by irrigation they produce abundant crops, often twice a year. They cultivate mostly maize, wheat, beans, and red pepper, (*chile colorado*.) The fields are without fences. A canal, by which water from the river is led into the plain, provides by its ramifi-

cations the whole cultivated ground with the means of irrigation. How quick this sandy, apparently sterile soil in the valley of the Rio del Norte is by affluence of water changed into the most fertile, is astonishing; and the granitic character of the surrounding mountains, whose decomposed parts are carried into the valley and form a portion of its soil, may have some influence upon it, as it is well known how much decomposed granite, and principally decomposed feldspar, favors vegetation; but, for its complete decomposition it requires more water than the climate affords by rain.

On July 15, at last I discovered from the top of the house, my usual observatory, the approach of the caravan. They had been detained, as I supposed, by the falling of rains, which made part of the road along the river nearly impassable. Riding up, I found them in the worst kind of miry bottom, and it took them one day and a half to reach from here a higher and better road running east of Albuquerque. As I had left my barometer and other instruments in the wagon, it was not in my power to make an observation for elevation above the sea since my excursion to the gold mines. The place at which I made the first observation again was about three miles north of Albuquerque, in a level plain about one mile east of the Rio del Norte, and it resulted in 4,813 feet elevation above the sea. Santa Fe I had found to be elevated 7,047 feet. The usual road from there, by Agua Fria and Algodones, to Albuquerque, does not amount to more than 63 miles. In about two thirds of this distance the road descends towards the river, and in the last third it leads along the river, through its valley. The descent, therefore, from Santa Fe to the Rio del Norte (a distance of about 40 miles on this road) must be very rapid, as it amounts to about 2,200 feet.

July 17.—Weather and road improved to-day. We passed Albuquerque this morning and halted two miles beyond, at *Sandival's hacienda*. We had taken the upper eastern road, which was very sandy, but drier. From here, advised so by Mexicans, we intended also to take a higher road, leading over the hills; but when we arrived in the evening at the height of the hills, after a good deal of trouble, the road some distance ahead was found impracticable. We had to camp here in a sandy plain, covered with artemisia and similar shrubbery, but without grass.

July 18.—Commenced this morning with a retreat to Sandival's hacienda, and travelled then on the usual road along the river three miles further before we camped. Some of the wagons got again mired, and prevented us from going any further. Our camp was close to the river, and on its left bank. Some caravans prefer to cross the river at Albuquerque, and recross it again near Socorro, but we thought it best to continue always along the left bank. The Rio del Norte is here about 100 yards wide, and, as usual, sandy, shallow, everywhere fordable and nowhere navigable, not even for canoes. In the river we saw an abundance of geese, ducks, and pelicans; the latter bird is very common all along the water. Fishes and shells appear to be very scarce. On the banks of the river, heretofore quite bare of trees, occasionally a few cotton trees are seen. West of the river rise light hills, while east of it, in the distance of 10 miles, a rugged chain of granitic mountains confines the valley. Vegetation, except on the water course, is poor, the soil generally sandy and dry. Everywhere in the sandy regions of New Mexico most various kinds of lizards are seen, but their swiftness makes it very difficult to catch them.

July 19.—Following the usual road along the river, we travelled about three miles in the forenoon, and but two in the afternoon. The caravan of Mr. Speyer had increased to about 40 wagons; and the larger the caravans, the more delay is commonly produced. The country on the left side looked very barren and sandy, while opposite, on the right bank of the river, we saw several fine ranchos and haciendas—*Padillas* amongst them. Our night camp was at the foot of some sand hills, nearly opposite to a pueblo on the other side, called *Isleta*. The small village, with its church, green fields, and cluster of cotton and orchard trees, looks quite picturesque in the desert around us. The Indians from the pueblo brought some apples to our camp, small and sour; but having tasted none for a long time, we relished them.

July 20.—After having crossed with some difficulty a chain of sand hills, we reached a fine grove of cotton trees, called *bosque*, or *alamos de Pinos*, and halted there, (five miles.) It is about one mile from the river, and quite a fine camp. The shade of the trees was the more welcome as the thermometer in the few last days stood very high, generally about 95° Fah., in the afternoon. In the evening we went but two miles, to the *hacienda of Mariano Chavez's* widow. This hacienda is the largest we have yet seen. It embraces a large tract of land, with cornfields and an extensive pasture, shaded by cotton trees, and fenced in by a wall made from adobes, and by a ditch with running water. The comfortable dwelling-house of the owner, with the opposite huts of the Indian serfs, bore a striking resemblance to a southern plantation in the United States. The late Mariano Chavez was (to mention it by the way) the brother of the ill-fated Antonio José Chavez, murdered in the prairie on the Santa Fe road.

July 21.—About one mile from Chavez, on the road, lies *Ontero's hacienda*, or *Peralta*. He is another of the rich nobility of New Mexico. His land is also very extensive, well cultivated and fenced in with adobes. He raises a great deal of maize and wheat, and owns a large stock. We passed in the morning through *Valencia*, and having travelled about six miles, soil and road getting better, we halted at noon about one mile from the river, near a pond. In the afternoon we passed a long-stretched town, *Tomé*, with extensive and remarkably fine maize and wheat fields, well irrigated, but not fenced in except by a ditch. Camped at the southern end of the town, about three miles from our noon camp.

July 22.—Made five miles in the morning, and halted at noon on a sandy hill, with 95° Fah. in the shade. Our night camp was in *Casas Coloradas*, (six miles,) a town near the river, and with high sand hills.

July 23.—Travelled about four miles, and halted half a mile from the river, with tolerable grass. West of us, on the right bank of the river, rises a chain of high mountains, while in the east the same steep chain that we never lost sight of continues parallel with the river in a southern direction. The mountains on both sides are too far for me to examine them; but to judge from their form, they are granitic and basaltic. On the river bank no rock is to be seen. Made in the afternoon about three miles, and camped on a hill near the river.

July 24.—Noon camp (three miles,) with good grass, about one mile from the river. We met here with a party of Americans from Pite, in Sonora, where they had been engaged in mining; they were returning at present to the States, and reported that everything was quiet when they left. We passed in the afternoon *Joyita*, a small town, and camped two miles beyond (four miles,) on the river. Near Joyita, mountainous bluffs reached

for the first time the Rio del Norte; they consist of black amygdaloidal basalt.

July 25.—Camped at noon in *Joya*, (five miles,) another small town, near the river. In the afternoon we had to cross a steep hill. On such occasions the teams had to be doubled, and one wagon after the other to be pulled up, causing a delay of many hours. In the afternoon we went about three miles, and camped again on the river.

July 26.—Passed in the morning through the town *Sabino*, and camped beyond it on the river, (10 miles.) Our night camp was five miles further, (near *Parida*.) The vegetable creation in the valley of the Rio del Norte, characterized principally by a great many sand plants, exhibits since a couple of days two specimens of shrub, which for their extension over the greatest part of Mexico, and their daily appearance hence, deserve a particular notice. The one is the so-called *mezquite*, a shrub belonging to the family of the mimoseæ, and a species of algarobia. It resembles in appearance our locust tree; is very thorny; bears yellow flowers and long pods, with a pleasant sour taste. The wood is compact and heavy, and here, where they grow but as shrubs, used only for fuel. The *mezquite* requires a sandy, dry soil, and is no doubt the most common tree in the high plains of Mexico. Pleased as I was with the first sight of the shrub, which I knew only by description, I soon got tired of it, when daily and hourly I saw it around me, and the more particularly when passing afterwards from Chihuahua to Monterey and Matamoras, through endless chaparral, of which it forms the constant companion. It grows here seldom higher than from five to ten feet, but in the southern parts I have seen them as large trees, from 40 to 50 feet in height.

The other new companion to which I alluded is the *yucca*, resembling in appearance the palm tree, and therefore commonly called palmilla. There are many species of this family, but they all have very fibrous, straight, pointed leaves, forming a crown on the top, and leaving the stem bare, and a cluster of white, bell-shaped, numerous flowers, hanging down generally, from their weight, in a bunch of from one to two feet in length. The first very diminutive species of this plant, from two to three feet high, (*yucca angustifolia*,) I had seen on the Arkansas and near Santa Fe; but here a much larger species begins, which becomes every day now more common and taller. We see it here already at a height of from six to eight feet, while south of Chihuahua, especially between Parras and Saltillo, a still larger species is found, growing as trees, of several feet diameter and from 40 to 50 feet elevation. The root of the palmilla is in this country often used for washing instead of soap, and called *amole*; it is a fibrous, spongy mass, containing mucilaginous, and probably even alkaline parts. The wood of the palmilla is too porous and spongy to become very useful: nevertheless, in the south the poorer classes build their huts entirely of this tree.

July 27.—Having made but two miles in the morning, we met with good grass on the river and halted, as our animals had fared very badly last night. In the afternoon we had to ascend a steep, sandy hill; some of the wagons were upset, and after long delay we camped again near the river, (three miles.)

July 28.—Opposite to our road this morning, on the right bank of the Rio del Norte, was the town *Socorro*. As Mr. Speyer had some business with the priest of that place, I rode along. Señor el cura was a Mr.

Chavez, and apparently a man of pure Castilian blood, and of education. He presented me with some specimens of very rich copper ore from the celebrated copper mines near the headwaters of the Gila, and about 100 miles southwest from Socorro. As I understood that some copper ore and some old mines, worked in former times, were found on the mountains west of the town, I engaged a guide and made an excursion to the place. These mountains are about four miles from Socorro; and they consist principally of porphyritic rocks. The supposed copper ore proved to be but a green trachytic rock. The abandoned mines appeared to have been gold mines, but probably exhausted. The ore is found with iron and quartz. I found in those hills, too, a new species of yucca, with large, oblong and edible fruits. The pulpy mass of the fruit tastes like paupan; the grains are larger and thicker than those of the common yucca. For the first time, also, I saw here opuntias, with ripe, red fruits, which are as sweet and refreshing as the great many small prickles with which they are coated are troublesome. Crossing the river again, I met with the caravan about five miles from our last camp. In the afternoon we travelled two miles more over a very sandy road, and camped one mile north of Lopez.

July 29.—Made on better road this morning six miles; passed Lopez, a small town, and halted near a rancho. The mountains on both sides of the river, which generally heretofore were from 10 to 20 miles distant from each other, seem to approach now. The soil, though always sandy, exhibits the same peculiarity as above noticed—that, when irrigated, it produces abundant crops. Vineyards ought to succeed very well on the hills. Travelling in the evening six miles, we camped about one mile from the river. To-day we have passed the last settlements above the much dreaded Jornada del Muerto.

July 30.—Went this morning over sandy road six miles, and camped in a fine grove of cotton trees near the river. Examining in the morning the nearest bluffs on our side, I found them to consist of a dark brown, nodular sandstone, without any connexion with other rocks. In the evening we travelled six miles further; passed the "*ruins of Valverde*," (in prosaic translation, the mud walls of a deserted Mexican village,) and camped at the foot of some sand hills, in a beautiful grove of cotton trees. By the accession of several traders and travellers our caravan was increased to 50 wagons, and made quite a respectable appearance. When the whole caravan was encamped here under the many broad cotton trees, and the camp fires illuminated the different groups of wagons, horses, and men, belonging to most different nations, it made quite a romantic picture, worthy of being sketched.

July 31.—In crossing the hills this morning, the deep sand, in which mezquite and other sand shrubs are flourishing, made the ascent rather difficult. Some black-looking hills between our road and the river consisted of amygdaloidal basalt. Descending again to the valley of the river, we halted, (three miles.) Along the river spreads a broad seam of cotton timber, in which many wild turkeys are found. In the afternoon we passed more hills, and camped about one mile from the Rio del Norte, (seven miles.) During the march I found several sulphur springs on the river; the formation of the hills was the same black basalt. Late in the night an alarm took place in our camp. The Indians tried one of their favorite games—that is, stealing animals; but our mule boys being alert, the whole camp was soon in motion, and prevented their mischievous designs. But one mule was lost.

August 1.—Travelled this morning about five miles, and camped between one and two miles off the river. This camping place is known as *Fray Cristobal*; but as there is neither house nor settlement here, and one may fix his camp close on or some distance from the river, the limits of *Fray Cristobal* are not so distinctly defined as those of a city, and generally the last camping place on or near the *Rio del Norte* before entering the *Jornada del Muerto** is understood by it. This awful *Jornada*, a distance of about 90 miles, with very little or without any water at all, has to be resorted to because the *Rio del Norte* below *Fray Cristobal* takes not only a very circuitous bend; but rough mountains, too, alongside of it, make it most difficult to follow the water-course. In the rainy season there is generally plenty of water in the *Jornada*, as everywhere else, but in the dry season often not a drop is found. The ridge-like elevation of the *Jornada del Muerto* above the surrounding country, as may be seen in the barometrical profile, seems to allow less accumulation of water on the surface than on other localities. Although the rainy season had not commenced, some showers had already preceded it, and we expected, therefore, to find some water at least, but were prepared for the worst. Having watered our animals once more on the river, and filled all our water casks, we started in the evening, and having travelled about 12 miles over a good firm road, we encamped without water. The general direction through the *Jornada* is nearly due south. To the right, or west of our road, in a distance of about five miles, runs a chain of mountains extending to the river; towards the east the *Sierra Blanca*, a long, high and steep mountain range, distant about 30 miles, is always in sight of us. The wide country between those two mountains, through which we have to travel, is a high plain, in the elevation of from four to five thousand feet above the sea, with dry, hard soil, tolerable grass, and an abundance of mezquite and palmillas. The latter grow here already to the height of from 10 to 12 feet, and give to the scenery some peculiar impression, reminding one of African landscapes. No other tree grows in the *Jornada*. The palmilla and mezquite furnish the only fuel.

August 2.—Started early this morning, and halted, after 10 miles, near a place called *Laguna del Muerto*, because sometimes a water-pool is left here by the rains, but at present it was perfectly dry. About five miles west from here, at the foot of the mountains to our right, is a good spring, with running water, the so-called *Ojo del Muerto*. Whenever a traveller through the *Jornada* will not risk to rush through it in the shortest time, he drives his animals from here to the *Ojo*, and back to the road, because it is the only water to be depended upon. We left, therefore, all the wagons, with half of the men, in the camp, and the other half drove the whole stock of animals, from 400 to 500, to the *Ojo*. I joined the latter party. We rode at first over a sandy plain, where we saw many antelopes, and killed one, and then through a narrow gorge, or "cañon," till we reached the desired spring, under a cluster of cotton trees. The water was pure, but too warm. The bluffs were formed by a conglomerated granitic rock; the real mountain chain was more distant. On our return to

* *Jornada del Muerto* means, literally, the day's journey of the dead man, and refers to an old tradition that the first traveller who attempted to cross it in one day perished in it. The word *Jornada* (journey performed in one day) is especially applied in Mexico to wide tracts of country without water, which must for this reason be traversed in one day.

camp we understood that an accident had happened. In one of the wagons a small cask of powder had, from some cause or other, taken fire, and had scattered the contents of the wagon over the plain. It was fortunate that nobody was near enough to be injured seriously, and that the scattered goods were mostly articles of hardware; the loss was therefore not so important. Towards evening we started again, and went about 10 miles before we camped, without water.

August 3.—Started early, and reached within six miles *Alamos*, a place where sometimes a water-pool is found, but which was now perfectly dry, and went four miles further before we nooned, without water. Our camp was on a hill, near a prairie grave, distinguished by a cross. The grass was tolerable, but our animals were too thirsty to eat. After some hours rest, we started again and went 16 miles, as far as *Barilla*, another camping place, where we had the good fortune to find, for the first time, some stagnant water, sufficient to water our animals. The eastern mountains send here some spurs into the plain. The soil is good and firm, and, with more water, would no doubt become very productive.

August 4.—Travelled in the morning but five miles, and halted, because we found another water-pool with stagnant water, and good grass. In the afternoon we went about 18 miles, and encamped without water.

August 5.—This morning, at last, after having travelled eight miles, we reached the river once more. The camping place, where we struck it, is called *Robledo*. The country here looks very mountainous. The eastern mountain chain has a very broken, pointed, basaltic appearance, whence they are called *Organon* mountains. Opposite our camp, too, on the right bank of the river, steep mountains rise. From here to *Doñana*, the first small town again, it is about 12 miles. Before reaching *Doñana*, I met on the road with the largest cactus of the kind that I have ever seen. It was an oval *Echino* cactus, with enormous fishhook-like prickles, measuring in height four feet, and in the largest circumference six feet eight inches. It had yellow flowers, and at the same time seed, both of which I took along with some of the ribs; but I really felt sorry that its size and weight prevented me from carrying the whole of this exquisite specimen with me. Dr. Engelmann, perceiving that it was a new, undescribed species, has done me the honor to call it after my name.

August 6.—Made in the forenoon five miles, in the afternoon three miles. Nightcamp near river.

August 7.—This morning Mr. Wiek, a merchant from Chihuahua, and myself, started ahead of the caravan, to reach *el Paso* some days before it. We took our small wagons along; went that morning 15 miles, and halted about noon, near the river.*

In the afternoon we started again; and travelling through the night, we made 28 miles more, and halted near the "*upper crossing of the Rio del*

*This camping place, according to all descriptions given to me afterwards in relation to it, is the famous battle-ground, *Brazito*, where some months later Colonel Doniphan's regiment celebrated Christmas day by its first engagement with the enemy. 1,200 Mexicans attacked here, quite unexpectedly, 450 Americans; but notwithstanding the black flag, unfurled before the battle, the Mexicans were in less than 20 minutes so completely defeated, that they ran "in less than no time" 130 miles, as far as Carrizal. Our brave volunteers had stood their ground like men. They received the first charges of the enemy without firing a gun; but when the word was given, the deadly aim of their rifles decided the battle at once. This first successful skirmish taught them their own strength and the weakness of the enemy, and imbued them with the daring, invincible spirit that marked their long, conquering march through Mexico.

Norte." The road was very good, in the latter part descending; on both sides of the river rose mountains, which converge above el Paso, and confine the river for several miles to a narrow pass, hemmed in by precipitous rocks.

August 8.—*El Paso del Norte* lies about six miles from the upper crossing, and two roads lead to it. One road crosses here the river, and leads over hills, covered with deep sand, to the plain, on which the town lies. The other continues on the left side of the river, ascends over a rocky, broken country to a considerable elevation, and descends from here to the valley of el Paso, crossing the river below, at the town. We selected the first road, and crossed the river, therefore, at once. The water was very low, and we passed it without any difficulty. My barometrical observations, made here on the flat river bank, gave an elevation above the sea of 3,797 feet; about 1,000 feet lower, therefore, than I had found the river nearly 300 miles north from here, near Albuquerque. Supposing that the circuitous course of the river in that distance amounts to 400 miles, the fall of its water would, on an average, be $2\frac{1}{2}$ feet per mile. After some rest on the right bank of the river, we started for the sandy hills, but the sand was by far deeper, and our animals more exhausted, than we had anticipated; and seeing the impossibility of getting through on this road without fresh animals, we retraced our way to the river, crossed again, and took the other road, which was rough, broken and rocky, but without sand. To our right was the river, running through a cañon; to our left rose high, steep walls of mountains; the road always ascending from hill to hill, till we gained at last the highest point and perceived the charming valley of el Paso del Norte spread out before us. The Rio del Norte, having escaped the mountain pass, runs here into an open, fertile plain, at the beginning of which el Paso is situated. The town is principally built on the right bank of the river; but few houses are on the left. Stretched out along the river to the length of many miles, all the houses surrounded by gardens, orchards, and vineyards, and rich settlements, with cornfields, as far as the eye can trace the stream, lining its green bank—such a scenery will always be attractive; but to a traveller, who has passed over the lonesome plains and through the dreary Jornada del Muerto, it appears like an oasis in the desert. Descending from the hills in the valley, we crossed the river on the lower ford opposite the town, and were soon in the middle of it, on the "plaza."

I rested in el Paso for about a week, to recruit my animals, and take some view of the town and surrounding country. Unfortunately, the rainy season came on and prevented me from making many excursions and observations. What information, however, I was enabled to collect, I will tender to the public.

The settlement of el Paso was commenced about 1680, when Governor Otermin, of New Mexico, and his party, were driven from Santa Fe to the south by a revolt of the Indians. Some Indian pueblos, which received them well, already existed in the fertile valley, but this seems to have been the first Spanish settlement.

El Paso belonged under the Spanish government to the province of New Mexico; at present, to the State of Chihuahua. The latter State claims as its northern limits towards New Mexico, as already stated, $32^{\circ} 30'$ latitude north, a line which by Mexicans is supposed to fall near Robledo, our first camp on the river in coming out of the Jornada. El Paso itself, according to my own observations, lies in $31^{\circ} 45' 50''$ north latitude. In

most maps it is as many minutes north of the 32d degree as it really is south of it; a fact which may deserve consideration, if the suggestions of some statesmen, to make the 32d degree of latitude our southern line towards Mexico in that quarter, should be adopted. The position of el Paso is in many points an important one. It is distant about 340 miles from Santa Fe, about 240 from Chihuahua, and is the largest town between these two capitals. At the same time, the road by el Paso is the only practicable wagon road leading from Santa Fe to Chihuahua. Another circuitous road might in case of necessity be taken from the right bank of the river, on the northern end of the Jornada del Muerto, to the copper mines near the sources of the Gila, and from there, by Carmen, to Chihuahua; but it is by far more mountainous, circuitous, and difficult, than the direct road by el Paso; that has become the high road, and in fact the only thoroughfare between these two States.

As to natural advantages for a military station, I have not seen a better point on the whole road from Santa Fe to Chihuahua. Appropriate fortifications erected on the mountain pass above el Paso would command the fords of the river, and the roads leading to the north; and a garrison well provided with provisions and ammunition, could hold out there against a ten-fold stronger force. If the Mexicans, instead of attacking the Americans at Brazito, like mad-men, and running like cowards, had prepared themselves, here in these hills for defence, they would no doubt have been also defeated by the Americans, but probably not in so disgraceful a manner.

But besides all those advantages, the valley of el Paso is the most fertile country that we have seen along the river. Besides maize and wheat, they raise a large quantity of fruits, as apples, pears, figs, quinces, peaches, &c., but especially an excellent grape, from which they prepare the celebrated "el Paso wine," and a liquor called by the Americans "Pass whiskey." The grape, which they cultivate extensively, is of Spanish origin; blue, very sweet and juicy, and produces a strong, sweet, southern wine of straw-color. For want of barrels they preserve it generally in large earthen jars, or in leather bags of ox-skin. The wine contains a great deal of body; when improved by age, it tastes like Malaga wine. Besides the blue grape, they raise sometimes also a white one, tasting like Muscadine grapes, but I have not seen any wine made of it. Their manner of cultivating the grape is very simple; they cover them with earth in the winter, keep the vineyards clear from weeds, hoe and prune them at the right season, but do not stake them. The soil and climate seem to be so favorable, that less labor is wanted than in most other countries. A great deal, if not most of the fertility in the valley must be ascribed to the ingenious system of irrigation, which they have introduced by a dam constructed in the river above Paso, and turning a considerable quantity of water into a canal. This canal, spreading into numerous branches and reuniting again, provides all the cultivated land with a sufficiency of water. Wine and fruits are the principal articles of exportation from here; they are carried to the north and south, and enrich the people of el Paso, some of whom are very wealthy.

The *population* of the town proper, which is but a small place, and of the long line of settlements that extend for 20 miles down the river, is estimated at from 10 to 12,000.

The *elevation* of the town above the sea is at the Plaza 3,814 feet. Some

mines, I understand, have formerly been worked here in the mountains; several copper and silver ores were shown me as being found there yet, but none are worked at present. To examine the geological character of the surrounding country, I made, one day, an excursion to the mountains, southwest of the town. I was astonished to find them to consist almost entirely of limestone, the first I saw in the valley of the Rio del Norte. Below the limestone at the foot of the mountains were horizontal layers of compact quartzose sandstone, such as I had seen for several hundred miles in the prairie towards Santa Fe, underlying the basaltic and granitic rocks. The limestone rose upon it to the height of the mountain chain, but on its sides granitic and porphyritic rocks seemed to a small extent to have burst through the limestone and overflowed it. After a long search I was lucky enough to find near the top of the mountain some fossils in the limestone, belonging to the Silurian system. Where the limestone and the igneous rocks meet, a few old abandoned mines exist. With the aid of my lazo, which I had fixed outside to a rock, I descended into one of the pits about 30 feet deep, and found a large vein of calcespar, and some pieces resembling gold ore, but no further trace of it in the depth.

Of the many plants growing on the mountains near Paso, I will mention but two as the most common and useful. The one is the so-called *lechuilla*, a species of agave, whose long, stiff, indented leaves, somewhat similar to those of the common agave, are used for making of their fibres a very good quality of ropes; the other, a species of *dasylium*, is the bushy so-called *sotol*, whose pulpy roots are roasted and eaten, and from which also an alcoholic liquor is prepared.

During my stay in el Paso, General Ugarte marched through it with 400 men and some cannon, to oppose the Americans if they should invade New Mexico. This was the only hostile demonstration I saw or heard of. No further news had arrived from the south. The people of Paso seemed very indifferent as to who should be the conqueror. The authorities of the place had neither asked my passport nor inspected the contents of my wagon; and all foreigners then in Paso were treated in the most civil way. Under such circumstances, I did not hesitate to continue my journey to Chihuahua, as had been at first my intention. Mr. Speyer's caravan had in the meanwhile passed through el Paso; but knowing that, on account of the large number of wagons, their progress was very slow, Mr. Wiek and myself resolved to join from here to Chihuahua a smaller but faster travelling company that left el Paso a few days afterwards. It consisted of about 20 Mexicans and five foreigners. Most of the Mexicans were engaged by Mr. Jacquez, a gentleman of Chihuahua, who travelled with his family.

On August 15, we left Paso and the Rio del Norte at the same time. I had no idea then of the molestation that awaited me, and that in the course of next year, instead of travelling along the Pacific, I should see the same river again on its mouth into the gulf.

From el Paso there are two roads leading to Carrizal, an intermediate town between it and Chihuahua. The one follows the river yet for about 40 miles, and unites with the other road near lake Patos; the second leaves the river at Paso, and leads over the so-called sand hills, to Carrizal. The first is more circuitous, but the only practicable road for loaded wagons; the second is shorter, but on the sand hills quite impassable for common teams. On both of them water is rather scarce, but more so on the first, where from the last camp on the river to lake Patos, a distance of 60 miles,

no water can be expected in the dry season. Mr. Speyer had taken the first road; our company preferred the second, because we had but four small wagons along, and we would gain from 20 to 30 miles travelling by it. From want of water we had nothing to fear, as the rainy season had commenced, and daily showers provided us with a greater abundance of it than we liked.

On the first day we started rather late from Paso, but yet made 24 miles without rest. To our right was a mountain chain running, probably of limestone; to our left, the receding valley of the Rio del Norte, which takes here a southeastern direction, and from which a high chain of mountains will soon separate us entirely. Our road passed over a wide sandy plain, covered with mezquite, and similar shrubbery. It was strewn with two kinds of limestone; the one of the same character as I had seen in Paso, and the other of a chalk-like appearance, probably a fresh-water limestone. Pieces of the first were frequently enveloped by a white crust of the latter. We camped near the road in the plain, with tolerable grass and plenty of rain-water.

August 16.—Travelled this morning but eight miles, and halted, with good grass and rain-water. Ahead of us were the much-dreaded sand hills, (*los médanos*,) an immense field of steep sand ridges, without shrub or vegetation of any kind, looking like a piece of Arabian desert transplanted into this plain, or like the bottom of the sea uplifted from the deep. Several springs, I am told, are found near the sand hills; and it is not at all unlikely that this whole ground was once covered by a lake. One spring in particular, forming a water-hole at the foot of the sand hills, and called *ojo de malayupue*, is known as a usual camping place on our road, but we stopped before reaching it. Though we shall pass but the lowest depression of the hills, near their western limit, it will nevertheless be a hard day's work, and we prepared our animals for it by a long rest.

About noon, while we were encamped, a thunder-storm came on, as usual in the rainy season. It rained awhile, and towards the end of the shower, the thunder disappearing in the distance, I perceived a most remarkable phenomenon in the mountains to our right, about 10 miles distant. Three pointed flames, apparently from one to two feet high, and of whitish lustre, were seen at once on a high barren place in the mountains; they lasted for about 10 minutes, and disappeared then as suddenly. The Mexicans told me that this phenomenon is not uncommon in these mountains, and that such a place had once been examined, and a crevice found, around which the grass was burnt. The popular opinion amongst the Mexicans seems to be, that such flames indicate silver mines. There can be hardly any doubt that the phenomenon is connected with electricity; but whether an inflammable gas, that emanates from a crevice, is ignited by lightning, or an unusual quantity of free electricity is developed by local causes, or superficial metallic layers should have some influence in producing it, are questions that can only be solved by a repeated and careful examination of the localities and circumstances. In the afternoon we commenced our march for the sand hills. For six miles we had to travel over a sandy and hilly country, before we reached the sand hills proper, which are here six miles wide. On the first part of the road I saw rocks of a reddish brown porphyry, encrusted sometimes with chalk-like limestone, but no more pieces of limestone. The form of the mountains, too, on our right,

more resembles igneous rocks than limestone. Having arrived at the foot of the sand hills, we commenced travelling very slow. There was nothing around us but the deepest and purest sand, and the animals could only get along in the slowest walk, and by resting at short intervals. At last my animals were exhausted; they would move no more, and we had not yet reached half of our way. In this dilemma I put my own riding horse to the wagon. Mr. Jaquez lent me some additional mules, and forward we moved again. In the meanwhile dark night had come on, illuminated only by lightning, that showed us for awhile the most appalling night-scene—our wagons moving along as slow and solemn as a funeral procession; ghastly riders on horseback, wrapped in blankets or cloaks; some tired travellers stretched out on the sand, others walking ahead, and trailing the road with the fire of their cigarritos; and the deepest silence interrupted only by the yelling exclamations of the drivers, and the rolling of distant thunder. The scene was impressive enough to be remembered by me; but I made a vow the same night, that whenever I should undertake this trip again, I would rather go three days around, than travel once more over the sand hills with a wagon. About midnight, at last we reached the southern end of the sand hills, and encamped without water.

August 17—On better road, we travelled this morning about 12 miles, and halted at a pool of rain-water. The soil becomes now firmer, contains more clay than sand, and makes as good a wagon road from here to Chihuahua as if it were macadamized. The plain through which we travel is east and west, lined by mountains, and is 15 to 20 miles wide. The mountains are timbered with a few scanty cedars, and some pine trees; the geological formation is granitic and porphyritic. The grass becomes every day better, and looks as fresh as in spring. The so-called grama grass, which grows here very fine, is especially liked by our animals. A small caterpillar covered it in great numbers. On the mezquite shrubs, too, some insects become very common, a great many *spectra* especially, and a large *centipede* of flattened form and dark brown color.

In the afternoon we travelled 15 miles more and camped again in the prairie, with plenty of rain-water. About five miles before we went to camp, I made an excursion to a cave to the left of our road. The cave was in a small isolated mountain, composed of amygdaloidal basalt and porphyritic rocks. It was towards sunset when I approached it, and the mountain, with the grotto, looked quite mysterious. Two ravens, sitting before it on high palmillas, seemed to guard the entrance, and an owl flew screaming over my head as soon as I dared to enter it. Inside I found a small lake of pure fresh water, with sediments of limestone, but it was already too dark for further examination.

August 18.—Made in the morning 15 miles, and camped again in the prairie, on a water pool. In the forenoon we passed *Ojo Lucero* (Venus spring,) and *Laguna de Patos*, (lake of geese.) The first is a fine spring, only a hundred yards to the left of our road. The water comes out of a small, sandy basin in the prairie, but with considerable force; it is clear and soft of taste; the temperature of the spring was 77.5° Fah., while the atmosphere in the shade was 81° Fah. A little creek, formed by it, crossed the road, and spread to the right of it into a small lake. Some miles ahead, to the left of our road, but more distant from it, a larger lake is seen in the plain, the *Laguna de Patos*; it is the outlet of the Rio Carmen. Between the *Ojo Lucero* and lake *Patos*, but to the right of our road, rises

a square mound, some 20 feet high, and on its level top a warm spring boils up in the very centre. The presence of many similar springs in this valley proves that there is no absolute want of water here, and Artesian wells would most likely strike a large subterranean water basin.

Near the lake Patos the two roads from el Paso meet again. Opposite to our noon camp to-day, in the western mountain chain, rose an isolated mountain of very singular form; at the base conical, on the top flat, and sufficiently large for a fort. This conspicuous mountain is seen for a long distance. In the afternoon we travelled 12 miles more, and reached *Carrizal*, the only town on the road from Paso to Chihuahua. We camped in the place. Carrizal is a small country town: it was formerly a presidio or fort, and has therefore a wall yet around it, and some soldiers in it; but for all that, it is not safer from the Indians than without them.

August 19.—We stayed this morning in Carrizal, because one of the wagons had to be repaired, and started about noon. Made 15 miles, and camped again near the road. In the distance of about 10 miles we passed the *Ojo Caliente*, (warm spring.) It is a clear, pure water, in a large basin of porphyritic rocks, with sandy bottom, out of which many warm springs come to the surface. The thermometer, placed in the springs, showed 82° Fah.; the atmosphere, 84 5°. As an outlet from the basin, a creek runs into the Carmen below. Near the springs is a whole ridge of porphyritic rocks, containing some limestone, and no doubt connected with the springs. The basin, with its lukewarm water, affords a most comfortable bath, but we had no time to try it. About one mile south of the Ojo, we crossed the *Rio Carmen*, quite a river at that time, but in the dry season generally without a drop of water. The Carmen comes southwest from the mountains, and taking from here a northern turn, runs into lake Patos, as above mentioned. This peculiarity of Mexican water-courses in drying up entirely, and swelling to rivers again, must be ascribed partly to the regularity of the dry and rainy seasons, partly to the deep sandy beds of the creeks, and to the general dryness of the country in soil and atmosphere.

August 20.—Travelled to-day in rainy weather, without stopping, about 30 miles—a most fatiguing march. We camped, as usual, in the prairie, with plenty of rain-water, excellent grass, and sufficient wood from shrubs. Near our night camp, I understood, some miles west on the mountains, is a fine spring, called *Chaveta* spring. The grass in the rainy season grows wonderfully fast, much more so than in other countries in the spring, because the season is warm. The rainy season is here the real spring for vegetation. In the spring months the grass, though it may grow some, will always be dry and fallow; but as soon as the rainy season commences, a good observer can almost see its daily growth.* The rainy season brings forth at the same time most of the flowers of the prairie, and resembles in that respect, also, the spring of other climates.

August 21.—Took an early start and marched 20 miles before we halted in the prairie. Passed this morning the *Oj de Callejo*, (at present a creek,) which comes from the near mountains to our left and crosses the

*That the common phrase, to "see the grass grow," is not an absurdity in itself, the following fact, mentioned in Alex. von Humboldt's *Kosmos*, may show:

"The celebrated Spanish botanist, Cavanilles, was first taken with the idea of seeing the grass grow by directing the horizontal micrometer-thread, in a powerfully magnifying telescope, sometimes upon the shoot of a bamboo, sometimes upon the flower stalk of the agave americana, which develops itself very rapidly.

road, but in the dry season a mere spring, that must be followed up to the mountains. About four miles south of it, and about one mile east of the road, I was informed, exists another spring in the mountains, the Callejito spring.

The prairie was to day covered with more flowers and of more brilliant colors than I had seen for a long time. The grass was fresh as ever; the mountains, too, heretofore naked, cover themselves with a green coat of grass. This whole valley, or rather plain, from Paso to Chihuahua, seems fertile enough to raise many millions of stock, and in former times they raised large numbers; but at present the wild Indians are the lords of the country, and the Mexicans are becoming impoverished more and more.

Our noon camp is the highest point, according to my barometrical observations, on the road between Paso and Chihuahua; its elevation above the sea is 5,317 feet. Every afternoon, generally, we encountered a thunder storm, with rain; but to-day, while we were on the march again, it was severer than ever; the rain poured down in torrents, and quite a creek to the depth of several feet ran over the road, whose firm soil, however, allowed us to travel on till we arrived on a hill near the head of the Laguna de Encinillas, and camped, (eight miles.) There was neither wood in our camp, nor any use for it, as it rained all night.

August 22.—The rain ceased in the morning, but the road was worse than yesterday. The plain over which we travelled was about 15 miles wide, and a large lake was on our right. This "*Laguna de Encinillas*," as it is called, is one of those remarkable lakes so common in Northern Mexico, with considerable afflux of water, but without any outlet. With the freshets of the affluent waters they rise of course, and fall again in the dry season. Although the water of the creeks and rivers that run into them is fresh, the water in the lakes has generally a salty, brackish taste, and the surrounding country is covered with *tequesquite*, or alkaline salt in a state of effervescence, which is used for fabrication of soap. The peculiarity of these lakes allows of similar explanations as those I have given in relation to the rivers. The extensive sheet of water formed by lakes on level ground and the great dryness of the atmosphere cause an unusual evaporation, and the dryness and porosity of the soil a rapid imbibition. The lake of Encinillas extends in its greatest length from north to south, and is, according to the season, from 10 to 20 miles long; at present I estimated it about 15; the breadth, on an average, is three miles. West of the lake of Encinillas, our road was winding through a level plain, elevated about 5,000 feet. In the afternoon it commenced raining again; and after a most tiresome march, during which I had to put additional mules to my wagon, I arrived late in the evening at "*el Peñol*," a large hacienda, (28 miles from last night's camp.) The creek of the same name passing by the hacienda is the principal affluent of the lake of Encinillas; by the rains it was swelled to a torrent, and its roaring waves, rushing over all obstacles, sounded in the stillness of the night like a cataract.

August 23.—The distance from *el Peñol* to Chihuahua is about 40 miles. The Mexicans of our company prepared to go there in one day; Mr. Wiek and myself preferred to make it in two days, and we stayed therefore, with our wagons and servants, behind. We travelled in the forenoon about 12 miles, weather and road getting better. Near the western mountain chain we perceived several settlements, haciendas, and villages—*Encinillas*, for instance, on the southern end of the lake, and *Sauz* further south. In the

afternoon we made 10 miles more. In the latter part of our march we reached a creek called *Arroyo Seco*, (dry creek,) but it was now so far from being dry that we could hardly cross it. This creek flows towards the east, and falls some miles below into the Sacramento. From Arroyo Seco we travelled about three miles, till we reached the valley of the *Sacramento*, the famous battle field six months afterwards. Of this valley, since that time, so many accounts have been given, with drawings and illustrations, that I consider it useless to expatiate on the locality; but a few remarks may not be out of place, to recall it to the reader's memory.

The mountains above the Sacramento approach each other from the east and west, and narrow the intermediate plain to the width of about six miles; and on the Sacramento itself, where new spurs of mountains project, to about three miles. The road from the Arroyo Seco to the Sacramento leads at first over a high plain; but as soon as the Sacramento comes in sight, it descends abruptly to its valley and to the left bank of the creek. Near where the road begins to descend, a ravine, with an opposite long hill, runs to the left or east of it, and a level plain spreads out to the right or west of it. On the hill towards the east was a continuous line of batteries and entrenchments, and the principal force of the Mexican army was there collected. On the opposite plain from the west, the American troops, who had above the Arroyo Seco already turned to the right of the road to gain a more favorable position, advanced in open field against their entrenched and by far more numerous enemies. How the American artillery with the first opening of their fire struck terror into the Mexican ranks; how the brave Missourians, then on horseback and on foot, acted by one impulse, rushed through the ravine up to the cannon's mouth, and, overthrowing and killing everything before them, took one battery after the other, till the whole line of entrenchments was in their possession and the enemy put to complete flight; how they crossed from here to the Sacramento and stormed on its right bank the last fortified position, on a steep hill, till not a Mexican was left to oppose them, and all their cannon, ammunition and trains abandoned to the victors—these are facts well known in the history of that campaign, and will immortalize the brave volunteers of Missouri. Little did I dream, when I reached on that evening the lonesome valley, that six months afterwards the cannon would roar here, and that the blood of the Mexicans would stain the clear water of the creek. My only trouble then was the same creek, which had swollen to such an extent that wherever I rode in, my horse had to swim. It was therefore impossible to cross it with the wagons to-night, and we camped on the left bank near a small enclosure of rocks, containing some springs and cotton trees. The springs, which I examined with the thermometer, had a temperature of 67° Fah., while the atmosphere was at 59° Fah. The elevation of this place above the sea is 4,940 feet, which makes it 300 feet higher than Chihuahua. For the first time we had a clear night again, and without rain.

August 24.—During the night the river had so considerably fallen that I could this morning ride over without swimming; and having found a good ford, we crossed with the wagons. There is a farm-house on the other side, el rancho de Sacramento; it lies at the foot of the steep hill, where the last defence was made by the Mexicans. I examined the rocks composing the hill; they were porphyritic and trachytic of many different colors—red, blue, white, and gray. From here it is about 20 miles to Chihuahua. The road leads over a level plain, widening again below

the Sacramento mountains. In the plain grows mezquite and other shrubbery; the mountains east and west of the valley are steep, rough, and apparently formed by igneous rocks. About half way from Sacramento to *Chihuahua* we got the first sight of the city. I was taken at once with the beautiful site of the place. The mountains from both sides meet there in the middle, as if they intended to shut up the valley; and amidst this circle of mountains lies Chihuahua, with its churches and steeples, with its wide and clean streets, with its flat roofed, commodious houses, with its aqueduct and evergreen alameda—there it lies, as bright, shining and innocent, as if it were a city of “brotherly love”—but my enchantment should not last very long. In the afternoon we entered the city. A crowd of ragged loafers and vagabonds received us at the entrance as “Tejanos,” (Texans,) the usual abusive appellation to Americans. The officers of the custom-house examined the contents of my wagon very carefully, and were rather at a loss how to account for the various instruments, packs of plants, and heaps of rocks that I carried with me; however, they let me pass. I stopped at the American hotel in Chihuahua, kept by Messrs. Rittels & Stevenson, and became soon acquainted with most of the foreign residents there. From them I learned, for the first time, that there was no prospect of peace; that General Wool was ordered to Chihuahua, and that in consequence of it great excitement existed in town. There was a Mexican war party in Chihuahua, and a more moderate party. The then governor of the State belonged to the latter party; but on the next day after my arrival he abdicated, or was rather forced to abdicate, to make place for the leader of the other party. Such bloodless revolutions, brought on by intrigue and money, had been so common in Chihuahua, that the State was sometimes ruled every month by a different governor. Under present circumstances the change of government was more important to the State, as well as to the foreign residents of Chihuahua. The new governor, chosen by the war party, was Angel Trias, a man conspicuous for his wealth, for his hatred against the Americans, and for his ambition of power. His inauguration took place with military and ecclesiastical pomp, patriotic sentiments increased rapidly, and occasionally a “death to the Americans!” was heard. The war fever soon grew very high; volunteers were drilled every day, and paraded through the streets; a foundry for cannon was established, ammunition provided for, and threats against the lives and property of foreigners became very common. Paying no more attention to those warlike preparations than I could help, I pursued, in the meanwhile, the scientific object of my excursion to Chihuahua by collecting plants, examining the geological character of the surrounding country, and making in the yard of my dwelling barometrical and astronomical observations. The prospect of the continuation of my journey to California was at present rather gloomy. However, General Wool’s army could be expected in Chihuahua within a month; and if the excitement during that time should become too high, I intended to retire to some more quiet place. As I had presented the passport which I received in New Mexico from Governor Armijo to the authorities of Chihuahua, and they had acknowledged and countersigned it, I entertained no doubt that I was at liberty to leave the place again whenever I chose.

On August 29, five days after my arrival in Chihuahua, an occurrence, trifling in itself, brought me in contact with the Mexican authorities.

Several days back I had told my servant to clean my guns and pistols, which still remained loaded, and I had advised him to do it on the first sunny day. When I asked the landlord, an old resident of Chihuahua, for a suitable place to discharge them, he showed me to a corner of his court-yard; and upon my inquiry if there was not anything illegal or improper in shooting them off here, he made light of my scruples and assured me that neither the one nor the other was the case, and that travellers were almost daily in the habit of doing so. My servant accordingly discharged the guns this morning, and he selected this day for no other reason than because it was the first clear and sunny morning. Unfortunately, on the same day an express arrived from New Mexico with the intelligence that the American troops under General Kearny had taken possession of Santa Fe. The citizens of Chihuahua, not expecting any thing less from Governor Armijo than that he would make all the Americans prisoners, as he had formerly that handful of famished Texans, were quite exasperated at the news, and could explain this result but by treachery. Their patriotism was as its height, and looked for some vent. Some either malicious or stupid Mexicans, seeing in my barometer probably a courage meter, and in my sextant a paixhan, had several days ago spread a report over town that my scientific observations aimed at a military plan of the open and unfortified city, and that I was sent ahead of the American army as a spy. The discharging of my guns afforded a new opportunity for their lying propensities. Though the guns had been fired off in a remote corner, without any knowledge of the recent news, without any spectators except some Mexicans who passed through the yard, and without the least demonstration of any kind to warrant such an opinion, the same Mexicans reported that a salute had been fired in honor of the victory in Santa Fe; whereupon fifty brave Mexicans applied to the governor for permission to break into my apartments and take away my arms by force. The privation of my arms would have exactly suited their plan of a general mob against the Americans, which they had fixed already for to-night. But the governor, whatever blunders he may have committed, being a man at least of nobler feelings than the Mexican rabble, refused their request and preferred the legal way. A warrant was then issued by a judge for the man who had fired off the guns. As my servant had done it in accordance with my orders, I took the responsibility of course upon myself, and appeared before the court. Having examined several witnesses, pro and con, the judge perceived that there was not the least foundation for such a denunciation, and acquitted me. Notwithstanding this, the long talked of mob against the Americans came off that same night. I have been somewhat minute in relating these trifling matters—more, perhaps, than will interest the public—for the reason that a young *Englishman*, from *Missouri*, who arrived some weeks after me in Chihuahua, and was protected there by his *English* passport, wrote an exaggerated, and in many particulars untrue account of it to St. Louis, Missouri, where it was published, and found its way into several newspapers.

But let us return to our mob. A Mexican mob is not that short, off-hand, killing affair that it is in the "far west" of the United States; it is rather an uproarious meeting, a somewhat irregular procession, arranged with a certain decency, and executed more from love of plunder than thirst of blood. In the evening, after dark, a large crowd assembled on the "plaza;"

haranguing speeches were made, the alarm-bell was rung, and with tremendous enthusiasm the mass moved towards the Americal hotel, selected as the first point of their attack. The large front-door was forthwith bolted, and we awaited their attack within the yard. Our whole garrison, myself included, consisted of but four men, all well armed, and resolved to defend themselves to the last. The mob commenced by throwing rocks against the door; but when they found it too strong, they satisfied themselves with abusive language and with patriotic songs. At last the governor interfered, and the crowd, though for hours yet collected around the hotel, abstained from further violence. I must so far do justice to the governor as to say that he disapproved in public of the mob, and blamed the Mexicans for these outrages; but, at the same time, I cannot conceive why he did not entirely prevent the mob, as it had become a topic of conversation during the day, and he must have known about it.

Although the first mob had failed, the excitement continued, and new threats and insults were of daily occurrence. Six American residents of Chihuahua, mostly merchants, who were principally exposed, applied therefore to the government of Chihuahua, which either could not or would not afford sufficient protection for passports to retire to Sonora. After some negotiations they received passports for Cosihuiriachi, an out-of-the-way place about 90 miles west of Chihuahua, under the condition that they had to stay there under the control of the prefect, and that they were not allowed to leave the place without special permission from the governor of Chihuahua.

On *September 6*, the Americans left Chihuahua for Cosihuiriachi, escorted there by a military detachment. I thought it time now for myself to leave the place, which had become too hot for scientific researches, and to look out for some safer point; but when I asked for my passport, I was for the first time informed that I could not at present leave either the State or the city of Chihuahua; in other words, I was a prisoner of state, without knowing it. Mr. Speyer had in the meanwhile arrived with his caravan, and was also exposed to numerous vexations. His men were all disarmed before they entered the city. At first, he should not leave Chihuahua at all; at last, they allowed him to go to the southern frontier of the State, but without any Americans in his service, &c. Mr. Speyer was too well acquainted with Mexican manners and character, and had too much at stake, not to hold out against all those molestations; and by management he gained one concession after another, till he was at last out of their power and on his way towards the south of Mexico. But, I for my part had no inducement to go further south. Some of my friends, respectable merchants of Chihuahua, called once more, in my behalf, on the governor, and offered even their personal security for me, but to no avail. In this dilemma I considered myself privileged to take "French leave," and had already made my preparations, when, on the eve of starting, an English resident of Chihuahua, Mr. J. Potts, offered me his intercession with the governor. Mr. Potts is proprietor of the mint. I had made his acquaintance in Chihuahua, and found him quite a scientific and obliging gentleman; besides that, he was, of all the foreigners there, the most influential with the governor. From the short acquaintance I had with him, I could not ask such a favor; but when voluntarily offered to me, I did not hesitate to accept it. By his kind intercession I received that same day a passport for Cosihuiriachi, under the same conditions as the other Ameri-

cans, with the additional clause to abstain from all correspondence injurious to the interest of the State of Chihuahua; a proof that my commission as a "spy" still occupied their minds. I received my passport on the evening of

September 11.—The same night I left Chihuahua, the sprightly city, which I had loved at first sight, but had now become disgusted with on account of the unjust treatment from the Mexican authorities and the licentiousness of the cowardly mobocracy. Within two days I was at the place of my exile, in *Cosihuiriachi*.

Gentle reader, whenever in the course of your life you should feel tempted to pronounce a foreign, jaw-breaking word, or to visit a strange-looking, incomprehensible, awful place, I would recommend to your kind attention *Cosihuiriachi*, because it includes everything that human imagination may conceive of—a combination of difficulties in words, appearances, and naked reality. Most willingly I would have saved to your eye the trouble of travelling so many times over the whole length of the unpronounceable word, which in old Indian language means, no doubt, a great deal more than we know of; but, as ill-fortune wished me to be confined there for six long months, I must ask you the favor to bear as patiently with the name, as I did (yielding to necessity) with the place itself.

The town of *Cosihuiriachi*, to come to the point, is about 90 miles west from Chihuahua, in $28^{\circ} 12'$ latitude north. The road to it from Chihuahua is always ascending, very rough and mountainous, and leads to the very heart of the Sierra Madre. The only considerable town on the road is San Isabel, about 35 miles west of Chihuahua. Only a part of the road can be travelled with wagons; pack-mules furnish, therefore, the means of transportation. Steep mountains of igneous rocks rise in all directions. The mountains are generally intersected by small valleys and high plains, fit for agriculture, and more yet for raising of stock; but on account of the Indians, who roam over the country, but few settlements exist. The mountains are principally formed by porphyritic rocks, and covered with oak, cedar, and pine. Travelling west of Chihuahua, one will soon perceive in the western mountain range a prominent point that is seen for a great distance, and may serve as a guide. This high mountain is called the "Bufa," and at its very foot lies the town of *Cosihuiriachi*. Coming close to it, the road descends for a couple of miles to a narrow ravine, between high, steep, sometimes perpendicular mountains, on both sides; and through the ravine, along a creek, stretches but one street of several hundred mud-built houses, representing the town of our banishment. The seclusion and closeness of the place, together with the poverty and filthiness of the greater part of its inhabitants, make it a very fit place to control prisoners of state and prevent them from being too comfortable. Two Americans, Mr. Phistoe and Mr. Carlyle, happened to live at that time in *Cosihuiriachi*, engaged in mercantile business; they received their exiled countrymen very hospitably, and extended the same favor to me on my arrival. In their dwelling-house, more commodious than the rest, we all took our lodgings, while Bill, our colored-cook, attended to our board.

The names of the Americans who had been sent from Chihuahua to *Cosihuiriachi* before me, are the following: Messrs. East, Messervy, Weatherhead, Stevenson, Douglass, and Litzleiter. Our common impression then was, that our banishment could not last longer than one, or at the utmost two months, on account of the most positive news we had of

General Wool's march towards Chihuahua. But, instead of that, ill-fortune wanted us to stay there six long months, which I consider the most tedious of my whole life.

The day after my arrival I presented myself, with my passport received in Chihuahua, to the prefect of Cosihuiriachi, a respectable old man, who treated us throughout very kind, and executed the strict orders which from time to time arrived from Chihuahua for our better control, with all the humanity that his official station allowed. Though we were not permitted to leave Cosihuiriachi for another residence, we considered ourselves at liberty to make excursions in the neighborhood. Most of us were experienced hunters; and as the surrounding mountains contained a great many deer, we roamed almost daily over our hunting ground, to kill time as well as to provide our table with venison. On such excursions I paid constant attention to the botany of the country, and made in the first month a rich collection of mountain plants, most of them undescribed as yet. But with the approach of winter the flowers disappeared; the geology of the country was most uniform. To extend our excursions further was forbidden by a new order from the Governor of Chihuahua, which limited them to two leagues at the utmost; nearly all my books and instruments I had left behind; society was confined to ourselves; communications from Chihuahua were but seldom received, and, according to all accounts, there was no more prospect of General Wool's march towards Chihuahua. So we spent the winter in a state of constant expectation and weariness, interrupted sometimes only by a small patriotic excitement from a part of the Mexicans, most of whom hated us as foreigners, but did not dare to attack us. But instead of expatiating upon these trifles, which can afford no interest to the reader, I will rather insert here the few statistical accounts which I was able to collect in relation to Cosihuiriachi.

The town of Cosihuiriachi, or, with its full name, Santa Rosa de Cosihuiriachi, (also written Cosiguiriachi and Cusiuhiriachic,) was established in the beginning of the latter century, in consequence of the accidental discovery of silver mines. The mines must have been very productive, because the population of the town in Spanish times was estimated at 10,700 souls; while at present, with the surrounding settlements, it hardly exceeds 3,000. The mountain chain on which it is situated is called Sierra de Metates, and forms a part of the Sierra Madre, which occupies the whole western portion of the State of Chihuahua. The mines are all in the mountain chain, west of town. Renowned among them were the mines of San Antonio, Santa Rosa, la Bufa, etc.; the first of them had been worked to a depth of near 300 varas. The mines are all found in porphyritic rocks, the prevailing formation in this part of the country. Silver occurs as sulphuret, in combination with sulphuret of iron and of lead. At present very little mining is done, more from want of capital than from exhaustion of the mines. Some of the mines have been abandoned on account of the water in them. The few wealthy families that live here, and attend to mining on a small scale, are unwilling to risk anything by expensive machinery, and foreign capitalists and miners have in the last 20 years been more attracted by the rich mines of Jesus Maria, further west. The ores of the few mines that are worked yet, contain, on an average, from three to four ounces of silver in the carga, (300 pounds.) The silver is extracted by fire. With the decline of the mines, the town also decayed, and the greatest part of the population looks at present wretchedly poor. Besides

that, they are afflicted with two diseases, very common among them, and not apt to promote propagation, syphilis and lepra. In Cosihuiriachi itself they cultivate only a few gardens, but in the neighborhood are some villages and settlements, with cornfields and orchards; and if it were not for the scourge of the country, the hostile Indians, all the plains might be cultivated, and the people might get richer by the raising of stock than by the mines. But the Mexicans are at present so under fear from those savage highway robbers, that they dare not even pursue them. During our stay in Cosihuiriachi, a party of Apaches stole away a drove of mules and killed six persons in a neighboring village, but nobody thought of pursuing them till they saw us determined to do so. A few badly armed Mexicans joined us then, and we followed all day the trail of the Indians; who were ahead of us for six hours, till we convinced ourselves that they had already retreated into the deepest recesses of the mountains, where it would have been more than temerity to have followed them in the night. One company of American rangers, roaming about like the Indians themselves, would soon sweep these enemies of all cultivated life out of the country; but the Mexicans, with the resignation of fatalism, rather suffer than take up arms and fight to the last.

The elevation of Cosihuiriachi above the sea is, according to my own observations, 6,275 feet, and the height of the "Bufa," the highest mountain in the chain, 7,918 feet above the sea, or 1,643 feet above Cosihuiriachi. The climate is, notwithstanding the high elevation, more temperate than cold; during the winter we had sometimes ice, but no snow.

In the beginning of the year 1847 our prospects began to brighten. The battle of Brazito had been fought, and the relief which we had in vain looked for from below seemed to approach now from the north. But, for two long months yet, we were kept in a dreadful state of suspense, the more excruciating the nearer the time came when a decisive battle between the two armies could be expected. Of the American troops we had no reliable information, but on the part of the Mexicans we witnessed all the strenuous exertions which they made for a vigorous resistance. They had procured a goodly number of cannon and small arms, with ammunition; new taxes had been gathered by a forced loan; about 4,000 men were pressed into the service; in the public press and from the pulpit, the people were excited against the "perfidious Yankees;" heroic deeds, and death for the fatherland, became every-day phrases. But to what, after all, could such theatrical display avail against the cool, determined bravery of the Missouri volunteers, which sought no vent in words, but in actions! Near the time of the expected battle, our suspense was of course on the highest point; but only vague rumors penetrated into our distant, isolated mountains, till, two days after the battle, some fugitives of the Mexican army returned as the first indication of a lost battle; and soon after, an express, sent out by our friends in Chihuahua, informed us positively of the glorious victory at Sacramento. There was no further authority in the place that would have tried to retain us under such circumstances. A part of the Mexican population, whose conscience was not quite clear from self-reproach, fearing revenge, fled even to the mountains, while we in the meanwhile prepared in all haste our baggage and animals, for our return to Chihuahua. Next morning, on

March 3, 1847, we left the place of our exile. Having taken leave of our old prefect and several better minded Mexicans of the town, and embraced,

à la Mexican, some of the fair señoritas who had never given us cause for offence, we moved off in a body as happy as freemen, under such circumstances, can be, and two days afterwards we entered Chihuahua again. The city looked rather differently from what it did formerly, but not for the worse. One-half of the Mexican population had left the city, from fear that the Americans would, after their victory, act as meanly and overbearing as they had done themselves before it; but in that they were disappointed—no excesses were committed, and the Mexicans were treated as mercifully as ever a vanquished enemy was by a generous victor.

But, really, what a ragged set of men those brave Missouri boys were! There was not one among them in complete uniform, and not two in the whole regiment dressed alike: each one had consulted either his own fancy or necessity, in arranging the remnants of former comfort, to produce a half decent appearance. Some of the resident Americans in Chihuahua, I understood, when after the battle the first American companies entered the town and halted on the Plaza, were so thunderstruck by the savage exterior of their own countrymen, that they ran back to their houses to ascertain first to what tribe or nation they belonged. But, notwithstanding their raggedness, there was some peculiar expression in their eye, meaning that they had seen Brazito and Sacramento, and that Mexicans could not frighten them even by ten-fold numbers. Among the troops I met with some old friends from Missouri, and during our stay in Chihuahua I became acquainted with many officers and men whose knowledge and bravery would do honor to any army, and whose gentlemanly deportment I shall always recollect with pleasure. But, for the present, we will leave Colonel Doniphan with his regiment in their comfortable quarters in Chihuahua, and take a review of the State and city of Chihuahua, before our final return to the United States.

Statistics of the State of Chihuahua.

The territory of the State of Chihuahua contains an area of 17,151½ square leagues, or 119,169 English square miles, and reaches from 26° 53' 36" to 32° 57' 43" north latitude. Its boundaries are, towards the north, New Mexico; towards the east, Coahuila and Texas; towards the south, Durango; to the southwest, Sinaloa; and to the northwest, Sonora. The great mountain chain of Mexico, the connecting link between the Rocky mountains of the north and the Andes of the south of this continent, is known here as *Sierra Madre*, and occupies chiefly the western part of the State, where it ascends to a considerable height, and then abruptly descending into deep ravines, (barrancas,) is lost in the rich plains of Sonora and Sinaloa. The highest point of the Sierra Madre (at Cumbrés de Jesús María,) is, according to Mexican observations, elevated above the sea 3,004 varas, or 8,441 English feet. The mountain ranges, running generally from the north to the south, are intersected towards the east by fine valleys and plains. The eastern portion of the State is less mountainous, containing wide plains, and lying for the greater part on the broad and high plateau, the flattened crest of the Cordilleras that extends from New Mexico as far south as the city of Mexico. The average elevation of this plateau in the State of Chihuahua is between 4,000 and 5,000 feet.

The *water-courses* of the State are those that run, first, into the Gulf of Mexico; second, into the Pacific; third, into lakes within the State. To the first

class blongs the Rio del Norte, running from northwest to southeast through the State, and its two tributaries, the Rio Conchos and Pecos. The water-courses that run into the Pacific all have their origin in the Sierra Madre, and are the following: the San Miguel, Refugio, Moris, Papigochic, and Gila. Of the latter, the Gila, the State of Chihuahua claims only the sources flowing from the Sierra de Mogoyon, until they unite with the Rio de San Francisco, a distance of 27 leagues. The third class of rivers discharge themselves into those peculiar lakes without outlet, which I have mentioned already in passing lake Encinillas, above Chihuahua. The following rivers empty into such lakes: the Rio de Casas Grandes into lake Guzman; the San Buenaventura into lake Santa Maria; and the Carmen into lake Patos. It appears as if those lakes are principally produced by the physical properties of the ground, to wit: a wide, very level plain and great porosity of the soil. Some of the lakes are supposed to have been formerly connected.

Common and mineral springs are very frequent in the State; the latter are mostly sulphurous, but are seldom used for medical purposes.

The *climate* generally is temperate. The influence of the more southern latitude of the State is counterbalanced by its high elevation above the sea. In the mountainous parts of the Sierra Madre, there is of course a greater variety in the seasons: hot summers, rainy seasons, and severe winters, often follow each other. But on the plains of the plateau, between 4,000 and 5,000 feet above the sea, there prevails a delightful, constant climate, with moderate temperature in summer and winter, with a clear sky and dry atmosphere, interrupted only by the rainy season, which generally lasts through July and August. The thermometer in the city of Chihuahua, I am told, seldom rises higher in the summer than about 95 degrees Fah., and of the moderate cold in the winter I can speak from experience. Some breezes prevail throughout the year. The barometer exhibits in the city of Chihuahua most regular daily oscillations, but very slight variations throughout the year. In the many observations which I have made there in the rainy season, in the winter and spring, there is a difference only, between the highest and lowest stand of the mercurial column (reduced to 32° Fah.) of 0.580 inch.

The great dryness of the atmosphere produces, of course, a very free development of *electricity*. By rubbing the hair of cats and dogs in the dark, I could elicit here a greater mass of electricity than I had ever seen produced in this way. Some persons, entitled to confidence, informed me that by changing their woollen under-dress in the night, they had at first been repeatedly frightened by seeing themselves suddenly enveloped in a mass of electrical fire. The remarkable flames that appeared after a thunder-storm in the mountains south of el Paso, already mentioned by me, were no doubt connected with electricity. I recollect also, from an account published in relation to the battle of Buena Vista, that during a sultry evening electrical flames were seen on the points of bayonets among the sentinels stationed in the mountains. Experiments made on the high table-land of Mexico with a fine electrometer, would no doubt give interesting results.* As to

* In Major Z. Pike's expedition to the sources of the Arkansas, etc., I find the following interesting comment upon the same subject: "The atmosphere had therefore become so electrified, that, when we halted at night, in taking off our blankets the electric fluid would almost cover them with sparks; and in Chihuahua we prepared a bottle with gold leaf, as a receiver, and collected sufficient of the electric fluid from a bear skin to give a considerable shock to a number of persons. This phenomenon was more conspicuous in the vicinity of Chihuahua than any other part we passed over."

the relative dryness of the atmosphere, my observations for the dew-point will give some information.

The *productions* of the cultivated soil in the State of Chihuahua are maize, wheat, beans, peas, red pepper, apples, peaches, onions; and in the less elevated regions, figs, granates, melons, grapes, &c. Cotton, too, has been tried with success in the southern part of the State. Generally taken, the country seems to be more fit for raising stock than for agriculture, as a great portion of it is either too mountainous, or too scantily supplied with water, to become very productive. But notwithstanding, the State has sufficient arable land in the valleys and plains along the water courses to produce all the crops that are wanted for a much denser population than the present. In the mountains of the Sierra Madre there is an abundance of pines, which grow the finest and tallest, at an elevation of from eight to nine thousand feet above the sea; while in an elevation of five and six thousand feet more, oak and cedar are found, and in the plains mezquite and shrubbery furnish the necessary fuel. In the city of Chihuahua oak is used, carried there on pack mules from the mountains.

The *annual produce of agriculture* in the State is estimated at the value of \$880,062. The following is a list of the items:

Maize	-	-	-	246,399 fanegas.
Barley	-	-	-	830 do.
Wheat	-	-	-	62,660 do.
Beans	-	-	-	30,713 do.
Peas	-	-	-	730 do.
Red pepper	-	-	-	5,694 do.
Cotton	-	-	-	12,957 arrobas.
Wine	-	-	-	23,652 frascos.
Whiskey	-	-	-	28,900 do.

More important than agriculture is the raising of *stock* in the State. Horses and mules, cattle and sheep, thrive and increase very rapidly, and the wealth of the proprietors of large "haciendas" consists mostly in their innumerable stock, which is never kept in the stables, but during the whole year is allowed to roam about. In former years, it is said, the stock was so numerous that large proprietors never knew the extent of their own herds; and whenever it was necessary for them to realize some money, they would send droves to the south, even as far as the city of Mexico; and they often cleared as much as \$100,000 in one such trip. But since the last 20 years, the wild Indians have become so hostile, and committed so many depredations, that the stock is diminishing every year. An official but rather incomplete account valued the stock of the State, in 1833, at \$3,848,228.

Another most important branch of industry in the State of Chihuahua is *mining*. Its many and rich silver mines have been celebrated for several centuries. They are principally found in the western part of the State, throughout the length of the Sierra Madre, and in a mean breadth of 30 leagues. The silver ores occur generally as sulphurets, with iron or lead, sometimes as native silver and muriate of silver, and are found either entirely in porphyritic rocks, or in stratified rocks, (limestone,) passing in greater depth into igneous rocks. They are worked either by amalgamation, or by fire in common furnaces. For the latter process they need generally an addition of greta, (litharge, or oxyde of lead,) which forms, there-

fore, a valuable article of trade. Besides the silver mines, rich mines also of copper, and some of gold, lead, iron, and tin, are found. The most distinguished mines of the State, of older and more recent date, are the following:

The mines of *Santa Eulalia*, near Chihuahua, have during the last century produced immense masses of silver, as the following fact may prove. The cathedral in Chihuahua, a most splendid building, was within the last century erected from a fund created from the proceeds of the *Santa Eulalia* mines, by a grant of one real ($12\frac{1}{2}$ cents) on every marc of silver (worth \$8 25) obtained from the mines. This fund was created in 1717, and in 1789 the cathedral was finished, at an expense of \$800,000. The amount of silver taken in these 72 years from the mines would, therefore, be \$52,800,000. The abundance of lead found in *Santa Eulalia* makes the smelting of the silver ore very convenient. The mines are at present not yet exhausted; but from intrusion of water, want of capital, and the attraction of new mines, they are but little worked.

The mines of *Paríal* (Hidalgo) are the oldest of the State, and have also been extremely productive in silver; but for want of regular mining, most of them, though not exhausted, are made inaccessible and worthless.

The mines of *Santa Barbara*, discovered in 1547, were renowned for both silver and gold ores, but are now entirely abandoned.

The mines of *Batopilas* were celebrated for the large masses of native silver, and the unusual richness of the ore.

South of *Batopilas* lies the rich mine of *Morelos*, discovered in 1826, where one mass of native silver was found weighing 230 marcs.

The mine of *Sierra Rica*, west of the old Presidio de San Carlos, was begun to be worked by a company in 1829. The prospects at first were most flattering: the superficial layers of the silver ore produced from one to a hundred marcs in the carga, sometimes 150, and in one instance even 327 marcs; but at the depth of 80 varas the mine seemed to give out, and the invasions of hostile Indians became at the same time so troublesome, that the mine was abandoned.

Such extreme richness of the ore is of course not a common occurrence; and the result, found by comparison of Mexican and European mines, that the mines in Mexico are generally poorer as to the relative amount of silver, but far superior as to abundance and extent of the ore, seems also to correspond with the mines in the State of Chihuahua; because a silver mine furnishing from three to four ounces of silver in the carga, is generally considered good enough to be worked with advantage; and many with less per cent. are rendered profitable.

In recent times, the mines of *Guazapares* and of *Jesus Maria* have attracted most of the capital of the State. The latter, southwest from Chihuahua, on the height of the *Sierra Madre*, were discovered in 1821; and so many valuable silver mines, and some gold mines, too, have since that time been opened, that it promises to be for a long time one of the richest mining districts in the State.

Of the copper mines in the State of Chihuahua, the most celebrated is the "*Santa Rita de Cobre*," in the western angle of the *Sierra de Mogoyon*, near the headwaters of the Gila. The mine, known for a long time to the Apaches, passed through the hands of several proprietors, till in 1828 it was effectually worked by Mr. Consier, a French resident of Chihuahua, who is reported and generally believed to have cleared in seven

years about half a million of dollars from it. The ore looks extremely rich; it is a remarkably pure oxide of copper, accompanied sometimes with the native metal, and said to contain some gold. Mr. Coursier soon monopolized the whole copper trade in Chihuahua; and as the State at that time coined a great deal of this metal, he made a very profitable business of it; but at last the mine, which seems to be inexhaustible, had to be abandoned on account of hostile Indians, who killed some of the workmen, and attacked the trains. These copper mines are claimed by the State of Chihuahua, as belonging to its territory; but as not even the latitude of the city of Chihuahua had been well determined by the Mexicans, more exact astronomical observations may perhaps prove that they fall within the territory of New Mexico. This question may become of importance, because this whole range of mountains is intersected with veins of copper and placers of gold. Cinnabar also, says rumor, was discovered there in 1824, but nothing positive is known in relation to it.

Coal has been found at present only on two places in the State, near the mines of Carmen and near the mines of Sierra Rica; but it will probably occur in other localities.

After this short review of the mines in the State of Chihuahua, the question of course will arise, What is *the annual production of these mines*? The only data to which I can refer, are the following: In the 24 years from 1738 to 1761, the amount of silver produced in the State of Chihuahua was 3,428,278 marcs, or \$28,283,293; and in the 17 years from 1777 to 1793, 1,394,161 marcs, or \$12,501,828. The following is the estimated amount for later years:

In 1824	-	-	-	-	69,816 marcs, or	575,982 dollars.
1826	-	-	-	-	138,015	1,138,623
1827	-	-	-	-	129,402	1,067,566
1828	-	-	-	-	142,785	1,177,976
1830	-	-	-	-	128,747	1,062,163
1831	-	-	-	-	138,916	1,146,057
1832	-	-	-	-	117,484	969,243
1833	-	-	-	-	116,802	963,616
1834	-	-	-	-	109,419	902,707

More recent dates I was unable to get, though I understood from competent persons that the amount of silver had in the last 12 years considerably increased. The computer of the above tables estimates that the annual average amount of the production of silver and gold in the State of Chihuahua is 125,000 marcs, or \$1,031,251; but he supposes that but 100,000 marcs of that sum pass through the mint, and that 25,000 marcs are every year smuggled out of the country.

There is a well-managed mint (*casa de moneda*) in Chihuahua, coining gold, silver, and copper. Mr. J. Potts and brother are the present proprietors, in consequence of a contract made with the government of Chihuahua. As all the silver ore in the State contains more or less gold, they separate it before coining, in large platina vessels, with sulphuric acid. For coining a marc of silver without separating the gold, they receive two reals, (25 cents); for coining and separating the gold, five reals; but the marc of silver from which the gold is to be separated, must contain at least 16 grains of gold.

Of the *commerce* of the State very little can be said at present. A

State so isolated in the interior of a large country, with a very thin population, without any navigable river, receiving most of its merchandise either by the long Santa Fe trail from the United States or far from the interior of Mexico, or but occasionally by direct importation from the seaports on the Pacific, has certainly no claim to commercial advantages. But if, in the course of years, a shorter communication should be opened with the seashore by a good, direct road to the Rio Grande; if the indolent Mexicans should be spurred on to greater industrial energy by their go-ahead neighbors; if the Indians, the very scourge of the country, should be driven out or extirpated by some companies of Texas rangers; if oppressive laws and monopolies should be supplanted by free competition of industry, the State would soon be productive and rich enough to exchange every year many millions of goods with the seashore, as well as with the interior.

The population of the State, exclusive of the wild Indians, was

In 1827	-	-	-	-	-	120,157
1832	-	-	-	-	-	138,133
1833	-	-	-	-	-	139,081
1842	-	-	-	-	-	147,600

At present it is estimated at from 150 to 160,000 inhabitants, which number would give about 1.3 for each English square mile. The greater part of the people are of Indian descent, though some have preserved their pure Castilian blood. The settlements generally commenced and progressed with the discovery of mines. The oldest town in the State is Santa Barbara, (near Parral,) whose mines were discovered in 1556. About 1600, the town contained 7,000 inhabitants, who were mostly occupied in the gold mines, which produced then from 12 to 14 ounces of gold in the carga. Afterwards Parral was settled, Santa Eulalia, Cieneguilla, Cosihuiriachi, etc. The numerous *Indians* that in former years occupied the country have greatly diminished. Some of them have become Christians, and lead in their separate villages (*pueblos*) a poor and miserable life; others are untamed yet, and roam restless about, living by hunting and depredations upon the Mexicans. Those hostile Indians are principally the *Apaches*, a very general denomination, comprising the following related tribes: *Tontos*, *Chiroahues*, *Faraones*, *Llaneros*, *Navajoes*, *Gileños*, *Mimbresños*, *Mezcaleros*, and *Lipanes*. The four latter tribes live only within the State of Chihuahua, and carry on a continual warfare against its inhabitants. All the warriors of these four tribes are not estimated at more than 1,400; nevertheless, this small number has ruined the industry and impeded the progress of the State so completely, that if more energetic measures are not taken, the Mexicans will yet become the vassals of these savage hordes.

In the northwestern part of the State of Chihuahua some *old ruins* are found, built, no doubt, by a cultivated Indian tribe that has passed away. They are known as *Casos Grandes*, and lie near the village and creek of the same name, between Janos and Galeana. Ruins of large houses exist here, built of adobes and wood, squared, three stories high, with a gallery of wood, and staircase from the outside, with very small rooms and narrow doors in the upper stories; but without entrance in the lower. A canal led the water of a spring to the place. A sort of watch-tower stands two

leagues southwest of it, on an elevation commanding a wide view. Along the creeks Casas Grandes and Janos a long line of Indian mounds extends, in some of which earthen vessels, painted white, blue, and violet, have been found; also weapons, and instruments of stone, but none of iron. The same artificial construction of houses is yet found amongst the Moqui Indians, northwest of the State of Chihuahua. But an old tradition reports that the Aztecs, in their migration from the north to the south of Mexico, made three principal stations—the first on the lake de Teguyo, (great Salt lake?) the second on the Gila, and the third at Casas Grandes. The ruins of Casas Grandes are only distant about four days' travel from Cosihuiriachi, and I felt very anxious to examine them; but as the government of Chihuahua, following the precedent of Dr. Francia, in Paraguay, considered a scientific exploration of the country as endangering the welfare of the republic, I had to forego the pleasure, and to confine myself to the reports given to me in relation to it.*

Finally, let us look into the capital, the largest and finest city of the State. *Chihuahua* was settled about 1691. The number of its inhabitants is said to have been much greater about the middle of the last century than now; at present it is estimated at from 12 to 15,000. Chihuahua has a most beautiful situation in a valley, open towards the north, and surrounded on the other sides by the projecting mountains of the Sierra Madre. The city is regularly built; has wide and clean streets—in some of them quite handsome and convenient houses; plenty of water from the Chihuahua creek, and from an aqueduct; fine gardens around the town, and a delightful public walk, (Alameda,) shaded with cotton trees. The finest place of the city, as usual in Mexico, is the Plaza, or public square. It is very spacious; has a public fountain in the middle, and foot walks on the side, with benches and pillars of a white porphyry, which is found in the neighborhood. Three sides of the square are occupied with public buildings and stores; on the fourth stands the cathedral, a very imposing building, which I have mentioned already in connexion with the mines of Santa Eulalia. Although the style of the building is not throughout Gothic, it shows nevertheless great finish and elegance of construction; the two equal and parallel steeples in front of it are elevated 52½ varas above the Plaza. Another expensive work of architecture, erected in Spanish times, is the aqueduct, built of rocks, with arches; it extends 6,533 varas, and provides the southern part of the city with water, while on the north side the Chihuahua creek runs, which unites below with the "Nombre de Dios," and falls into the Conchos. Another remarkable building in town is the church of San Felipe, commenced by the Jesuits, and left unfinished after their expulsion. In this building the patriotic Hidalgo and his associates were confined before their execution; also the Texan officers of the ill fated Santa Fe expedition, on their march to the south; and in more recent times it was converted into a foundry, at which were cast the cannon taken by Colonel Doniphan's regiment at the battle of Sacramento, and since transported to the distant capital of Missouri. In the interior of the building the Americans had their hospital established, during their occupation of Chihuahua. Near the old church, on a public square, stands a simple monument, in honor of Hidalgo, Allende, and Jimenez, the revolutionary heroes that were shot here by the Spaniards.

*In Clavigero's *Historia antigua de Mejico*, quite a similar account of these ruins is given.

The elevation of Chihuahua above the sea is, according to my numerous observations, 4,640 feet. Its geographical latitude I determined to be in $25^{\circ} 38' N.$; its longitude, according to lunar observations made by Dr. Gregg, is in $106^{\circ} 30'$ west of Greenwich. The climate is delightful. Of diseases I have seen there dysenteries in summer, typhoidal fevers and rheumatic affections in the winter. Intermittent fevers and scurvy, which prevailed then among the American troops, are not common to the Mexicans.

Part of the population are very wealthy, but the majority are quite poor. The lower classes are ragged and filthy, and as to thievishness they might excel in London or Paris. The manners of the people are generally polite, (except in patriotic paroxysm;) the señoritas are celebrated for their beauty and natural grace; and fandangos and montebanks, cock-fights and bull-fights, flourish as well here as over all Mexico.

Let us return now to the American troops in Chihuahua. When Colonel Doniphan's regiment left Santa Fe for this place, it was done in consequence of a previous order from headquarters to march south and report himself to General Wool, who was at that time marching towards Chihuahua. General Wool's destination was afterwards changed, but no news of that event nor contrary orders reached the troops at Santa Fe, and the "lost" regiment marched towards the south to meet with General Wool, in Chihuahua or somewhere else. In el Paso they ascertained, for the first time, that the General had not yet come to Chihuahua, and that the government of that State had made formidable preparations for defence. At the same time, news reached them of the revolution in New Mexico, exaggerated, for purpose, by the Mexicans. In this dilemma—surrounded in the rear and front by enemies—thrown in the middle of a hostile country—cut off from all communication and support of their own country, they took the only resolution that could avail in such emergency; they marched on, to conquer or die.

Having conquered Chihuahua, and not finding General Wool there, an express was sent from here to his camp near Saltillo to ask further orders. John Collins, esq., of Boonville, Missouri, a trader, who had volunteered in the battle of Sacramento, undertook the dangerous excursion with only 12 men. The regiment was stationed in the meanwhile in Chihuahua, and indulged in the luxuries of the town. Towards the end of March the first news of the battle of Buena Vista was received. Although Santa Anna claimed, in his official report that reached Chihuahua, a victory on his part, the Americans were too well versed in translation of Mexican reports not to consider themselves privileged to fire a salute on the Plaza in honor of *our* victory.

Most men of the regiment got at last tired of the inactive life in Chihuahua, and in a council of war an expedition to the southern part of the State was agreed upon. Some negotiations with the old Mexican authorities of Chihuahua, who had fled in this direction, failed to produce any result; they kept up, on the contrary, a shadow of Mexican government in the south of the State, at Parral. A march of the American troops there would have broken up that government at once, and being nearer to the seat of war, the regiment might, according to circumstances, have either thrown itself upon the State of Durango or marched towards Saltillo.

On April 5, 1847, 600 men, with 14 cannon, left Chihuahua for that purpose, while about 300 men, with some pieces of artillery, were left behind for the safekeeping of the city. As there was at that time a want of surgeons in the regiment, an appointment to that effect was offered to me, which I accepted. I left Chihuahua with the troops, moving towards the south.

Passing through Mapula and Bachimba, we reached within three days *San Pablo*, 50 miles southeast of Chihuahua. Here we were met by an express, sent from Americans below, and reporting that a large Mexican force was approaching from the south to reconquer Chihuahua, that the Mexican government had fled at the first news of our march, and that General Taylor had left Saltillo, etc. Upon these reports Colonel Doniphan resolved to return to Chihuahua, and defend that place at all hazards. With some reluctance the troops returned; the chivalric sons of Missouri relied so much upon their own bravery and good fortune, that they disliked every retrograde movement, although policy might command it. Two days afterwards we entered Chihuahua again, to the astonishment of friend and foe. Many Mexican families that had stayed in town left it now, from fear of a new battle. But, for two weeks we waited in vain for the large army from the south, till we became convinced at last that it was but a hoax—invented, perhaps, in Chihuahua, by some persons whose interest it was to keep the troops there as long as possible. As the prospects of a battle diminished, the regiment, whose term of service came near expiring, and which during the campaign had received glory enough, but neither pay nor clothes, became every day more anxious to return to the United States, and a day was at last fixed for the final departure of the whole regiment, if the express sent to General Wool should not return up to that time. Our route in that case would have been by Presidio del Norte and the Red river, to Fort Towson. But in due time Mr. Collins made his appearance. In about 30 days he had travelled, with a mere handful of men, about 1,000 miles through a hostile country, with no other passports but their rifles. In going out, his party consisted of but 12 men; on his return it was increased to about 40. The gallant Squire was received in Chihuahua with enthusiastic joy. He brought us definite orders from General Wool to march at once, and on the most direct road to Saltillo. Within two days our troops were on the march. Colonel Doniphan, before he left, called the Mexican authorities of the place and made them promise to treat the American residents of Chihuahua in a decent manner, and threatened them, in case of disorder, with a return of the American troops and a severe chastisement. The Mexicans promised everything. Many American and other foreign residents, however, had so little confidence in Mexican faith, that they preferred to accompany the army.

On April 23, 1847, our vanguard, with the artillery, left Chihuahua. They made on that day but 14 miles, and encamped at Coursier's hacienda, near *Mapula*. This place is to the right of the usual road, and about five miles out of the way, but has to be resorted to for want of water, if one does not intend to go in one trip as far as Bachimba, the nearest watering place on the road, and 32 miles from Chihuahua. I was still detained this day in Chihuahua, and started in the morning of

April 26, to meet the troops in *Bachimba*. When, in the distance of about four miles, in crossing a chain of hills that encompass Chihuahua

on the south, I looked for the last time over the interesting city in which I had seen within the last eight months a whole drama performed, and had been forced myself to act a rather passive part in it, I could not help admiring once more its romantic situation, and my first, favorable impression returned. But there was no time now for reflections: bidding farewell to the fair valley and to the distant Sacramento mountain, that rose like a massive tombstone over the battle-field, I crossed the hills and was soon in another valley, through which the road runs in a southeastern direction. This valley was about 10 miles wide, with a mountain chain towards the east and west, and but a few settlements on the right, (Mapula and Coursier's hacienda.) The grass was very dry, and the bed of several creeks which I passed contained not one drop of water. About 20 miles from Chihuahua the mountains, projecting from east to west, hemmed in the valley and changed it abruptly into a narrow pass (cañon) of five to six miles in length, and from half a mile to one mile in breadth. The pass is in some places so narrowed by steep rocks on both sides, that with some fortifications it could be made impregnable; but I am informed that the cañon would be evaded by taking a mountain road west of it that leads also to Chihuahua. Nearly in the middle of the pass lies a rancho, with a spring, but too scanty water. Lower down we passed a deserted rancho destroyed by Indians. Several Mexicans, killed by them, were buried here so superficially, with rocks heaped upon them, that their limbs were sticking out. At the other end of the cañon another much wider valley opened, through which we have now to travel. Bachimba lies about five miles off the cañon, in the plain; it is a hacienda with about one dozen houses, and a fine running stream. We encamped here to-night.

April 27.—Marched to-day 20 miles, to *Santa Cruz*, through the same wide valley, running from northwest to southeast. The mountains to the left of our road, towards the east, are about 25 miles distant; the Conchos river runs along that chain. The mountains to the right, or the west, are from five to 10 miles off. The whole wide plain is covered with mezquite and other shrubs, forming the so-called chaparrals. Walking and riding are both difficult through those thickets of thorny brush, and a man lost in a chaparral is by far worse off than one lost in the prairie. In the chaparral I met with different species of cacti in blossom; a small odd tree, (*Koeberlinia*,) seemed to be entirely composed of long green thorns; some *yuccas* raised their crowns, with a cluster of snow white flowers, above the shrubbery; also the purple-flowered *Fouquieria splendens*. I had seen the latter shrub already in the Jornada del Muerto, above el Paso, but not in blossom. As it is one of the most common and obnoxious plants in the continued chaparrals which will now surround us daily in our march to Monterey, I will give a short description of it. It grows in long branchless stalks, but a dozen of them standing sometimes together, covered all over with thorns, with few and quite small leaves, and at the upper end of the stalk a cluster of purple flowers. They grow generally from 10 to 20 feet high; sometimes I have seen them to the height of 30 feet. Their peculiar appearance, their height and red flowers, make them very conspicuous objects in the chaparrals. The Mexicans use them sometimes for hedges.

The soil was rather sandy, and grass scanty and poor, but the road firm and level. About 10 miles from Bachimba the road forks: the one to the left leads southeast to San Pablo; the other to the right, SSE., to Santa Cruz.

Both roads meet again before Saucillo. The San Pablo road is several miles nearer; but as we understood that a miry plain near San Pablo, covered with tequesquite, had by rains become impassable, we took the Santa Cruz road, arrived there in good time, and camped about one mile south of the town. Santa Cruz is a tolerably good looking town, and is said to contain, with the surrounding settlements, about 5,000 inhabitants. The *San Pedro creek* runs by the town; it is a clear mountain stream, that comes from the western mountains about 100 miles west of Santa Cruz, and takes a semi-circular turn from southeast to north west, through the plain, till it falls, some distance below San Pablo, into the Conchos. Cotton trees grow along its borders. *San Pablo*, the town which we had reached in our first excursion from Chihuahua, lies about eight miles below Santa Cruz, on the San Pedro, and seems to be a flourishing place, with about 4,000 inhabitants. There is rich cultivated land along the stream, upon which they raise a good deal of maize and some cotton. Near our camp stand a flour mill and a cotton-gin. The latter seemed to be abandoned, but a basin in which the cotton used to be washed, with a water fall of about 10 feet, afforded us a refreshing shower-bath. We stayed here also the next day.

On April 29, we left for Saucillo, (23 miles.) We travel our day's march always without a noon halt, which is certainly the most convenient for an army. Our way led through the same valley, covered with chaparral; the road was good, but not quite so level as heretofore. Near Saucillo the mountains approach each other, and form south of it a wide gap leading into another valley. Saucillo itself is a town on the *Conchos*. This river, whose water-courses extend over one-third of the State of Chihuahua, comes from the northwestern height of the Sierra Madre, takes first a southern, then an eastern and northeastern, and at last a northern direction, and falls, near Presidio del Norte, (therefore also called Presidio de las Juntas,) into the Rio Grande. Its whole course is about 400 miles, and its character as changeable as that of the Mexican rivers; at present it was rather a small stream.

In the mountains south west from Saucillo some silver mines are worked, the ore of which is smelted here; it is combined with lead, and affords but from one to one and a half ounce of silver in the carga, but the simultaneous production of "greta" (oxyde of lead) makes it nevertheless quite profitable. For the first time since we left Chihuahua, here I saw limestone, instead of the prevailing porphyritic rocks.

April 30.—Went 30 miles to-day, to *Santa Rosalia*. The gap, leading from the former valley to a new one, is about five miles wide; the road over it is hilly. Nearly half way we passed through *la Cruz*, a small town, and further below through *las Garzas*, a smaller place yet, where we crossed the Conchos, and followed its course up to the point at which the Florido river flows into it. There we camped, opposite to the town of Santa Rosalia, which lies on a hill in the angle between the two joining rivers. Southwest from the town, and from our camp, rises a chain of mountains in the distance of about five miles; the rocks are apparently stratified, and no doubt limestone; the Conchos runs along that chain. Near the river in this direction some sulphur springs are found, which are resorted to by the Mexicans for cutaneous and other diseases. I was not at leisure to visit them, but Dr. Gregg, who made an excursion there, informed me that the temperature of the different springs had been from 105 to 108° Fah., while the atmosphere was 85° Fah. Sediments of pure precipitated sul-

phur are found at the bottom of the springs. The mountains at the eastern side of the valley are more distant, about 10 miles. The intermediate plain is for the greater part covered with chaparral. The *Rio Florido*, which comes from the State of Durango, and takes generally a northern course, runs here in a northwest direction through the valley into the Conchos, coming from the southwest. Santa Rosalia is a town of about 5,000 inhabitants; it lies on a hill about 100 feet higher than the river, and towards the south spreading out in a small plateau. Here, on the southern end of the town, the Mexicans had erected a fort against General Wool, when his division was expected to march towards Chihuahua. The fortifications consist of a very spacious square, built of sun-dried bricks or adobes, with redoubts, loop-holes, and trenches. Such fortifications of adobes have the advantage, that cannon balls will pass through them without making a breach. The fort is directly on the road leading to the town, and occupies very favorable ground; but a hostile army might turn the fort entirely, by going through a wide plain east of it, though they would have to march through chaparral.

On May 1, we rested on the same camping ground, to give to the last companies that left Chihuahua after us a chance to come up with the army.

May 2.—The whole regiment being together, we left this morning our camp at Santa Rosalia for *la Ramada*, (24 miles.) Lieutenant-Colonel Mitchell went to-day ahead with a small party, to reconnoitre the country between here and Saltillo; the road was more sandy, but nevertheless firm and easy to travel. Our direction was ESE.; the *Rio Florido* always to our left, and chaparral all around us. In the evening we had a thunder storm, with rain. *La Ramada* is a small place on the *Florido*.

May 3.—Made a strong march to-day of 33 miles, to *Guajuquilla*. The road was constantly winding itself through endless chaparral; the *Rio Florido* on the left, and mountains and hills east and west, in the distance, from 10 to 20 miles. About half way we passed a rancho with some water; farther on, the road forks: the right hand road leads directly to the town; the other by a large hacienda. Before *Guajuquilla* we crossed the *Florido*, and passing through town, encamped south of it. *Guajuquilla* looks more like a town than any other place we have seen so far, on the road from Chihuahua; its population is from 6 to 7,000. The surrounding country is well cultivated, and seems well adapted for raising cotton. The produce of the cotton crop was in the last year 140,000 arrobas. Some copper and silver mines, I understood, are worked in the neighborhood, but I could not see any of the ores.

May 4.—Marched this morning but three miles south of *Guajuquilla*, to the *Hacienda de Dolores*, a large estate with well irrigated and cultivated fields. From here we will have to travel 20 leagues without meeting water. The prospect of this "Jornada" made us rest here till evening. Two Mexican loafers, suspected as spies, were made prisoners to-day; they confessed to have been sent out by General Ugarte; that he was roving about in that neighborhood, and intended to attack us in the *Jornada*. The news received very little credit on our part. One of the spies was taken along, but he made his escape during the night.

About 4 o'clock in the evening we started for the *Jornada*, and travelling through chaparral and very uniform plain, we made that evening yet 20 miles, and encamped about midnight in a small valley without water.

May 5.—We started early in the morning, and went over a hilly country, till we ascended a table-land that divides the water courses of the Couchos and Rio Grande. A barometrical observation, made on the height of the table-land, gave an elevation above the sea of 4,700 feet. The plain was strewn with pieces of limestone, of common quartz, and of calcedony. Instead of mezquite, there was more grass around us; and instead of mountains, only hills, rolling towards east and west. From this table-land we descended again into a chaparral valley, running from northwest to southeast, and surrounded by high mountains of limestone. The chaparral had been set on fire, and thick masses of smoke rolled over us; but it did not in the least interrupt our march, although it made the heat in the valley more suffocating. I could not ascertain if this fire had originated from accident, or if Ugarte's bands had raised it to molest us; or if, perhaps, a disciple of Professor Espy's doctrines, travelling ahead of us, had the kind intention to produce a rain-shower for us in the Jornada;—at any rate, the experiment failed, and ended but in smoke. Some distance ahead, we met with arrieros, (muleteers,) carrying a large stock of brown sugar from Saltillo to Chihuahua. They sold the "piloncillo," a small loaf, weighing about one pound, as cheap as one medio, (sixpence.) About eight miles from our to-night camp, we passed a spring, with a water-pool, in a ravine to the left of our road; but the water was so muddy and brackish, that the animals refused to drink, or rather to eat it. This spot is known as *San Antonio camp*. Three miles further, a few deserted houses, and a spring on the right hand of the road, (*San Blas*,) are found; but the water is equally bad, and of sulphureted taste. The first good water, and in sufficient quantity, is met about five miles beyond San Blas, in *San Bernardo*, a deserted rancho, with willows and cotton trees, built against a steep mountain wall, from whence a fine creek takes its origin. A small plain half a mile below the rancho contains also some springs and water-pools, and good grass. We pitched our camp in this plain. We have travelled to-day, according to my estimate, about 40 miles. The long distance, as well as the want of water, the excessive heat, and especially the tremendous dust in the narrow road between the chaparrals, made to-day's march one of the most fatiguing.

May 6.—We started late to-day, and made but 10 miles, to the *Cerro Gordo*, or *el Andabazo* creek. Having crossed the mountain, at whose foot San Bernardo lies, we went for a mile through a cañon, with mountains of limestone on both sides, and from there into another valley, watered by the *el Andabazo*. This considerable creek seems to run from southwest to northeast; but whether it is connected with the *Nasas* river, or, what is more likely, runs into lake *Paloma*, a small lake northeast from the large *Laguna de Tlagnalila*, I was unable to ascertain. The Mexicans are generally so indifferent as to the geography of their neighborhood, that a traveller is often at a loss how to reconcile the many different statements. On the left bank of the river was a deserted rancho: we crossed the water and encamped on the other side, amidst chaparral.

May 7.—Made 25 miles to-day, to the hacienda de *San José de Pelayo*. The country over which we travelled is a wide plain, with distant hills towards east and west. Chaparral shrubs, and on the higher places a great deal of lechuguilla and sotol, cover the ground. A good-sized *Echino cactus*, of which I took a specimen along, was very common; and the *Opuntia arborescens*, with its straight stem and great many hori-

zontal branches, grew as a tree of from 20 to 30 feet in height; and its numerous red flowers and unripe yellow fruit gave it the gay appearance of a large Christmas tree.

Pelayo is a small village, or hacienda, with several good springs around it; some of common, others of higher temperature. The creek formed by them is, according to the Mexican statements, afterwards lost in the sand. Pelayo belongs to the State of Durango; but I am not sure whether the el Andabazo, or some other point, forms here the boundary line between the State of Chihuahua and Durango. In Pelayo, a small but steep hill was fortified on the top, by walls of stone. This fortification was probably intended against General Wool's army. Two days before us, Lieutenant Colonel Mitchell had arrived here with the vanguard, and seeing the inhabitants of the place organized as a military company, he made 30 of them prisoners, and took their arms from them; but upon their representation that they would by this act become a prey to the surrounding Indians, he restored them their arms, under the condition that they be used only for defence against Indians.

May 8.—A rough mountainous road brought us to day into another valley, in which *Cadena* lies, a large hacienda belonging to the Governor of Durango, (18 miles.) About three miles east of our camp, in Cadena, rises a steep chain of mountains; another to the west, the Sierra de Mimbres, from which a creek comes, which runs through Cadena, in an eastern direction. About half way on our road, to-day, we passed a deserted hacienda, *Oruilla*, where copper ores used to be smelted. I saw there some pieces of very rich green carbonate of copper. *

May 9.—Our road, this morning, led at first to the eastern mountain chain; and a narrow but very good pass brought us then into another wide valley, about 20 miles broad, and about 35 long from north to south, encircled on all sides by high mountains. This whole part of Mexico over which we travel at present, seems, as it were, but one large network of encased valleys, connecting with each other by good mountain passes and defiles. The mountains at the pass of Cadena (*puerta de Cadena*) consisted of a very compact limestone, dipping from west to east, at an angle of about 30 degrees. A Frenchman, an old resident of the country, informed me that he found coal in this mountain range; but while I passed through I could discover neither fossils nor coal. From the pass, the road turns through the level valley, due east, to *Mapimi*, 21 miles from Cadena. This town lies in an eastern corner of the valley, surrounded by high mountains, in which silver mines are worked. Two springs, called *Espiritu Santo* and *Agua de Leon*, form here a creek, which runs through the town in an eastern direction, and is lost afterwards, according to Mexican account, in the sand. One or two miles east of the town is a large smelting establishment for silver ores, found in the mountains near Mapimi. The silver is combined with lead. The poorest ore, I was told, contains three ounces, the richest one marc of silver, in the carga; besides which, they make at the same time much greta, and sell it at \$12 per carga.

The town of Mapimi was rather deserted. In the evening our artillery fired a salute, in honor of the anniversary of the battle of Palo Alto.

May 10.—Leaving Mapimi this morning, our road went at first three miles to the eastern mountain chain, wound itself then about two miles through a cañon, and led us into a new very open and level valley, which belongs to the famous "*Bolsón de Mapimi*," which commences here. To

the right of our road, or east, at the distance of from three to five miles, a steep and high mountain chain of limestone rises; and another chain to our left, distant from 10 to 15 miles. Both chains gradually diverge, but especially the eastern, which seems to run towards the northeast, and to return thence towards the southwest, at an angle, leaving a large *cul de sac*, or pouch, in the middle, from which form the country has probably received its name, as Bolson means pouch, or pocket. The barometrical profile will elucidate, better than a description, this pouch-like slope of the country, which extends most likely as far towards the north as the Rio Grande. Passing over a ridge, on our road, I enjoyed the most distant view over the Bolson de Mapimi, at the southern base of which we are at present travelling. All around us was an immense chaparral plain, and in the distance of from 15 to 20 miles ahead of us the *Rio Nasas*, which runs towards the north, into the abovementioned pouch, and forms there the large *Laguna de Tlagualila*, (on maps generally called lake Cayman.) Neither the lake nor the northern end of the Bolson was to be seen from the place of my observation; but the outlines of the surrounding mountains, disappearing in the most distant horizon, seemed to extend towards the north to about 80 miles in length, and towards east and west to an average breadth of 30 miles. The limits of the Bolson have never been clearly defined, either in geographical or political regard. The northern part of it belongs to the State of Chihuahua; the southern, to that of Durango; but no certain boundary line seems to exist. As to the physical properties of the Bolson, the general impression is, that it represents a low, flat, swampy country, and a mere desert, which is but partly true. The two terminating points of our march through the Bolson are Mapimi, where we entered it, and el Pozo, or rather a point between Pozo and Parras, where we left it. At Mapimi, the elevation above the sea was 4,457 feet; in the valley of the Nasas, at San Sebastian, 3,785; at San Lorenzo, 3,815; at San Juan, 3,775; and towards the eastern edge of the Bolson, I found el Pozo 3,990, and Parras 4,987 feet above the sea. We perceive, therefore, that the valley of the Nasas river, which may be called the vein and centre of the Bolson, has a mean elevation of 3,800 feet; and though from 500 to 1,000 feet lower than the surrounding country, it occupies nevertheless a considerable absolute elevation above the sea. The soil in the Bolson is less sandy and better than in the higher country; in the valley of the Nasas, especially, is a black rich soil, and most luxuriant vegetation, as we shall see hereafter.

From the ridge, from whence I overlooked the valley, the road descends slightly about five miles to a hacienda, where formerly silver ores used to be smelted. They have a large and deep well here, from which the water is drawn by a mule, and in peaceable times sold to the thirsty traveller: we of course refreshed ourselves, gratis. Some miles further, two more ranchos lie on the road, where, also, wells have been sunk. Although the soil looks everywhere dry, and the nearest water-course is the distant Nasas, good water is got everywhere in this valley by digging to a certain depth. Near these ranchos the road forks, and a more northern or southern route can be taken from here. The northern route leads by Alamito, San Lorenzo, and San Juan, (all settlements on the Nasas,) to el Pozo; while the southern goes to San Sebastian, (on the Nasas,) and by Matamoros and Laguna de Parras, to el Pozo. The latter route is considered the shortest; we selected it, therefore, and marched on the right hand road as

far as *San Sebastian*, where we encamped. The nearer we approached *San Sebastian* and the river, the richer became the soil, though scarcely anything was to be seen but weeds and mezquite. The latter had changed here from shrubs into trees, reaching to the height of from 50 to 60 feet, and with trunks of a man's size. *San Sebastian* is a hacienda on the left bank of the *Nasas* river, and about 35 miles from *Mapimi*. The *Nasas* is here quite a deep and respectable stream, while further down it becomes flat, and disappears sometimes even entirely in the sand. It comes about 150 leagues from the western part of the State of *Durango*, from the so-called *Sianori* mountains, and runs in a northwestern and northern direction in the *Bolson de Mapimi*; ending as a lake. The *Nasas* is the Nile of the *Bolson de Mapimi*; the wide and level country along the river is yearly inundated by its risings, and owes to that circumstance its great fertility. Besides wheat and corn, they raise a good deal of cotton in the valley of the river, and wine has been tried, too, with success. The climate, I understood, is so mild, that the root of the cotton shrub is seldom destroyed in the winter, and continues to thrive for many years. In *San Sebastian* we were informed that, for the want of water, it would be impracticable to continue the southern route, which would have passed from here to *el Gatuño*, *Matamoros* (la Bega de *Maraujo*), *Santa Mayara*, *Alamo de Parras*, *St. Domingo*, and *Peña*, to *el Pozo*. The *Laguna de Parras*, which we would have also passed on that route, is formed by the *Guanabal* river, but was then entirely dry. It was therefore resolved to turn back into the northern route, by going from here, along the *Nasas*, to *San Lorenzo*. We shall lose in this way about 12 miles.

The inhabitants of *San Sebastian* had been hostile towards Mr. Collins's party, when they passed it on their express trip; they were punished for it, by our taking a lot of maize for our animals without pay.

May 11.—We crossed the *Nasas* below *San Sebastian*, on a good ford, and marched on its right bank, though generally a great distance from the river, 24 miles, to *San Lorenzo*. Our road went mostly through fine mezquite timber. Several settlements are along the river, as *Rancho del Muerto*, *Hacienda de Concepcion*, and *Alamito*. The latter lies about half way between *San Sebastian* and *San Lorenzo*, on the river, and six miles north of our road; it is the point where we ought to have camped last night, on the northern route. The proprietor of *Alamito* is an intelligent Spaniard, (*Gapuchin*;) *Señor de Gaba*, who rode along with us for some distance and gave me a good deal of information in relation to the country.

On the right hand, or south of us, a chain of limestone mountains was running parallel with the road. At the foot of a hill belonging to that chain, *Señor de Gaba* pointed out a place to me where some years ago a remarkable discovery had been made. In the year 1838, a Mexican, *Don Juan Flores*, perceived there the hidden entrance to a cave. He entered; but seeing inside a council of Indian warriors sitting together in the deepest silence, he retreated and told it to his companions, who, well prepared, entered the cave together, and discovered about 1,000 (?) well preserved Indian corpses, squatted together on the ground, with their hands folded below the knees. They were dressed in fine blankets, made of the fibres of *lechuguilla*, with sandals, made of a species of liana, on their feet, and ornamented with colored scarfs, with beads of seeds of fruits, polished bones, &c. This is the very insufficient account of the mysterious burying-place. The Mexicans suppose that it belonged to the *Lipans*, an old Indian tribe,

which from time immemorial has roved and is yet roving over the Bolson de Mapimi. I had already heard in Chihuahua of this discovery, and was fortunate enough there to secure a skull that a gentleman had taken from the cave. At present, I was told, the place is pilfered of everything; nevertheless, had I been at leisure, I would have made an excursion to it.

San Lorenzo is a town of about 1,000 population, and lies on the right bank of the *Nasas*; but the waters of the river had here so far disappeared that only some pools were left, and in the dry sandy bed of the river some wells had been dug. In these wells, from 10 to 20 feet deep, I saw below the sand a layer of clay; Artesian wells might therefore succeed here. Such disappearance and reappearance of a river in the sand is a very common occurrence in Mexico, and seems to depend mostly upon the greater or less absorption by the soil. The course of the river is not interrupted thereby; it runs but deeper through the sand—perhaps, too, through crevices, instead of on the surface; and with the rising of the river the water returns as gradually as it has receded. Most of the property in *San Lorenzo* belongs to a *Señor Sanchez*, a rich Mexican, who received us well and seemed to be favorable to the Americans. While we were encamped at *San Lorenzo*, a rumor reached us that the Mexicans at *San Sebastian* had cut off some of the American traders in the rear of the army. A party at once started back; the more willingly, as an interesting and respectable American lady, sharing all the hardships and dangers of such an expedition, with her husband, were concerned in it; but fortunately, all proved to be a false alarm. Some other rumors were spread, about a Mexican army marching against us from *Durango*. We gave, then, very little credit to the last rumor, but ascertained afterwards from the public papers that they really had sent a force against us; but being informed that we turned, instead, to *Durango*, in the direction of *Saltillo*, they presumed, of course, that their unknown and distant presence had frightened us out of the State of *Durango*, and published a gasconading report about their bloodless victory. Some suspicious Mexicans, prowling about our camp to-day, were made prisoners.

May 12.—Starting this morning for *San Juan*, our vanguard discovered three armed Mexicans running from us. After a short steeple-chase through the chapparal, the Mexicans were made prisoners, and, as no plausible account could be elicited from them, taken along to our night camp in *San Juan Bautista*, a rancho on the *Nasas*, 15 miles from *San Lorenzo*. The road to-day was sandy, and mountain chains towards west, south, and east. The *Nasas* contained here plenty of running water again.

As we shall leave the river at this place, I will communicate what I could ascertain from Mexicans in relation to its course further down. The river takes from here a generally southern direction. About five or six leagues below *San Juan* there is another and the last settlement on its bank, called *San Nicolas*; from there it runs yet about eight or ten leagues, till it spreads out at last into the *Laguna de Tlagonalila*, a lake of fresh water, but without outlet. In the dry season, this lake often contains no water, while in others it forms a sheet of water of thirty and more leagues in its greatest dimensions, from south to north. Some branches of the lake bear particular names, as *Laguna de San Nicolas*, *de las Aguas*, *de los Muertos*, etc., but the general name is lake *Tlagonalila*. The denomination lake *Cayman* is quite unknown to Mexicans. From *San Lorenzo* the lake is about 15 leagues distant; and starting from there, the

circuit of the lake, and return, may be made in four days' travelling (of Mexican riding.) About 16 leagues northwest from lake Tlagualila two other smaller lakes lie in the Bolson, called Laguna de Palomas and Jacque; their water is salty, and the salt found on the shore is used in the amalgamation process of silver mines.

May 13.—We travelled to day 25 miles, from San Juan to *el Pozo*. The road was more gravelly than sandy, at first quite level, afterwards slightly ascending. A few miles to our right a steep mountain chain was running parallel with our road; to the left rose more distant mountains. The mountains are formed of a compact gray limestone, without fossils, intersected with large veins of calcespar. About half way we passed by a deserted rancho, "Refugio," with a well. Near *el Pozo* the valley becomes narrower; its width there is about five miles.

I had been riding ahead this morning, and reached *Pozo* early, though not in time to take part in a skirmish between our vanguard and a party of Indians. When I arrived, some Mexicans were engaged in lazoing several dead bodies of Indians and dragging them into a heap together. The skirmish had taken place under the following circumstances: Two days before, a party of Lipan Indians, upon one of their predatory excursions, had stolen from a hacienda near Parras several hundred mules and horses, and killed several men. The proprietor of the hacienda, Don Manuel de Ibarra, applied to Captain Ried, of our regiment, (who was then ahead of us with Lieut. Colonel Mitchell's party,) for aid against these Indians. The captain, one of our most gallant officers, took but eight men along, and, accompanied by the Don himself, went back to *el Pozo*, where the Indians, on their march to the mountains, had to pass, being the only watering place in that neighborhood. There they hid themselves in a corral, to wait for the arrival of the Indians. Quite unexpected, about 20 men of our vanguard came very early this morning to *el Pozo*, and increased their party to 30 men. Soon afterwards the Indians appeared—from 40 to 50 warriors. When our men rushed on horseback out of the corral to attack them, the Indians (probably supposing them to be Mexicans) received them with sneering and very contemptuous provocations, and their confidence in their bows and arrows was increased when the Americans, firing their rifles from horseback, killed none at the first charge. But as soon as our men alighted, and took good aim with their rifles, the Indians fell on all sides. Nevertheless, they fought most desperately, and did not retire till half of them were either dead or wounded. But at last they had to run for their lives, and to leave all their dead and all their booty behind. Besides the stolen stock, thirteen prisoners, Mexican women and children, whom they had carried along, were retaken and released from the brutality of their savage masters. Fifteen Indians were lying dead on the field. On our side, Captain Ried was wounded by some arrows, but not dangerously. Most of the dead Indians had fine blankets; some even carried gold; all were armed with bows and arrows, and a few with elegant shields of leather; and the "medicine man," who was foremost in the action, and fought most bravely, wore a head-dress of feathers and horns. Our men, of course, took of these curiosities whatever they liked, and the Mexicans stripped them of the rest, and dragged their bodies together. The fallen Indians were all of medium size, but well proportioned and very muscular; their skulls and faces bore all the characteristics of the Indian race, but their skin looked whiter than I have

ever seen it in Indians. The dead bodies were lying there all day; neither Americans nor Mexicans seemed to care about them, and their burial was no doubt left to the wolves. I saw, therefore, no impropriety in taking another curiosity along for scientific purposes—to wit, the skull of the medicine man, which I have, since my return, presented to that distinguished craniologist, Professor Samuel G. Morton, of Philadelphia. In relation to the tribe of Lipans, I could only ascertain from the Mexicans that they live in the mountains of the Bolson, extend their stealing and robbing excursions very far south, and have the reputation of being a most brutal and cruel set of Indians, though brave in battle.

El Pozo (the well) is a hacienda, belonging to Don Manuel de Ibarra, and consists of but one large building, in which many families live. The place is distinguished for its ingenious water-works. It consists of a deep and very spacious well, from which the water is drawn by mule power in the following way. Over a large wheel in the upper part of the well a strong and broad band of leather is stretched, moving around with the wheel; to the band, in regular distances, many buckets of leather are attached, which, by the equal circular motion of the wheel and the band, are descending on one side to the well, and fill themselves with water, while they are drawn up on the other side, and, emptying their water into a basin, return again to the well. To receive the drawn water, two large basins of stone, about 40 feet wide and 100 feet long, have been made, and on the outside of the basins runs a long line of troughs, all of stone, for the watering of the animals. Part of our vanguard have been ordered ahead this morning to see the basins filled; and when the regiment arrived, all our animals were watered in less than an hour. The same Indians which our men fought here, the Lipans, used to frequent this well very freely, and carried their impudence even so far that they notified the Mexicans at what time they wanted to have the basins full, and the Mexicans did not dare to disobey. Although the idea of this water-wheel is by no means a new one, it is certainly very simply and well executed, and the more gratifying to the traveller, as this is the only watering place between San Juan and Parras, a distance of about 50 miles. On the threatened invasion of General Wool, the Mexicans, amongst other preparations of defence, had proposed to fill up this well on the approach of the American army, to expose them to starvation for want of water. This would certainly have proved a most wanton destruction, as the Mexicans must have found out by this time that a Jornada of 50 miles is not capable of stopping an American army.

May 14.—We left this morning for *Parras*, in the State of Coahuila. On most maps the Laguna de Parras is laid down as the western boundary between Durango and Coahuila; some Mexicans told me that in the Bolson de Mapimi the Rio Nasas is considered as the boundary line. Our road run parallel with a near mountain chain to the right, and was mostly ascending. In the latter part of our march we saw from a hill Parras, at the foot of the same chain, which makes here a bend towards southeast. The first sight of the town reminded me of *el Paso*, on account of the great many gardens and vineyards that surround it. Entering the town, I was struck with the luxuriant growth of pomegranates, figs, and fruits of all sorts, and with the enormous height and circumference of the common opuntias and agaves, which I had seen already in the State of Chihuahua, but much smaller. The opuntias had trunks of one foot diameter, and the

agave americana grew to the height of from 10 to 15 feet, making excellent hedges. The town itself was much handsomer than I had expected. It has some fine streets, with old substantial buildings, a large "plaza," and a general appearance of wealth and comfort. We encamped in the Alameda, a beautiful public walk, shaded with cotton trees and provided with seats of repose. Early in the morning a concert of thousands of birds, many mocking birds among them, that live here quite undisturbed, awoke us from our slumber. These Alamedas, fashionable in all the Mexican cities, do honor to the general taste of the Mexicans for flowers, gardens, and natural embellishments. To prevent any injury to the trees, our horses were kept outside the Alameda. Parras was probably built towards the end of the seventeenth century, and received its name from its vine, *parra* meaning vine-branch. The cultivation of the vine is at present a principal object of industry in Parras. The vineyards are mostly on the hilly slopes of the limestone mountains west of town. They produce a white and a red wine, both of very pleasant taste, resembling somewhat the wine of el Paso, but more heating and stronger, though I doubt very much if the wine would stand a long transport by land. I tried, at least, with a friend of mine, to take a sample of it to the States, but from some cause it had nearly all evaporated when we reached Saltillo. The population of Parras is estimated at from 8 to 10,000, and with the surrounding settlements at nearly double that number.

When General Wool arrived here last year, the citizens of Parras were very well treated, and formed a very favorable opinion of the Americans; but those friendly relations came near being interrupted at present by a fatal accident. One of our wagon drivers, a very quiet man, had been assaulted by a Mexican loafer, and received several wounds, from the effect of which he afterwards died. As the prefect of Parras was not able to find out the guilty person, the friends of the wounded man took revenge on some Mexicans, and more disturbance would have grown out of it if we had stayed longer. We rested in Parras two days, and left it on the morning of

May 17, on our road to Saltillo. From Parras we marched about five miles in an eastern direction, through a plain, to *San Lorenzo*, or, as it is commonly called, *Hacienda de abajo*, a large, splendid hacienda, belonging to the above mentioned Don Manuel de Ibarra. The road from el Pozo leads directly to this place; by going to Parras, several leagues are lost. The hacienda has all the appearance of a large and rich village, and Don Manuel, who resides here, lives, no doubt, quite comfortable. From here the road was winding over a hilly and rocky country, till we arrived in *Ciénega Grande*, a hacienda of Don Rey de Guerrero, (25 miles from Parras.) The mountains consisted yet of the same compact limestone; but sometimes, on the road, pieces of fresh-water limestone are seen, and roots and other objects in the creek were incrustated by lime.

May 18.—Through a wide valley, with mountains to the north and south, we went to day (18 miles) to *Rancho nuevo*, and encamped about one mile southeast of it, in a valley. On our road we saw a great deal of lechuguilla, and very large *palmettos*, a species of yucca with branches in the crown. Some miles from our camp, in a corner, amidst mountains, lies *Castañuela*, an old but small town, from which a shorter but very rough road leads over the mountains, to Parras. A fine creek runs by it, descending from the southwest mountains and turning towards the north-east.

May 19.—Marched 25 miles, to *Vequeria*, a small place on a creek of the same name. The very tortuous road led over a hilly and broken country. From one of the hills we perceived, towards the ENE., the distant mountains of Saltillo. About five miles from Vequeria we passed a creek with very clear water, the San Antonio, which unites below, near Patos, with the Vequeria creek. In several places to day, but principally in small valleys, we met with groves of yuccas, or palmettos, of unusual height, exhibiting sometimes a dozen branches in the crown, and growing from 30 to 40 feet high.

Northeast from Vequeria is an opening in the surrounding mountains, through which the mountain chain of Saltillo appears again. The route through this pass is the shortest and most direct for Saltillo, but with wagons one has to take a southeastern course to avoid the mountains. About one mile from Vequeria, in the pass leading to Saltillo, lies Patos, a small town.

May 20.—Made 22 miles to-day, from Vequeria to *San Juan*. Having ascended for some time, we came to an elevated and wide plain, surrounded on all sides by high mountains. Towards the east we distinguished already the mountains of Encantada and Buena Vista. We passed several ranchos and haciendas on the road, among them the Hacienda de los Muchachos, where all the houses of the "peóns" were built entirely of the yucca tree. From the thickest trunks they had made the doors; from the smaller and the branches, the walls; and the roof was covered with the leaves. While I stopped in one of the huts to taste some tortillas, my horse came near unroofing another by eating it up. Such a simple and primitive structure of houses would authorize us to presume a very mild climate, but I am told that the winters are generally very rough in this high plain.

We encamped at San Juan, a place renowned by the battle fought here in the revolutionary war against Spain. At present, nobody lives here. On a hill of limestone stands a deserted rancho, and below is a green spot, with fine spring-water, and some miry places around it. Here we camped. General Wool's camp is about 15 miles from here, in Buena Vista.

May 21.—As we expected to meet General Wool to-day, there was a general brushing up this morning in the camp; but as it was impossible to create something out of nothing, we looked as ragged as ever. In the marching line, too, an improvement was tried. Usually, during the march, the men selected their places more according to fancy than military rule, and it was not uncommon to have our line stretched out to five miles, or three-fourths of the regiment marching in the vanguard. But, to day, to my utter astonishment, the heroes of Sacramento fell into regular line, and marched so for nearly half an hour, till the spirit of independence broke loose, and the commanding voice of Colonel Doniphan had to restore order again. However, after about 10 miles march over the plain, we arrived in "*Encantada*," where some Arkansas troops were encamped. According to orders from headquarters, we encamped here also. The battle field and General Wool's camp at Buena Vista were five or six miles from here, and visits were soon exchanged between the two camps. With some friends from the Illinois regiments, I rode in the afternoon over the battle-field and to General Wool's camp.

Encantada is the southern opening of a pass that is here about five miles wide, and narrows itself towards the battle-field to about two miles.

On the east side of the pass a steep and rough chain of limestone rises, that may be about 1,000 feet higher than the pass, while towards the west a chain of hills, connected with more distant mountains, forms a barrier. A wagon road leads through the narrow valley, and between this road and the western chain of hills runs at first a small creek that comes from Encantada, and nearer the battle field a deep, dry ravine, formed probably by torrents of rain. Towards the battle-field the high mountains on the east form at their foot a small table land, ending in many gullies towards the road, or west. On this small table-land, from half a mile to a mile wide, the battle was fought; but in the narrow gullies and precipitous ravines the bloodiest *mélées* took place. This locality was certainly the most suitable for a small army against a far superior force, and the selection of the battle-field bestows as much credit upon General Wool, as does the battle itself, which has been sufficiently commented upon by eye-witnesses, upon General Taylor and the whole army. The Mexicans call the place, very appropriately, *Angostura*. Buena Vista is a rancho about one mile north-east of Angostura, on the road to Saltillo. General Wool had fixed his camp there since the battle.

May 22.—The General, with his staff, rode to-day to our camp to review our regiment. A salute was fired, and he expressed himself highly satisfied with the martial appearance of the great marching and fighting regiment of Missouri, though he seemed not to admire our uniform. We received orders to march from here to Saltillo, Monterey, and Matamoros.

Before leaving Encantada I will remark, that the elevation of this camping place is 6,104 feet, which is the highest point on our road from Chihuahua. From here we shall descend very abruptly to Monterey, which is but 1,626 feet above the sea, and may be considered as the eastern limit of the high plains and mountains of this part of Mexico.

On May 23, in the morning, we left Encantada, passed by the battle-field and General Wool's camp, and marched through Saltillo and six miles beyond it before we encamped. In Wool's camp the old American cannon belonging to our regiment were left, while the conquered Mexican pieces were taken along as trophies, to Missouri.

Saltillo, or *Leona Victoria*, the capital of Coahuila, lies at the commencement of a wide plain, covering the sloping side of a hill which hides the view of the city in approaching it from the southwest. The city is very compact, shows half a dozen steeples, has clean streets, a beautiful church, &c.; but at the same time it has something narrow and gloomy, and the wide plain around it does not improve its rather awkward position. The population of the city was in 1831 about 20,000, but it seems to have diminished since that, and at present a considerable portion of the inhabitants had absented themselves. I stopped for some hours in the hotel of the "Great Western," kept by the celebrated *vivandière*, honored with that *nom de guerre*, and whose fearless behaviour during the battle of Buena Vista was highly praised; she dressed many wounded soldiers on that day, and even carried them out of the thickest fight.

Through a long, sloping, ill-paved street we proceeded on our way to camp, which was near some ranchos, on a dam. In going there, I perceived for the first time a plantation of *maguey*, (*agave americana*), the same plant which we had seen, from Chihuahua down, often enough used for garden fences, or growing wild on dry and sunny places; but here it was raised and planted for the especial purpose of preparing *pulque*, a

whitish, slightly alcoholic beverage, which I had already tasted in Saltillo and found it quite palatable. Some of the plants were just in the state of production. The white liquid was collected in the heart of the plant, where, by cutting the stem out in the right season, a cavity is formed, into which every day about one gallon of a sweet, saccharine juice exudes, from which, by short fermentation, the pulque is prepared. By a more protracted process they obtain from it also a spirituous liquor, that is very freely used in Mexico, and called *Mezcal*, (*Mexical*.) From the fibres of the thick blades of the agave americana the old Mexicans prepared a very fine paper, on which they printed their hieroglyphic figures. At present they work these fibres into ropes, bags, and thread, though for the latter purpose a smaller and related species of agave (*lechuguilla*?) is more used, whose finer and stronger fibres are called *pita*. The juice of the agave contains before the season of flowering an acrid principle, which is applied to wounds for cauterization. As the maguey is a perennial plant, and useful in a variety of ways, a plantation of it in the southern part of Mexico is generally considered a good investment.

May 24.—We left our camp this morning for *Rinconada*, (25 miles.) Having marched about 18 miles through a wide plain, we reached some deserted ranchos which had been destroyed by a part of the American troops. From here the road winds itself through a mountain pass, with precipitous mountains of limestone on both sides; the pass is, on an average, two miles wide, and a creek with clear water runs through it. The way leads mostly over a very hilly and broken country, and the scenery is wild and romantic. About three miles from *Rinconada* there is a place in the pass where it is scarcely more than 500 yards wide. General Ampudia had commenced here some fortifications by throwing up redoubts and other works; and from the narrowness of the pass, and the steepness of the road ahead of it, the position is undoubtedly most formidable; but, after the battle of Monterey, the place was abandoned by the Mexicans.

Rinconada belongs to the State of Nuevo Leon, which we have entered now, and is a deserted rancho, in a corner of the mountain pass, on the same creek. Although every thing there is at present in a state of desolation, it seems to have been a well cultivated place, judging from the long line of cotton trees along the water, and the many pomegranates and fig trees in the garden. *Rinconada* is 3,381 feet above the sea; we have therefore descended from *Encantada*, within 48 miles, 2,723 feet.

May 25.—Always descending, we still marched for some time through the pass, which widened successively into a large valley, surrounded towards the north and south by high barriers of mountains. Passing by *Santa Catarina*, a village to the right of our road, and by a large mill, *Moleno de Jesus Maria*, we encamped within about four miles of *Monterey*, (24 from *Rinconada*), with the bishop's palace in sight. In the afternoon we had a thunder storm, with rain, the first good shower since we left *Chihuahua*.

May 26.—Started this morning for *Monterey*, the celebrated capital of Nuevo Leon. The road passes at the foot of the bishop's palace. This building of stone looks more like a chapel than a palace; around it some walls and retrenchments were erected. The hill which it occupies is a projecting spur of the nearest mountains, about 100 feet higher than the road, but very steep and rocky. General Worth's charge upon this fort does not stand the lowest among the many gallant deeds which this Murat

of the American army has performed in the present war. From the height of the bishop's palace a beautiful view is enjoyed over Monterey, lying about one mile east of it, over the black fort a little to the north, and over the whole wide plain which spreads out northeast of Monterey. The city looks to great advantage from here; the many gardens in the suburbs give it a lively appearance, and the more compact centre forms a fine contrast with this green enclosure. Riding through along suburbs, we arrived at last on the Plaza, where the Mexican troops had been pressed together before they capitulated. Many houses in the streets, principally on the corners, yet showed the marks of cannon and grape shot. A great many of the Mexicans must have left the city: it seemed, at present, to contain more Americans than Mexicans. Most of the stores, at least, belonged to Americans. The population of Monterey, in peace, is estimated at from 15 to 20,000. Many of the houses are built of limestone, instead of adobes; in the suburbs they are generally covered with stone. The climate of Monterey is very mild. With an elevation of but 1,626 feet above the sea, it is protected on three sides by the mountain chain of the Sierra Madre, whose eastern ramification ends here rather abruptly; and towards the east, where the country is hilly but not mountainous, it lies open to the breezes of the gulf. Oranges and other southern fruits grow here in the open air. In one of the gardens I saw, too, a very tall and high palm tree. The country around Monterey is generally very fertile.

Our regiment marched that day four miles beyond Monterey, to General Taylor's camp, on the *Walnut Springs*. In riding there, I passed by the "black fort," a strong fort in the plain, northeast from the city, commanding the main road and a great part of the city. The fort had been repaired by the Americans, and most of the conquered cannon found a place in it.

When I came to camp, a crowd of officers and men was collected about a simply dressed and plain looking individual, covered with a straw hat, that could not belong to any other person than to the "old Ranchero" himself, as the Mexicans used to call him—to the hero of Palo Alto, Monterey, and Buena Vista. When introduced to him, I found him as plain and easy in his conversation as in his appearance; and he was so kind as to give us some interesting details in relation to the battle of Monterey. General Taylor seems to be very partial to his camping ground, on the Walnut Springs; and the fresh spring water and fine timber are sufficient reasons for it.

On *May 27*, about noon, we left General Taylor's camp for *Marin*, (20 miles.) We marched through a wide plain, the mountains changing into hills. Chaparral of course covers the ground, but the soil seems to be richer and more fertile than heretofore. We passed several ranchos and villages on the road, as San Domingo, San Francisco, Agua Fria, which were inhabited, and others that had been destroyed by the American troops. Marin is a small town, on an eminence near the *Rio Miteros*, which seems to be the northern headwater of the San Juan.

On *May 28*, we marched 33 miles, to Carrizitos. The country was hilly, and all around us thick chaparral; but the chaparrals in the lower country, from Monterey to the sea-shore, are rather different from those on the high plains and mountainous parts of Mexico. Although sundry species of mezquite prevail in both of them, other shrubs disappear here entirely, or diminish at least, while new shrubbery and small trees take their place. So, for instance, disappears here the *Fouquieria splendens*.

dens; yuccas become very scarce; cacti in general diminish in number, but in place of them new shrubs and several trees appear, as the so-called "*black ebony*" tree; a *Mimosa*, with very solid wood; the *Leucophyllum texanum*, a shrub, with violet flowers of delicious odor, &c. As a change, too, in the mineral kingdom, I have to mention that we saw in the plain, east of Monterey, the American partridge, or quail, (*ortyx virginiana*) again, which is never found in the higher regions of northern Mexico; but instead of it, a related bird, the *ortyx squamata*, (Vigors.)

About six miles from Marin is the spot where General Canales, with his guerilla bands, had captured, some months past, a rich train of the American army, and killed most of the unarmed wagon drivers. The bones of these ill fated men, which were either not buried at all or dragged out by the wolves, were scattered about in all directions. Another more horrid spectacle offered itself to our eyes near *Agua Negra*, a deserted village, where a man (and, to judge from pieces of clothing, an American) had been burnt to ashes, some bones only being left. In seeing such horrors, known only in old Indian warfare, can any one blame the American troops for having sought revenge, and burning all the villages and ranchos on their route which gave refuge to such bands of worse than highway robbers? The right of retaliation, as well as expediency, command, in my opinion, such measures against such unusual warfare; and when carried out with some circumspection, it will break up these guerilla bands much sooner than too lenient a course.

About half way on our road we passed a deserted rancho, with water: but we marched on to Carrizitos, a place with several burnt ranchos, but with a fine creek, excellent grass, and plenty of wood.

May 29.—In the forenoon we went but seven miles, through chaparral plain, to *Cerralbo*, a tolerably good looking town, with many houses of stone, and some silver mines in the neighborhood. We made a noon halt to-day. Some troops of North Carolina and a company of Texan rangers were stationed here. The latter had captured this morning a well-known chief of a guerilla band, who was said to have committed many cruelties against Americans. He was sentenced to be shot, but refused to make any confessions. He boasted of having killed many men, and that he did not expect any better fate for himself. The execution took place on the Plaza. When led there, and placed against the wall of a house, he requested not to be blindfolded, or shot in the back, according to Mexican custom, which was granted. After a short conversation with a priest, he prepared and lit a cigarrito with a steady hand, and had not quite finished smoking it, when some well-aimed balls pierced his heart and head. He died instantly. His name was Nicholas Garcia; and whether guilty or innocent, he died like a brave man. Some rumor was afterwards started that he was the brother of General Canales, but in *Cerralbo* I understood that he was well known there; that his mother lived there yet, and that he had no other connexion with Canales than having belonged to his bands.

From *Cerralbo* we marched that afternoon 15 miles, to *Puntiagudo*, a burnt village on a creek, which is one of the headwaters of the *Alamo*. *Cerralbo* is 1,000, *Puntiagudo* but 700 feet above the sea. Since our descent from Monterey, we have constant east and southeast winds coming from the gulf, and heavy dews wet our blankets every night. Since we have left the higher regions, we perceive often in the sandy parts of the

road a very large black spider, reminding me of the bird-catching spider of South America; the Mexicans consider it poisonous.

May 30.—We marched to-day through endless chaparrál 30 miles, to Mier, celebrated by the Texan invasion in 1840. It is a town with from 2,000 to 3,000 inhabitants, and has many stone buildings, while others are mere huts covered with straw. It lies on the right bank of the *Alamo* or *Alcontre*, a small river that runs, five miles below, into the Rio Grande. On the Plaza, the corner house was shown to us where the Texans, in their memorable expedition, fought against the ten-fold number of Mexicans. We encamped outside the town, near the river.

May 31.—Took a very early start this morning for *Camargo*, (25 miles.) Our road left here the river, but I followed its bank yet for some miles, because I had learned that some singular, large oyster-shells were found there. I had to cross many deep ravines to continue along the river, and met there with bluffs consisting of a gray limestone without fossils; but for a long while I perceived only a great number of recent shells, living yet in the river or on the shore, till I discovered at last, in a clay bank of the river, a whole bed of the supposed oyster-shells, which were in fact very large specimens of the genus *Ostrea*, belonging undoubtedly to the cretaceous formation. The place where I found them is close to the river, about two miles from Mier, and about three from its mouth in the Rio Grande. According to similar accounts of large oyster-shells on the upper Rio Grande, this cretaceous formation seems to extend higher up on the Rio Grande as far as Laredo, and it is most likely connected, too, with the same formation lately discovered in Texas. Loaded with specimens, I turned into the road again, and, passing several creeks, ranchos, and villages, arrived at the left bank of the Rio San Juan, opposite Camargo. The San Juan, whose headwaters we passed at Monterey, is here a broad and respectable stream that falls into the Rio Grande about nine miles below Camargo, near San Francisco. In high water, steamboats drawing five feet go from the mouth of the Rio Grande up to Camargo, and a large depot has therefore been established here by the War Department; but at present the water was too low for such craft, and we were told that we would have to march, probably, as far as Reynosa before we could find steamboats. A ferry boat, managed by a rope drawn across the river, brought us to the opposite shore, where Camargo lies. This is a town of 1,000 or at most 2,000 inhabitants at present, with some stone houses and a great many huts. The American depots and stores are generally kept in large tents or in large shanties, with wooden roofs and walls of canvas. The situation of the town, in a sandy plain, offers nothing the least attractive; but if we also add to the deep sand that covers all the streets a constant disagreeable wind, and the brackish, sulphureted water of the Rio San Juan, it must be considered a very unpleasant place.

On June 1, we left for *San Francisco*, (nine miles from Camargo.) I had been detained in town by some business till all the troops had left, and rode therefore alone, behind them. The road was very sandy, and the head wind filled the air so with dust and sand, that it was most painful to the eyes; on both sides of the narrow road was thick chaparrál. Riding ahead, therefore, with half-shut eyes, and reflecting upon the good chance that the guerillas would have to put an end to my scientific rambles forever, I was met by a return party of our regiment, reporting that one of our men, Mr. Swain, who stayed behind the troops, had just been killed by some

Mexicans near the road. The death of the unfortunate man had no doubt saved my own life. We soon came to the fatal spot. The body had already been removed by his friends, and several Mexicans, who were found under most suspicious circumstances on the nearest rancho, had been made prisoners. This party examined several other ranchos: in one of them a Mexican uniform, American books and clothes, and a hidden Mexican, were found, which were also taken to our camp. They were examined there by some of the officers; and as only strong circumstantial evidence, but no direct proof, was found against them, they were acquitted. Some friends of the deceased, I understood afterwards, dissatisfied with the decision, followed the Mexicans on their way home, killed four or five of them, and burnt their ranchos.

San Francisco is a small village on the Rio Grande. No steamboat was in sight, but we were informed that there were several in Reynosa, 39 miles below. We left, therefore, San Francisco in the evening, and marching all night, we arrived next morning, on

June 2, in *Reynosa*, a small town on the Rio Grande. The river is here quite considerable, about 200 yards wide, and six or more feet deep. The banks are low, sandy, barren, and covered with chaparrál, like the surrounding plains. A barometrical observation which I made here, about 10 feet above the level of the water, gave an elevation above the sea of 184 feet, so that the fall of the river from here to the mouth, a distance by water of from 300 to 400 miles, would on an average be one foot in two miles.

The long wished for sight of steamboats at last greeted our eyes; two were lying in the river, and others were coming up. The *Roberts* and the *Aid* were engaged for our regiment, and everybody prepared for embarking. Our wagons had to be driven back to Camargo, and all our riding animals sent by land, through Texas, to Missouri; but as the latter was considered tantamount to a loss, most of us gave their horses away for a trifle, or made them run off. A great many of these animals, after a rest of some months, would have been better for service than imported ones, yet unused to the climate and country; but as there was no provision made for it, the men as well as the government suffered a loss.

On June 3, I went with the battalion of artillery on board the *Roberts*. As we had to cross a sand bar some miles below, the cannon and baggage had to be carried there by land, and then taken on board. This delayed us till evening, and we laid by for the night.

On June 4, we started with daylight, and, running all day, we made more than half way to Matamoros. The river was rather at a low stage, and it was not uncommon to hear and feel the boat strike on sand bars; but as the sandy river bed is clear of rocks and snags, there is no danger in such collisions. The course of the Rio Grande is certainly the most tortuous that I have seen; the Mississippi compared to it is a straight line. By observing only the direction, one will often be at a loss whether he ascends or descends the river. I remembered one place particularly, where it runs directly south; after having made some five miles, it returns due north so nearly to the same place from which it started, that it is only separated from it by a small strip of sand bank. The country around it was level and flat; near the river the soil seemed to be very good; but very few settlements or cultivated land were to be seen; the chaparrals seemed to grow thinner, and trees with long beards of Spanish moss (*Tillandsia usneoides*) made their appearance. Sandy wooding places provided the boat with

wood, most of which was mezquite and black ebony. During the whole day we saw six steamboats; in the night we laid by again.

On June 5, about noon, we reached *Matamoras*. As the city is half a mile from the river, and we staid but half an hour, I could get only a glimpse of it. It is built on the plain, at a trifling elevation; the houses are either of stone or adobes; the plaza and the principal streets were occupied by Americans, and the rest of the city seemed rather deserted. As to beauty of situation or imposing buildings, it cannot compare with any of the larger cities we have met with on this route.

From *Matamoras* we passed by *Fort Brown*, where the star-spangled banner was flying, and the battle-fields of *Palo Alto* and *Resaca de la Palma* were pointed out to us in the distant chaparráls towards the north. The river was here in a very navigable state, but continued to be as crooked as ever. I saw many palm trees of small size; more settlements along the banks; sugar and cotton plantations among them, but chaparrál always in the back ground. We laid by in the night, but after midnight we started again with the rising of the moon, and arrived in the morning of

June 6 at the "*mouth of Rio Grande*," and encamped on the left bank of the river. About one mile from our camp was the high sea and the embouchure of the river. On the left side of the mouth were some commissaries' and private stores established, and the place is known as "*Mouth of Rio Grande*." Opposite, on the right side, stands another small village, called "*Bagdad*." In the river lay some smaller steamboats and schooners, but no larger crafts, which have a better anchorage nine miles from here, in *Brazos Santiago*. An express was sent there to engage vessels for our regiment as soon as possible: we staid here in the meanwhile, because it is a decidedly better camping ground.

We had to wait for three days, which I spent mostly on the seashore. The long-missed sight of the ocean, the salt plants and fine shells on the beach, and the refreshing sea bath, called many old recollections to my mind; and the fine oysters, sea-fish, crabs, and other delicacies, to be got in the modern *Bagdad*, left the body not without its share of "creature comforts."

During our stay here I tried, too, for the last time in Mexico, my faithful barometer, which I had brought with me from *St. Louis, Missouri*, and after daily use upon this long trip, had carried safely to the seashore. Often had I taken this delicate instrument on my back, and treated it like a spoiled child; but my paternal cares should be repaid. These last observations on the seashore proved it, to my gratification, to be yet in good order, and a further comparison in *St. Louis* showed that during the whole time it had changed but a trifle. I was in hopes to find on the seashore some meteorological tables for comparison and calculation of my barometrical observations, but in that I was disappointed. In the quartermaster's office, at *Mouth of Rio Grande*, was indeed a very good barometer hanging up, but no regular observations were made; it was used only for the "northers." On the 8th we were informed that ships were ready for us in *Brazos*. We left, therefore, on

June 9, our camp on the *Rio Grande*, and travelled by land to *Brazos Santiago*, (nine miles.) The cannon were carried there by water, the baggage in wagons, and the men went on foot. The road goes over deep sand, and for the greater part along the beach. A wooden bridge leads over the arm of the sea that forms the small island known as *Brazos San-*

tiago. We soon reached the harbor, where many vessels were anchored; and a number of frame houses, with commissaries' stores, groceries, etc., formed a village around it. This was the last place we saw on this side of the gulf, and no doubt the meanest which I have seen during the whole trip. The whole island is but one wide sheet of sand; never a tree or blade of grass has grown here; no other water is found but a brackish, half fresh, half salty liquid, from holes dug into the sand; no other faces are seen but those of stern officials, or of sly speculators, who would as soon go to Kamtschatka if they could make money there. In short, it is an awful place, where nobody would live, but from necessity or for money. Fortunately, our stay was not long. We slept but one night on the sand of the island, and went next day,

On June 10, on board of our ships, the *Republic* and the *Morillo*, both sailing vessels, for New Orleans. I embarked with the artillery on board the latter, and we cleared in the afternoon of the same day. After a voyage of seven days, not interrupted by any unusual accident, we arrived safely in New Orleans.

The noise and bustle of a large city confused me, as it were, for a short time; but those impressions from the lonesome prairie and desolate chaparrals were soon overpowered by the enjoyments and luxuries of cultivated life.

Our regiment was discharged and paid in New Orleans; and from a ragged set of boys, they turned at once into "gentlemen." Having finished my own business in New Orleans, I started for St. Louis, my home, and arrived there early in July, to rest awhile from the hardships of the expedition.

After an absence of 14 months, I had travelled from Independence to Reynosa, on the Rio Grande, about 2,200 miles by land, and about 3,100 by water, and had been exposed to many privations, hardships, and dangers; but all of them I underwent, for the scientific purpose of my expedition, with pleasure, except the unjust and arbitrary treatment from the government of the State of Chihuahua, which deprived me for six months of what I always valued the highest, my individual liberty, and prevented me in this way from extending my excursion as far as I at first intended, and of making its results more general and useful.

At the conclusion of my journal, it may not be amiss to add some *general remarks in relation to Northern Mexico.*

New Mexico and Chihuahua, which I consider here principally, because they fell under my immediate observation, are neither the richest nor the poorest States of Mexico; but both of them have resources that never have been fully developed.

Agriculture, as we have seen, is the least promising branch of industry. The want of more water-courses, and the necessity of irrigation, are the principal causes; but nevertheless, they raise every year more than sufficient for their own consumption; and failure of crops, with starvation of the people, is less common here than in many other countries, because the regular system of irrigation itself prevents it. Besides, there are large tracts of land in the country fit for agriculture, but allowing no isolated settlements on account of the Indians. Another reason, too, why farming set-

lements make slow progress, is, the large haciendas. That independent class of small farmers who occupy the greatest part of the land in the United States is here but poorly represented, and the large estates cultivate generally less ground than many smaller but independent farmers.

As a *grazing country*, both States are unsurpassed by any in the Union. Millions of stock can be raised every year in the prairies of the high table-land and in the mountains. Cattle, horses, mules, and sheep increase very fast; and if more attention were paid to the improvement of the stock, the wool of the sheep alone could be made the exchange for the greatest part of the present importation. But to accomplish that, the wild Indians, who chiefly in the last ten years have crippled all industry in stock raising, have first to be subdued.

Mining, another main resource of the country, needs to some degree, also, protection from the Indians, because valuable mines have sometimes been given up, from their incursions; and other districts, rich in minerals, cannot be even explored, for the same reason.

The silver mines of the State of Chihuahua, though worked for centuries, seem to be inexhaustible. The discovery of new mines is but a common occurrence; and attracted by them, the mining population moves generally from one place to another without exhausting the old ones. To make the mining more effectual, onerous duties and partial restrictions ought to be abolished, and sufficient capital to work them more thoroughly and extensively would soon flow to the State. New Mexico seems to be as rich in gold ore as Chihuahua is in silver; but yet, less capital and greater insecurity have prevented their being worked to a large extent.

To develop all those resources which nature has bestowed upon these two States, another condition of things is wanted than at present prevails there: a just, stable, and strong government is, before all, needed, that can put down the hostile Indians, give security of person and property to all, allow free competition in all branches of industry, and will not tax the people higher than the absolute wants of the government require. Under such a government, the population, as well as the produce of the country, would increase at a rapid rate; new outlets would be opened to commerce, and the people would not only become richer and more comfortable, but more enlightened, too, and more liberal.

Is there at present any prospect of such a favorable change?

The Mexicans, since their declaration of independence, have been involved in an incessant series of local and general revolutions throughout the country, which prove that republican institutions have not taken root amongst them, and that, although they have thrown off the foreign yoke, they have not learned yet to govern themselves. It could hardly be expected, too, that a people composed of two different races, who have mixed but not assimilated themselves, should, after an oppression of three centuries, at once be fit for a republic. Fanaticism alone may overthrow an old government, but it wants cool and clear heads to establish a new one adapted to the people, and a certain intellect of the whole people to maintain permanently a republic. But this wide-spread intellect does not exist yet in the mass of the Mexican populace, or they would not have been duped, as they have been for twenty years past, by the long succession of egotistical leaders, whose only aim and ambition was power and plunder; and during all these disgraceful internal revolutions, neither the general nor local governments have done anything to spread more intellect

amongst the great mass of the people; they had neither time nor money for it, and it did partly not suit their ambitious plans to govern a more enlightened people.

Where shall the enlightening of the masses and the stability of government now come from? I cannot help thinking that if Mexico, debilitated by the present war, should afterwards be left to itself, the renewal of its internal strifes will hurry it to its entire dissolution; and what the United States may refuse at present to take as the spoils of the war, will be offered to them in later years as a boon.

The fate of Mexico is sealed. Unable to govern itself, it will be governed by some other power; and if it should not fall into worse hands than those of the United States, it may yet congratulate itself, because they would respect at least its nationality, and guaranty to it what it never had before, a republican government.

That the whole of Mexico would as well derive advantage from such a change as the whole civilized world, if this wonderful country should be opened to the industry of a more vigorous race, there is no doubt in my mind; but I doubt the policy on the part of the United States to keep the whole of Mexico in their possession, even if they could, because a heterogeneous mass of seven or eight millions of Mexicans, who have to be converted from enemies into friends, and raised from an ignorant and oppressed condition to the level of republican citizens, could not be as easily assimilated to the republic as a similar number of European immigrants, that arrive here in great intervals of time, with more knowledge, and with the fixed intention to live and die as Americans.

At the end of this war the United States will probably be bound to indemnify themselves for the large expenses of the war, by some Mexican provinces; but the more valuable the territory and the fewer Mexicans they acquire in this way, the more will the new acquisition be useful to the United States. In the northern provinces of Mexico both those conditions are united.

Let us suppose, for instance, that from the mouth of the Rio Grande a boundary line should be drawn up to Laredo, the headpoint of steam navigation on the Rio Grande, and in the latitude of Laredo a line from thence west to the gulf of California, that territory would embrace, besides the old province of Texas, a small portion of the States of Tamaulipas and Coahuila, the greatest part of the State of Chihuahua, the State of Sonora, New Mexico, and both Californias. The Mexican population of those States—if we except the highest probable estimates, and include, instead of the small slice of Tamaulipas and Coahuila, the whole population of the State of Chihuahua—is the following:

Chihuahua	-	-	-	-	-	160,000	inhabitants.
Sonora	-	-	-	-	-	130,000	"
New Mexico	-	-	-	-	-	70,000	"
Upper California	-	-	-	-	-	35,000	"
Lower California	-	-	-	-	-	5,000	"
						<hr/> 400,000 <hr/>	"

The whole population of those States amounts, therefore, only to about 400,000 souls, while this territory, according to the usual Mexican esti-

mates, embraces an area of about 940,000, or, including the old province of Texas, already lost by Mexico, of about 1,200,000 English square miles.*

The greatest part of this territory has never been occupied or even explored by the Mexicans, and the thin population in the settled parts of it proves that they never had put great value upon it. The greater inducements which the South of Mexico offered on account of mines, climate, commerce, etc., have concentrated there the seven or eight millions of inhabitants that compose the Mexican nation, allowing but a small portion of them for the northern provinces. One half of this northern territory may in fact be a desert, and entirely worthless for agriculture; but to a great commercial nation like the United States, with new States springing up on the Pacific, it will nevertheless be valuable for the new connexions that it would open with the Pacific, for the great mineral resources of the country, and for its peculiar adaptation for stock-raising. Mexico itself would lose very little by the States composing this territory, as they always have been more a burden to it than a source of revenue. All the connexion which heretofore has existed between Mexico and those States, was, that the general government taxed them as highly as they would submit to, which never was very great, and dragged them as far as possible into the revolutionary vortex in which the South of Mexico was constantly whirling; but it never afforded them any protection against hostile Indians; never stopped their internal strifes, or ever promoted the spread of intellect or industry—in short, it heaped, instead of blessings, all the curses of the worst kind of government upon them.

Should the United States take possession of this country, the official leeches who consider themselves privileged to rule in those States will, of course, make some opposition—if not openly, at least by intrigue; but the mass of the people will soon perceive that they have *gained by the change*; and if to their national feelings some due regard is paid, they will after some years become reconciled to their new government, and, though Mexican still, they may nevertheless become good citizens of the Republic of the North.

Policy, as well as humanity, demands, in my humble opinion, such an extension of the "area of freedom" for mankind. If deserts and mountain chains are wanted as the best barriers between States, this line affords both these advantages by the Bolson de Mapimi in the east, and the extensive Sierra Madre in the west.

On the gulf of California, the important harbor of Guaymas would fall above that line. What sort of communication between Guaymas and the Rio Grande might be considered the best, a closer exploration of the country must decide; but a railroad would most likely in the course of years connect the Rio Grande with that harbor, and give a new thoroughfare from the Atlantic to the Pacific, for commerce as well as for the emigration to California and Oregon. The distance from Laredo to Guaymas, in a straight line, is about 770 miles. The plan of such a railroad, even if the height of the Sierra Madre in the west would not allow it to be carried in a straight line to the Pacific, but from Chihuahua in a northwestern direction to the Gila, would therefore be less chimerical than the much talked of

*The territory of the whole republic of Mexico, including the old province of Texas, is variously estimated at from 1,650,000 to 1,700,000 English square miles.

great western railroad from the Mississippi to the Columbia river; and if the above mentioned country should be attached to the United States, we may in less than ten years see such a project realized.

This boundary line would at the same time allow an easy defence; proper military stations at the Rio Grande and near the gulf of California, would secure the terminating points of that line; some fortifications erected in the mountain passes of the Sierra Madre, where but one main road connects the State of Chihuahua with the South of Mexico, would prevent invasions from that direction, and some smaller forts in the interior would be sufficient to check and control the wild Indians.

BOTANICAL APPENDIX.

Dr. Wislizenus has intrusted to me his very interesting botanical collections, with the desire that I should describe the numerous novelties included in them. Gladly would I have done so, had not leisure been wanting, and were I not here (in St. Louis) cut off from large collections and libraries. As it is, I can only give a general view of the flora of the regions traversed, and describe a few of the most interesting new plants collected; with the apprehension, however, that some of them may have been published already from other sources, without my being aware of it.

In examining the collections of Dr. Wislizenus, I have been materially aided by having it in my power to compare the plants which Dr. Josiah Gregg, the author of that interesting work "the Commerce of the Prairies," has gathered between Chihuahua and the mouth of the Rio Grande, but particularly about Monterey and Saltillo, and a share of which, with great liberality, he has communicated to me. His and Dr. W.'s collections together, form a very fine herbarium for those regions.

The tour of Dr. Wislizenus encompassed, as it were, the valley of the Rio Grande and the whole of Texas, as a glance at the map will show. His plants partake, therefore, of the character of the floras of the widely different countries which are separated by this valley. Indeed, the flora of the valley of the Rio Grande connects the United States, the Californian, the Mexican, and the Texan floras, including species or genera, or families, peculiar to each of these countries.

The northeastern portion of the route traverses the large western prairies, rising gradually from about 1,000 feet above the gulf of Mexico, near Independence, Missouri, to 4,000 feet west of the Cimarron river. The plants collected on the first part of this section, as far west as the crossings of the Arkansas river, are those well known as the inhabitants of our western plains. I mention among others, as peculiarly interesting to the botanist, or distinguished by giving a character to the landscape, in the order in which they were collected, *Tradescantia virginica*, *Phlox aristata*, *Oenothera missouriensis*, *serrulata*, *speciosa*, &c., *Pentstemon Cobaea*, *Astragalus caryocarpus*, (common as far west as Santa Fe,) *Delphinium azureum*, *Baptisia australis*, *Mulva*, *Papaver*, *Schrankia uncinata* and *angustata*, *Echinacea angustifolia*, *Aplopappus spinulosus*, *Gaura coccinea*, *Sida coccinea*, *Sophora sericea*, *Sesleria dactyloides*, *Hordeum pusillum*, *Engelmannia pinnatifida*, *Pyrropappus grandiflorus*, *Gaillardia pulchella*, * *Argemone Mexicana*, (with very hispid stem and large white flowers.)

The plants collected between the Arkansas and Cimarron rivers are rarer, some of them known to us only through Dr. James, who accompanied Long's expedition to those regions in 1820. We find here *Cosmidium gracile*, Torr. and Gr., which has also been collected about Santa Fe and farther down the Rio Grande; *Cucumis? perennis*, James, found

*Abundant in the sands about the Arkansas river, with beautiful flowers, but only about 6 inches high; certainly annual.

also near Santa Fe and about Chihuahua, and by Mr. Lindheimer, in Texas; the petals being united about two-thirds of their length, it cannot be retained under the genus *Cucumis*; *Hoffmannseggia Jamesii*, T. and G., was also gathered on this part of the journey; several species of *Psoralea*, *Petalostemon* and *Astragalus*; also Torrey's *Gaura villosa* and *Krameria lanceolata*; *Erysimum asperum*, which before was not known to grow so far south; *Polygala alba*, *Lygodesmia juncea*. Here we also, for the first time, meet with *Rhus trilobata*, Nutt., which, farther west, becomes a very common plant.* A new *Talinum*, which I have named *T. calycinum*,¹ was found in sandy soil on the Cimarron. This plant has, like the nearly allied *T. teretifolium* of the United States, a remarkable tenacity of life, so much so that specimens collected, pressed and "dried," in June, 1846, when they reached me in August, 1847, 14 months later, grew vigorously after being planted.

Psoralea hypogaea, Nutt., was collected near Cold spring, and *Yucca angustifolia*, from here to Santa Fe.

From Cedar creek the mountainous region commences with an elevation of near 5,000 feet above the Gulf, and extends to Santa Fe to about 7,000 feet. With the mountains we get also to the region of the pines, and of the cacti. Dr. Wislizenus has here collected two species of *Pinus*, both of which appear to be undescribed, so that I venture to give now a short account of them. The most interesting one, on account of its useful fruit, as well as its botanical associations, is the nut pine of New Mexico, (Piñon,) *Pinus edulis*,² nearly related to the nut pine of north-

¹ *Talinum calycinum*, n. sp., rhizomate crasso, caulibus demum ramosis; foliis subteretibus elongatis, basi triangulari productis; pedunculis elongatis nudis; cyma bracteosa; sepalis 2 ovato-orbiculatis, basi productis, cuspidatis, persistentibus; petalis fugacibus calycembris superantibus; staminibus sub 30; stylo elongato, stigmatibus 3 abbreviatis.

In sandy soil on the Cimarron, fl. in June. Differs from *T. teretifolium* by its larger leaves, larger flowers, much larger persistent sepals, larger fruit and seed. Leaves $1\frac{1}{2}$ to 2 inches long, flowers 10 to 11 lines in diameter; capsule and seeds twice as large as in *T. teretifolium*.

² *Pinus edulis*, n. sp.—squamis turionum ovatis acutis adpressis; laciniiis vaginarum abbreviatarum circinato—revolutis, demum deciduis; foliis binis brevibus rigidis, curvis, tenuissime striatis, margine laevibus, supra concavis glaucis, subtus convexis viridibus; strobilis sessilibus erectis, subgloboso-conicis, squamis apice dilatato pyramidalis, inermibus; seminibus obovatis, apteris, magnis, testa tenuiore.

Not rare from the Cimarron to Santa Fe, and probably throughout New Mexico. A small tree, 10 to 20, rarely 30 feet high; trunk 8 to 12 inches in diameter; leaves 12 to 18 lines long, and, as is the case in all other pines, concave on the inner or upper surface when in twos, and carinate when in threes, which in our species is very seldom the case. Cones about 18 lines in diameter; seeds about 6 lines long, and 4 in diameter; shell much thinner than a hazlenut's; kernel, when slightly baked, very pleasant.

*Like many other plants mentioned here, it has been collected in abundant and beautiful specimens by Mr. J. Fendler, a young German collector, who has investigated the regions about Santa Fe during last season, (1847,) and has made most valuable and well preserved collections, some sets of which he offers for sale. I shall repeatedly be obliged to refer to him when speaking of the flora of Santa Fe.

astern Mexico, *Pinus osteosperma*,³ (specimens of which were sent to me by Dr. Gregg, as collected on the battlefield of Buena Vista,) and to the nut pine of California, *P. monophylla*, Torr. and Frem.—these three species being the western representatives of *Pinus Pinea* and *Cembra* of the eastern continent.

The second species, *Pinus brachyptera*,⁴ is the most common pine of New Mexico, and the most useful for timber. A third species, *Pinus flexilis*, James, was overlooked by Dr. Wislizenus, but has been collected in fine specimens, by Mr. Fendler, about Santa Fe. Its leaves in fives and pendulous cylindrical squarrose cones assimilate it to *Pinus strobus*; but the seed is large and edible, as Dr. James has already remarked, and the leaves are not serrulate and much stouter. The Piñones, so much eaten in Santa Fe, appear principally to be the product of *Pinus edulis*. I shall have occasion to speak of three other pines when I come to the flora of the mountains of Chihuahua.

Linum perenne makes its first appearance here, and continues to Santa Fe, as well as the justly so-called *Lathyrus ornatu*s. Several species of *Potentilla*, (*Euthera*, *Artemisia*, and *Pentstemon*), were collected in this district.

Among the most remarkable plants met with were the *Cactaceæ*. After having observed on the Arkansas, and northeast of it, nothing but an *opuntia*, which probably is not different from *O. vulgaris*, Dr. W. came at once, as soon as the mountain region and the pine woods commenced, on several beautiful and interesting members of this curious family, an evidence that he approached the favorite home of the cactus tribe, Mexico.

On Waggon-mound the first (flowerless) specimens of a strange *opuntia* were found, with an erect, ligneous stem, and cylindrical, horridly spi-

³*Pinus osteosperma*, n. sp.—squamis turionum elongato-acuminatis, fimbriatis, squarrosis; laciniis vaginarum abbreviatarum circinato-revolutis, demum deciduis; foliis ternis binisve brevibus, tenuioribus, rectiusculis, margine lævibus, utrumque tenuissime striatis, supra glaucis, subtus virescentibus; strobilis sessilibus, erectis, subglobosis, inermibus; seminibus obovatis apteris, magnis, testa dura.

Mountain borders, near Buena Vista, and about Saltillo. A small tree, 10 to 20 feet high; leaves in threes, more rarely in twos, 1 to 2 inches long, much more slender than in the foregoing species; nut of the same size, but much harder. *Pinus monophylla* has broadly ovate, obtuse, adpressed scales of the young shoots and mostly single, terete leaves; cone and seeds are similar to both others.

⁴*Pinus brachyptera*, n. sp.—squamis turionum longe acuminatis, fimbriatis, squarrosis, subpersistentibus; vaginis elongatis adpressis; foliis ternis (raro binis s. quaternis) utrumque viridibus et aspero striatis; strobilis erectis, ovatis s. elongato conicis, squamis recurvo aculeatis; seminibus obovatis breviter alatis.

Mountains of New Mexico, common. A large and fine tree, often 80 to 100 feet high, 2 and even 3 feet in diameter; sheaths 6 lines long, mostly black; leaves generally in threes, rough, $3\frac{1}{2}$ to 6 inches long, in the specimens before me, crowded towards the end of the branches; cones $2\frac{1}{2}$ to $3\frac{1}{2}$ inches long; seed larger than the wing, without this 3 to 4 lines long and 2 wide.

nous, horizontal branches. The plant was here only 5 feet high, but grows about Santa Fe to the height of 8 or 10 feet, and continues to be found as far as Chihuahua and Parras. In the latter more favorable climate it grows to be a tree of 20 or 30, and perhaps even 40 feet high, as Dr. W. informs me, and offers a most beautiful aspect when covered with its large red flowers. It is evidently the plant which Torrey and James doubtfully, though incorrectly, refer to *Cactus Bleo* H. B. K. It is nearly allied to *Opuntia furiosa*, Willd., but well distinguished from it; and as it appears to be undescribed, I can give it no more appropriate name than *O. arborescens*,⁵ the tree cactus, or Foconoztle, as called by the Mexicans, according to Dr. Gregg. The stems of the dead plant present a most singular appearance; the soft parts having rotted away, a net work of woody fibres remains, forming a hollow tube, with very regular rhombic meshes, which correspond with the tubercles of the living plant.

The first *Mammillaria* was also met with on Waggon-mound, a species nearly related to *M. vivipara* of the Missouri, and also to the Texan *M. radiosa*, (Engelm. in Plant. Lindh. inedit.) but probably distinct from either. Mr. Fendler has collected the same species near Santa Fe.

On Wolf creek the curious and beautiful *Fallugia parudoza*, Endl., looking like a shrubby *Geum*, was found in flower and fruit; also a (new?) species of *Streptanthus*, and an interesting *Geranium*, which I named *G. pentagynum*,⁶ because of its having its five styles only slightly united at

⁵ *Opuntia arborescens*, n. sp., caule ligneo erecto, ramis horizontalibus, ramulis cylindricis, tuberculatis aculeatissimis; areolis oblongis, brevissime tomentosis, aculeos 12 to 30 corneos, stramineo-vaginato teretes undique porrectos gerentibus; ramulis versus apicem floriferis; ovario tuberculato, tuberculis sub-20 apice sepala subulata et areolas tomentosas cum setis paucis albidis gerentibus; sepalis interioribus 10 to 13 obovatis; petalis obovatis, obtusis s. emarginatis; stigmatibus sub-8 partulis; bacca flava sicca, ovato globosa, tuberculata, profunde umbilicata.

Mountains of New Mexico to Chihuahua, Parras, and Saltillo; flowers in May and June; fruit, at least about Santa Fe, ripening the second year (Fendler;) in the north 5 to 10, south 20 and more feet high, 5 to 10 inches in diameter, last branches 2 to 4 inches long; spines of the specimens on Waggon-mound 20 to 30 in each bunch; further south only 12 to 20, generally fewer on the under side of the branchlets; spines horn-colored, with straw-colored loose sheaths, from 3 to 10 lines, generally about 6 lines long. Flowers purple, 3 inches in diameter; stamens red; fruit about 1 inch long, yellow.

⁶ *Geranium pentagynum*, n. sp., perenne, caule erecto ramoso cum petiolis retrorso-piloso; foliis strigoso-pubescentibus inferioribus 7-, superioribus 3-5-partitis, segmentis inciso-lobatis; pedicellis binis, glanduloso pubescentibus; sepalis glandulosis, longe aristatis; petalis basi villo brevi instructis, ad venas pilosiusculis, obovatis integris; filamentis ciliatis; ovario glanduloso; stylis ima parte solum connatis; capsula glanduloso-pubescente.

On Wolf creek, flowers in June. Several stems 1 foot high from a large ligneous rhizoma; similar to *G. maculatum*, but easily distinguished from this and most other species by the styles being united only for $\frac{1}{4}$ or $\frac{1}{2}$ of their length; flowers of the same size, but aristæ of sepals much larger; leaves only 2 or 2½ inches wide.

base, while most other *Gerania* have them united for about two-thirds or more of their length.

In the prairies about Wolf creek, in an elevation of between 6,000 and 7,000 feet, the smallest of a tribe of cactaceæ was discovered, numerous species of which were found in the course of the journey south and south-east: several others have also been discovered in Texas. I mean those dwarfish *Cerei*, some of which have been described with the South American genus *Echinopsis*, or have been referred alternately to *Cereus* or *Echinocactus*, and which I propose to distinguish from all these under the name of *Echinocereus*,⁷ indicating their intermediate position between *Cereus* and *Echinocactus*: they approach more closely to *Cereus*, in which genus they, as well as the genus *Echinopsis*, should perhaps be included as subgenera.

The species mentioned above is distinguished from all others known to me by its yellowish green flowers, the others having crimson or purple flowers. I have named it, therefore, *Echinocereus viridiflorus*.⁸

A careful examination of the seeds of numerous cactaceæ, has indicated to me two principal divisions in that family: 1. Cotyledons, more or less distinct, directed with their edges to the edge, (or towards the umbilicus,) and with their faces to the flattened side of the seed; when curved, acuminate. 2. Cotyledons, mostly very distinct, foliaceous, direct with their edges to the faces, and with their faces to the edges of the seed, (or towards the umbilicus;) when curved, incumbent, and often circular or spiral.

The first class comprises *Mammillaria*, with a straight embryo; and

⁷ *Echinocereus*, n. gen. Perigonii tubus ultra germen productus, abbreviatus. Sepala exteriora s. tubi subulata, in axillis tomentosis setas s. aculeos gerentes. Sepala interiora subpetaloidea et petala longiora pluriseriaria corollam breviter infundibuliformem s. sub-campanulatum aenulantia. Stamina numerosissima tubo adnata, limbo breviora s. eum subaequantia. Stylus stamina vix superans. Stigma multiradiatum. Bacca pulvilligera setosa s. aculeata, perigonio coronata. Seminum testa dura tuberculata nigra. Embryo vix curvatus cotyledonibus brevibus contrariis.

Globose, or mostly ovate; simple, or mostly branching from the base or cespitose; tubercles, forming few or mostly a great many ribs; bunches of short or long spines, distant or approximate, often very crowded; vertex never woolly; flowers lateral, produced from last year's growth, opening only in sunshine, but for two or three days in succession; closed at night, or in dark weather.

⁸ *Echinocereus viridiflorus*, n. sp. ovato-globosus, humilis, sub-13-costatus; areolis lanceolatis, approximatis, junioribus villosis; aculeis 16-18 rectis, radiantibus, lateralibus longioribus fuscis, reliquis albidis, centrali nullo s. elongato robusto, apice fusco; floribus lateralibus; tubo pulvillis 25-30 albo-tomentosis setas albas 5-10 gerentibus stipato; sepalis interioribus lineari-oblongis sub-10; petalis 12-15 lineari-oblongis, obtusis; baccis ellipticis virescentibus, seminibus parvis tuberculatis.

Prairies on Wolf creek, flowers in June; Santa Fe, flowers in May, (Fendler.) Body 1 to 1½ inch high, oval; spines 1 or 1½ to 3 lines long; central spine when present 6 to 7 lines long; flower 1 inch long and wide, outside green brown, inside yellowish green; petals only 2 lines wide, being about 5 lines long.

doubtless, also, *Melocactus*, seeds of which, however, have not been examined by me; and *Echinocactus*, mostly with a curved embryo. The second class includes *Echinocereus*, with a nearly straight embryo, and very short cotyledons; *Cereus*, with a curved embryo, and foliaceous incumbent cotyledons, (probably also *Echinopsis* and *Pilocereus*, and perhaps *Phyllocactus* and *Epiphyllum*;) *Opuntia*, with a circular or spiral embryo, (circular and with a larger albumen in all *Opuntiae cylindraceae*; spiral and with a much smaller albumen in all *Opuntiae ellipticae*, examined by me,) and very large cotyledons. *Rhipsalis* and *Pereskia* may also belong here, but were out of my reach.

The flowers of all the species belonging to the first class, with the doubtful exception of some *Mammillariae*, make their appearance on the growth of the same year. Those of the second class produce the flowers always upon the growth of the next preceding or former years. The first class may, therefore, be distinguished by the name of *Cactaceae parallelae*, (from the direction of the cotyledons,) or *C. apici florae*, (from the position of the flowers.) The second class can be named, in a corresponding manner, *Cactaceae contrariae*, or *C. lateri florae*.

Echinocereus is principally distinguished from *Cereus* proper by its low growth; its short, more or less oval stems, which are frequently branching at base, and thereby cespitose; by the diurnal flowers, with short tubes; by the nearly straight embryo, with short cotyledons. From *Echinopsis*, to which some species have been referred, it differs also by the short-tubed diurnal flowers, and by the numerous filaments being adnate to the lower part of the tube. For further particulars compare the note 7. The species of *Echinocereus* inhabit Texas and the northern parts of Mexico, where *Cerei* proper are very rare. They extend even farther north than the *Echinocacti*, but appear to be excluded from the old limits of the United States, where the cactus family is represented only by some *Opuntiae* and *Mammillariae*. The southern limits of the *Echinocerei* are unknown to me, but I doubt whether they extend far in that direction; the nearly-related *Echinopses*, on the contrary, appear to be exclusively inhabitants of South America, especially the La Plata countries.

As I am speaking of the geographical distribution of the *Cactaceae*, I may as well add here that *Mammillariae* were found throughout the whole extent of Dr. Wislizenus's tour, and that at least four species occur in Texas. *Echinocacti* were observed only south of Santa Fe, and from there to Matamoros, but none on the highest mountains, which were occupied by *Opuntiae*, *Mammillariae*, and *Echinocerei*; two *Echinocacti* have been found in Texas. Only two species of true *Cerei* were seen; one of a peculiar type about Chihuahua, and another near the mouth of the Rio Grande, which does not appear to differ from the wide-spread *C. variabilis*, Pfeiff. *Opuntiae ellipticae*, as well as *cylindraceae*, were observed from New Mexico to Matamoros, and species of both are also found in Texas. *Melocacti*, *Phyllocacti*, and other genera of *Cactaceae*, not mentioned above, were not met with.

The notes and collections of Dr. Wislizenus confirm the opinion of that acute observer and successful cultivator of *Cactaceae*, Prince Salm-Dyck, viz: that most species of this family have a very limited geographical range, the most striking exception being those belonging to the genus *Opuntia*.

On the same day two other species of *Echinocereus* were found in pine timber, both with beautiful deep red flowers.⁹

We shall have occasion to speak of others hereafter.

After leaving Santa Fe, Dr. Wislizenus directed his course southward along the Rio Grande. The country was partly mountainous and rocky; partly, and principally along the river, sandy; on an average between 4,000 and 5,000 feet above the ocean. Here we find again some of the plants of the plains and of Texas, as *Polanisia trachysperma*, T. and G.; *Hoffmanseggia Fantesii*, T. and G. An interesting *Prosopis* with screw-shaped legumes nearly allied to *P. odorata*, Torr. and Frem., of California, was the first shrubby mimoseous plant observed during the journey, a tribe which hereafter becomes more and more abundant; *Mentzelia* sp. *Cosmidium gracile*, *Eustoma*, *Heliotropium currasavicum*, *Maurandia antirrhiniflora*, a beautiful large flowered *Datura*, *Abronia*, *Hendecandra texensis*, and many others. Near Olla the first specimens appeared of a new species of *Larrea*,¹⁰ the first and most northern form of the shrubby

⁹*Echinocereus triglochidiatus*, n. sp. ovato-cylindricus, 6-7 costatus, costis undulatis, acutis; areolis sparsis, orbiculatis, junioribus albo-lanatis; aculeis 3-6, plerumque 3, rectis compressis angulatis, cinereis, sub-deflexis; floribus lateralibus, tubo pulvillis 15-20 albo-tomentosis setas spinosas apice fuscas 2-5 gerentibus stipato; sepalis interioribus sub-12 oblongo-linearibus obtusis; petalis 12-15 obovatis obtusis; staminibus petala subaequantibus; stigmatibus 8-10 virescentibus.

On Wolf creek, in pine woods, flowers in June; Santa Fe (Fendler) 4 to 6 inches high, 2 to 2½ in diameter; spines in young specimens 4 to 6, in older ones generally 3, two lateral ones 8 to 14 lines long, one bent down only 6 to 8 lines long. Flowers 2 to 2½ inches long, 2 inches in diameter; setose spines of tube 3 to 6 or 7 lines long; petals deep crimson, 6 to 7 lines wide; filaments and anthers red. In specimens from Santa Fe, collected by Mr. Fendler, the flowers are near 3 inches long, the petals 8 to 9 lines wide, and the setae on the tube are spinous, with brownish points.

Echinocereus coccineus, n. sp. globoso ovatus, 9-11 costatus, costis tuberculosis subinterruptis; areolis ovatis junioribus albo-tomentosis; aculeis radialibus 9-10 albidis, rectis, oblique porrectis, superioribus brevioribus; centralibus 1-3 longioribus albidis s. corneis; floribus lateralibus; tubo pulvillis 18-25 albo-tomentosis, setas tenues albas 8-11 gerentibus stipato; sepalis interioribus 8-10 oblongo-linearibus obtusis; petalis 10-12 obovatis obtusis; staminibus brevioribus; stigmatibus 6-8 virescentibus.

With the foregoing, also about Santa Fe.—Only 1½ to 2 inches high, 1½ to 1½ inch in diameter; like most other species of this genus, either single or generally branching from the base and caespitose, sometimes forming clusters of 10 to 15 heads. Spines terete all more or less erect, none appressed as in many other species; radiating ones 3 to 6, central ones 8 to 10 lines long. Flowers 1½ to 1¾ inch long, and 1 to 1½ wide when fully expanded; bristles of tube 3 to 6 lines long; petals deep crimson 4 to 5 lines wide; filaments red, anthers red or yellow. The flowers resemble much those of the last species, but the plant is very different.

¹⁰*Larrea glutinosa*, n. sp. divaricato-ramosissima, ad nodos glutinosa; foliis breviter petiolatis, bifoliolatis, foliolis oblique ovatis mucronatis, ner-

Zygophyllaceae, more abundant farther south. In the same neighborhood the mezquite tree or shrub was first met with, probably *Algarobia glandulosa*, T. and G. From here the mezquite was abundantly found down to Matamoros, but the specimens collected appear to indicate that there are at least two different species.

On the next day, near Sabino, an interesting bignoniaceous shrub was collected for the first time, undoubtedly the *Chilopsis* of Don, which farther south appears more abundantly. Its slightly twining branches, willow-like slender glutinous leaves, and large paler or darker red flowers, render it a very remarkable shrub. Dr. Gregg mentions it under the name of "*Mimbre*," as one of the most beautiful shrubs of northern Mexico. The character given by Don, and that of Decandolle, appear defective, though I cannot doubt that both had our plant in view. From the very complete specimens obtained both by Dr. Wislizenus and Dr. Gregg, I am enabled to correct those errors.¹¹

Near Albuquerque a curious *Opuntia* was observed; it evidently belongs to *Opuntiae cylindraceae*, but has short clavate joints, which make the

vosis, coriaceis, adpresse pilosis glutinosis; floribus inter folia opposita solitariis; fructu 5-lococo villosa.

Common from Olla and Wray Cristobal, in New Mexico, to Chihuahua and Saltillo; also about Presidio, (Dr. Gregg;) flowers in March and April; fruit ripe in July. Shrub 5 to 8 feet high, very much branched, very glutinous; used as a sudorific and diuretic, and called *gobernadora*, or in the north *guanais*, according to Dr. Gregg. Leaflets 3 to 6 lines long and half as wide, cuspidate or mucronate; ovary 5 celled, each cell with 3 or 4 ovules; fruit 3 lines in diameter, globose, attenuated at base; seeds by abortion only one in each cell, falcate, smooth, shining.

¹¹ *Chilopsis* Don, char. emend. Calyx ovatus plus minusve bilobus, lobo altero breviter 3, altero 2 dentato; corolla basi tubulosa, curvata, fauce dilatata, campanulata, limbo 5 lobo, crispato-crenato; stamina 4 fertilia didynama, antherarum nudarum lobis ovatis, obtusis; quintum sterile brevius nudum; ovarium ovatum; stylus filiformis, stigma bilamellatum; capsula siliquaeformis, elongata, bilocularis, septo contrario placentifero; semina transversa margine utroque comosa.

An erect Mexican shrub, 8 to 12 feet high, ends of branches often slightly twining; branches smooth, and glutinous or rarely woolly; lower leaves somewhat opposite, upper ones sparse, lanceolate-linear, long-acuminate, glabrous or glutinous; racemes compound, terminal, pubescent; pedicels bracted, corolls rose-colored or deeper red or purple.

Along water-courses or in ravines, from Sabino, near Albuquerque to Chihuahua, Saltillo and Monterey. Leaves 2 to 4 inches long, 1 to 3 lines wide; flowers $1\frac{1}{2}$ to $1\frac{1}{2}$ inch long; fruit 6 to 10 inches long; seeds with the coma 6 lines long.

There are perhaps two species—one from the neighborhood of Saltillo, with larger, paler flowers, broader, not glutinous leaves, and woolly branchlets, perhaps the *Ch. saligna* Don; the other from New Mexico and Chihuahua, with longer, narrower glutinous leaves, perfectly glabrous, glutinous branchlets, and darker and smaller flowers; may be *Ch. linearis*, DC., or a new species, *Ch. glutinosa*. The Calyx is variable in both.

name of *O. clavata*¹² most appropriate. A singular plant, with the habit of a *Rammculus*, but nearly related to *Saururus*, was also found in this neighborhood among grass on the banks of the Rio Grande. The genus has been described by Nuttall from specimens collected by him in California, but whether his *Anemopsis californica* is specifically identical with the new Mexican plant, remains to be seen, as this last has regularly 6-leaved involucre, about 6 stamens, and is perfectly glabrous.

While the last mentioned plants indicate that we approach another botanical region, we are surprised to meet here with *Polygonum amphibium*, common in the old and in the new world, and *Cephalanthus occidentalis*, so widely diffused in the United States.

The famous desert, the Jornada del Muerto, furnished, as was to be expected, its quota of interesting plants. A *Crucifera* near *Biscutella*, of Europe, but with very short styles and white flowers, was here met with abundantly. I had considered it as the type of a new genus, when I found in Hooker's London Journal of Botany of February, 1845, Harvey's description of his new Californian genus *Dithyrea*,¹³ which probably must be made to embrace our plant as a second species.

¹² *Opuntia clavata*, n. sp. prostrata, ramulis ascendentibus, obovato-clavatis, tuberculatis; areolis orbiculatis albo-tomentosis, margine superiore setas albas spinescentes gerentibus; aculeis albis complanatis, radiantibus, 6-12 minoribus, centralibus 4-7 majoribus, longioribus deflexis; floribus terminalibus; areolis ovarii 30-45 albo-tomentosis, setas albas 10-15 gerentibus; sepalis interioribus ovato-lanceolatis acuminatis s. cuspidatis; petalis obtusis, erosis saepius micronatis; stigmatibus 7-10 brevibus erectis; bacca elongato-clavata, profunde umbilicata, setaceo-spinosa.

About Albuquerque (W.) about Santa Fe, on the high plains, never on the mountains, (Fendler.) Mr. Fendler informs me that the ascending joints sprout from or near their base, and that in this manner they finally form a large spreading mass, often 2 and even 4 feet in diameter, to which the white shining spines give a very pretty appearance. Joints or branchlets $1\frac{1}{2}$ to 2 inches long, tubercles at their base smaller, with shorter spines, towards the upper and thicker end larger, with stouter and longer spines; radial spines 2 to 4, central ones from 4 to 9 or 10 lines long; ovary 15 lines long, flower yellow, 2 inches in diameter; stigmas only $1\frac{1}{2}$ line long; fruit apparently dry and spiny, $1\frac{1}{2}$ to $1\frac{3}{4}$ inch long; seeds smoother than those of most other opuntiae, rostrate, with a circular embryo. Apparently near *Opuntiae platyacanthae*, Salm.; but the tuberculated joints and the shape of the embryo approach it closely to *O. cylindraceae*.

¹³ *Dithyrea*, Harv., char. emendat. Sepala 4 basi aequalia oblongo-lineararia. Petala 4 spatulata, basi ampliata. Stamina 6 tetradynamia, libera, edentula. Stylus brevissimus, stigma incrassatum. Silicula sessilis, biscutata, basi et apice emarginata, a latere plano-compressa. Semina in loculis solitaria, compressa, immarginata, horizontalia. Cotyledones planae radiculæ descendenti septum spectanti accumbentes.

Annual (all?) plants of California and New Mexico, with stellate pubescence, repando-dentate leaves, yellow (?) or white flowers in simple terminal racemes.

Dithyrea Wislizeni, n. sp., erecta incano-pubescent ramosa, foliis brevi-

A new species of *Talinum*, with single axillary flowers, was found for the first time in the Jornada, but was again collected further south, towards Chihuahua. *Dalea lunata*, *Centaurea americana*, *Sapindus marginata*, and a *Bolivaria*, probably identical with a new Texan species, brought to mind the flora of Arkansas and Texas, while the gigantic *Echinocactus Wislizeni*,¹⁴ reminds us again that we are approaching the

ter petiolatis repando-dentatis, racemo umbelliformi, demum laxo elongato; pedicellis eglandulosis, horizontalibus, flore longioribus, sepalis calycis aperti patulis; petalis (albis) obovatis, unguiculatis basi dilatata sub-cordatis; stigmatibus cordato conico; siliculis basi profundius emarginatis.

Common in sandy soil near Valverde and Fray Cristobal, north of the Jornada del Muerto; flowers in July. Plant about 1 foot high, annual or biennial; leaves ovate-lanceolate, attenuate in the short petioles, closely resembling those of some species of *Gaura*; pedicells filiform, longer than the flower or fruit; flowers white, about 3 lines in diameter, open; petals obovate, with a long and distinct claw, which is widened at base; filaments also thickened at base; ovary tomentose; style hardly visible, more distinct in the fruit, which is 5 to 6 lines in transverse diameter, and about half as much from base to top; the valves appear to be closed at their attachment to the subulate solid dissepiment.

Dithyrea californica, Harv., pedicellis basi bi-glandulosis horizontalibus, flore multo brevioribus; sepalis calycis cylindrici clausi erectis; petalis (aureis?) lineari-spathulatis; stigmatibus bilobis; siliculis apice profundius emarginatis.

Easily distinguished by the characters just enumerated from the New Mexican plant; though the difference in calyx and stigma will not permit a generic separation.

¹⁴*Echinocactus Wislizeni*, n. sp., giganteus, vertice villosa-tomentoso; costis . . . acutis crenatis; areolis oblongis, approximatis, junioribus fulvo-tomentosis; aculeis radialibus flavis, demum cinereis, porrectis; lateralibus sub 15 setaceis elongatis laeviusculis, summis infimisque 5-6 brevioribus robustioribus, annulatis; centralibus rubellis annulatis, 3 rectis sursum versis, 1 inferiore robustissimo, supra plano, apice reflexo-hamato; floribus sub verticalibus, ovario et tubo brevi campanulato sepalis imbricatis, auriculato-cordatis 60-80 stipato; sepalis interioribus 25-30 ovatis obtusis; petalis lanceolatis mucronatis, crenulatis; stylo supra stamina numerosissima breviter longe exserto; stigmatibus filiformibus 18-20 erectis; bacca ovata, lignosa, imbricato-squamosa.

Near Doñana, collected in August with buds, open flowers, young and ripe fruits on the same specimen. It belongs therefore to those *Echinocacti* which flower through the whole season, like *E. setispinus*, Engelm., (in Plant. Lindh.) of Texas, while others are in flower only during a week or two in spring, e. g. *E. texensis*, Hpfr. In the latter, the young bunches of spines, together with the flower buds in their axills, come out at once in spring, and none more are formed during the season, while in the first they are gradually developed during the whole season. Plant 1½ to 4 feet high; oval, with a smaller diameter. Areolae 6 to 9 lines long, only 6 lines distant from one another; radial spines 1½ to 2 inches long; straight central ones 1½ to 1½, and large hooked ones 2 to 2½ inches long;

Mexican plateau. This enormous cactus attained generally a height of $1\frac{1}{2}$ to 2 feet; specimens 3 feet high were rare, but one specimen was found which measured 4 feet in height, and near 7 feet in circumference; its top was covered with buds, flowers, and fruits, in all stages of development. In size it ranges next to *Echinocactus ingens*, Zucc., specimens of which 5 to 6 feet high were collected near Zimapan, in Mexico. Another Mexican cactus, *E. platyceras*, Lem., is said to grow 6, and even 10 feet high, and proportionately thick. *E. Wislizeni* is therefore the third in size in this genus.

From the same neighborhood a beautiful *Mammillaria* was sent in dried, as well as living specimens. It appears to be one of the few *Mammillariae longimanmae*, though it differs in having purple, not yellow flowers, and stiffer spines. By the name I have given it, *M. macromeris*,¹⁵ I intended to indicate the unusually large size of different parts of the plant, the tubercles, the spines, and the flowers.

In the same region a strange plant was obtained for the first time, but then without flowers or fruit, and which, to the casual observer, appeared as curious as it is puzzling to the scientific botanist; single spiny sticks or stems having a soft and brittle wood, and a great deal of pith in the centre, one or more from the same root, but always without branches, 8 to 10 feet high, not more than half an inch thick, frequently overtopping the brush among which they were found, only towards the top with a few bunches of already yellow leaves. In the following spring the splendid crimson flowers of this plant were found by Dr. W. between Chihuahua and Parras, and to Dr. Gregg I am indebted for mature fruit, collected near Saltillo and Monterey. The plant proved to be a *Fouquiera*, two species of which had been found in Mexico by Humboldt; one of them, the *F. formosa*, a branching shrub, was only known in the flowering state; the other, *F. spinosa*, a spinous tree, only in fruit. The structure of the ovary of the first appeared to differ so much from that of the capsule of the second, that it was afterwards deemed necessary to distinguish both generically, and the second constituted then the genus *Bronnia*. Having both flowers and fruit of a third *Fouquiera*, I am enabled to solve the dif-

yellow flowers 2 to $2\frac{1}{2}$ inches in length, campanulate; fruit $1\frac{1}{2}$ to $1\frac{1}{2}$ inch long, topped with the remnants of the flower of the same length; seeds black, rough, obliquely oval, with considerable albumen, in which the curved cotyledons are partly buried.

¹⁵ *Mammillaria macromeris*, n. sp. simplex, ovata, tuberculis laxis, e basi latiore elongatis cylindricis, incurvis, sulcatis; areolis junioribus albotomentosis; aculeis angulatis rectis, elongatis, omnibus porrectis; radialibus sub-12 tenuioribus, albidis; centralibus sub-3 robustioribus, longioribus, fuscis; floribus maximis, roseis; sepalis ovatis, acutis, fimbriatis; petalis mucronatis, fimbriatis; stylo supra stamina brevia longe exserto, stigmatibus 8.

Sandy soil near Doñana, in flower in August. All my specimens single; trunk oval, 1 to 2 inches high; tubercles in 8 rows, 12 to 15 lines long, incurved; groove at first tomentose down to the tomentose supra axillary areola; radial spines 1 to $1\frac{1}{2}$, central $1\frac{1}{2}$ to 2 inches long; flowers $2\frac{1}{2}$ to 3 inches in length and diameter, probably larger than in any other species of this genus; petals rose-colored, darker red in the middle.

facility to some extent, and prove the necessity of reuniting *Bronnia* with *Fouquiera*.¹⁶ The flower of *Fouquiera splendens*, as I have named the northern plant, is that of a true *Fouquiera*, while the fruit is nearly that of *Bronnia*!

Towards El Paso a curious capparidaceous plant was collected, which appears to be nearly allied to the Californian *Oxystylis* of Torrey and Frémont, and forms with it a distinct group in that family, approaching very closely to *Cruciferae*, as has been remarked by Professor Torrey.

I have named this new genus (in honor of its discoverer, who has, though unaided and often embarrassed in different ways, done so much towards the advancement of our knowledge of those northern provinces of

¹⁶ *Fouquiera*, Humb. B. Kunth, charact. emendat. Calyx 5-sepalus, imbricatus, persistens. Corolla hypogyna, gamopetala, longe tubulosa, limbo brevi 5-partito, patente, aestivatione incomplete contorta. Stamina 10-15, hypogyna, exserta; filamenta inferne arcuata villosa, basi inter se cohaerentia; antherae biloculares, longitudinaliter dehiscentes, mucromatae, basi cordatae, imo dorso affixae, introrsae. Ovarium liberum sessile; placentae 3 parietales ad centrum productae neque connatae, ovarium inde incomplete triloculare; ovula sub-18 ascendentia, in quaque placenta 6 biseriata; stylus filiformis trifidus. Capsula coriacea trivalvis; valvae medio placentiferae; placentae demum margine centrali connatae et a valvis solutae placentam singulam centalem triangularem formantes. Semina 3-6 complanata, alata s. comosa; albumen tenuissimum membranaceum; embryo magnus rectus, cotyledonibus planis, radícula breviori infera.

Mexican shrubs or trees, with soft fragile wood, and tuberculated, angular branches, the tubercles bearing spines, and in their axills single or fasciculate obovate entire leaves; splendid crimson flowers in terminal or subterminal spikes or panicles. At present only the following species of this genus are known:

1. *F. formosa*, H. B. K. fruticosa, spinis brevissimis, foliis solitariis oblongis subcarnosis; floribus sessilibus arcte spicatis, staminibus 12; stylo apice tripartito.

2. *F. splendens*, n. sp. fruticosa, simplex, spinis longioribus, foliis fasciculatis, obovato-spathulatis, membranaceis; floribus breviter pedicellatis in paniculam thyrsoidem congestis, staminibus 15; stylo ultra medium tripartito, seminibus 3-6 comosis.

3. *F. spinosa*, H. B. K., arborea, ramosa, spinis longioribus, foliis plerumque fasciculatis, obovato-oblongis, membranaceis; floribus pedicellatis corymboso-paniculatis; staminibus 10; seminibus 3 membranaceo-alatis.

Fouquiera splendens is a common plant from the Jornada del Muerto, in New Mexico, to Chihuahua, Saltillo, and Monterey; flowers in April, fruit by the end of May.

A general description has already been given in the text. In New Mexico it was seen only 8 or 10 feet high, but farther south it was found from 10 to 20 feet high, and in favorable localities it is said to grow even 30 feet high, and rarely thicker than about one inch in diameter. Bark smooth and ashy gray; spines horizontal, slightly curved, 6 to 10 lines long, disappearing on old stems; leaves deciduous fascicled in the axills of the spines towards the top of the stem, short-petioled, spatulate, obtuse, membranaceous, glabrous, somewhat glaucous, 9 to 12 lines long, and 3

Mexico—the first naturalist, it is believed, who explored the regions between Santa Fe, Chihuahua, and Saltillo) *Wislizenia*!¹⁷ From *Oxystylis* it is principally distinguished by its long stipitate ovary and capsule, which latter is reflexed, and by the elongated racemes; it may, however, have to be united with that genus.

On the mountains about El Paso, another of those cylindraceous *Opuntiae* was found, but much thinner and more slender than both species, mentioned previously. To judge from an imperfect description it must be nearly related to the Mexican *O. virgata*, Hort. Viind. I have given it

to 4 lines wide; panicles from the upper fascicles of leaves, near the top, one or several, erect, crowded, 4 to 6 inches long; pedicells bracted, longer than the yellowish chartaceous calyx; sepals orbicular 2 lines long; corolla scarlet 9 to 10 lines long; filaments at base slightly cohering with one another, and with the base of the corolla, villous below and with a small horizontal process, which forms an arch over the ovary. Placentae in the ovary lateral, 3, bearing each 6 ascending acute ovula, at the inner margin, where they appear to touch one another without being actually united at that stage of the growth. Soon after they probably adhere in the centre to each other, and towards the ripening of the capsule detach themselves from the valves, presenting a free central triangular spongy placenta, with about 6 (or by abortion less) seeds. Capsule coriaceous oval, acutish, light brown, about 6 lines long. Seeds compressed, integument expanded in a wing, which is cordate at the upper end, and finally resolves itself into a coma of silky fibres. If my view of the ovary and fruit of this plant is correct, the ovary is 1-celled, with 3 lateral placentae—that of a true *Fouquiera*, the ripe capsule is 1-celled, with one central placenta—that of *Bronnia*, and the unripe fruit, must be 3-celled!

Fouquiera splendens grows readily from cuts, and is used about Chihuahua for hedges and fences.

¹⁷ *Wislizenia*, n. gen., sepala 4; petala 4 oblonga, breviter unguiculata; stamina 6 toro cylindrico inserta; filamenta filiformia longe exserta, aestivatione inflexa; ovarium longe stipitatum, globosoididymum, biloculare, loculis 2 ovulatis; stylus subulatus, elongatus, stigma globosum. Capsula siliculaeformis, didyma tuberculata cum stipite in pedicellum filiformem refracta, bilocularis, loculis plerumque per abortum 1-spermis; valvae urceolatae a dissepimento pertuso solutis, semen includentibus; semen con-duplicato-reniforme, laeve; cotyledones radicales superae incumbentes.

A glabrous new Mexican annual, much branched, of the habit of *Cleomella*, with ternate leaves, distinct lacinate-fimbriate stipules, and bracted at last elongated racemes, small yellow flowers; fruit reflexed, stipe with the equally long (not spinous) style, and the small dissepiment persistent after the falling off of the valves.

W. refracta, n. sp. On the upper crossing of the Rio Grande, near El Paso; flowers and fruit in August. An interesting and quite anomalous plant, on account of its fruit with an almost complete dissepiment, and of its stipules and bracts. Tuberculated valves of the capsule separating from the placentae, and though open, retaining the only (rarely two) seed placentae forming a complete dissepiment, which, in the perfectly ripe and dry state, finally becomes perforated in the centre.

the name of *O. vaginata*,¹⁸ as the straw-colored loose sheaths of the long spines are very remarkable. A new *Echinocereus* was also collected here, which, on account of its dense covering with small spines, I have named *E. dasyacanthus*.¹⁹ I have in cultivation one of the largest specimens, seen by Dr. Wislizenus, which is one foot high. In this neighborhood *Opuntia Tuna*, Mill., was seen for the first time, and this is perhaps the most northern limit of that extensively diffused species, as well as of *Agave americana*, another common Mexican plant. Both were found in greater perfection near Chihuahua, and from there constantly down to Monterey and the mouth of the Rio Grande; the *Opuntia* appears to extend also high up in Texas.

Together with these a *Dasyllirion*, perhaps the same as the Texan species, was found here, and afterwards again near Saltillo.

From El Paso to Chihuahua, the road lies in part through a dreadfully arid sandhill district, where a peculiar *Martynia*²⁰ was observed, and fur-

¹⁸ *Opuntia vaginata*, n. sp. caule lignoso, erecto, ramulis teretibus vix tuberculatis; areolis orbiculatus, albo-tomentosis, margine superiore fasciculum setarum brevium fuscaram, inferiore aculeum elongatum corneum vagina laxa straminea involutum, deflexum gerentibus; floribus parvis, ovario obovato, areolis 13 tomentosis setigeris stipato; sepalis interioribus 8 et petalis 5 obovatis mucronatis; bacca obovata profunde unibilicata, carinosa, aurantiaca, seminibus paucis.

On the mountains near El Paso, in August in flower and fruit. Belongs to *Opuntiae cylindraceae graciliores*, (Salm-Dyck;) perhaps nearest to *O. virgata*, H. V., but distinguished by the longer deflexed spines. Apparently 3 or 4 feet high, ultimate branches $2\frac{1}{2}$ to 3 lines in diameter; spines single, $1\frac{1}{2}$ to 2 inches long, rarely with a second smaller one, straight, more or less deflexed; epidermical sheath yellow or brownish, very loose, at last coming off. Ovary 4 to 5 lines long; flower 6 to 9 lines in diameter, pale yellow, with a greenish tinge; stigma conic, with 5 adpressed segments; fruit 7 to 8 lines long.

¹⁹ *Echinocereus dasyacanthus*, n. sp. ovato-oblongus, s. subcylindricus, 17-18 costatus, costis tuberculatis subinterruptis, areolis approximatis, ovato-lanceolatis, junioribus albo-villosis; aculeis albidis, junioribus apice rufidis, radialibus sub-18 porrectis, summis brevioribus tenuioribus, lateralibus inferioribusque longioribus; centralibus 4-6 pluribus deflexis.

El Paso del Norte. The specimen before me, one of the largest, is 12 inches high, and $3\frac{1}{2}$ inches below, and 2 inches above in diameter; wool on the young areolae unusually long, deciduous; upper spines 3 lines long, lower lateral ones slightly compressed 6 to 7 lines long, lowest 5 lines long; central spines nearly as long as the last, stouter than the others. From *E. pectinatus* and *E. caespitosus*,* which it resembles, it is distinguished by the longer, not appressed spines, the larger number and size of the central spines, &c.

²⁰ *Martynia arenaria*, n. sp. annua, glanduloso-pilosa foliis alternis, longe petiolatis, cordatis, 3-5-7 lobatis, lobis rotundatis, repando-denticulatis; bracteis lanceolatis calycem obliquum, infra fissum, dimidium aequantibus; staminibus 4; rostro pericarpium aequante.

Sandhills below El Paso, flowers August. Leaves $1\frac{1}{2}$ to 2 inches wide

*See note 45.

ther on, through a lovely country, which, at that season, (August,) after the annual rains, was covered with a luxuriant vegetation. The elevation of the country is here between 4,000 and 5,000 feet above the gulf.

The rare *Cevallia sinuata*, which Dr. Gregg has also sent from Monterey, was found in this part of the journey. Here also occurred a perennial species of *Linum*, with yellow petals, so far, in America, the only perennial yellow flowering *Linum*; it is distinguished by its long aristate sepals, whence the name.²¹ Several *Oenotherae*, not seen before, made now their appearance; different species of *Gilia*, a number of *Nyctagineae*, several *Asclepiadaceae*, *Malvaceae*, *Cucurbitaceae*, *Compositae*, and others, were here collected; including a number of new species, which only want of time and references have for the present prevented me from describing. Near lake Encinillas another *Martynia*²² was found, which, in its foliage, comes nearer to *M. proboscidea*, but is readily distinguished by its purple flowers. A beautiful yellow-flowering bignoniaceous shrub, probably *Tecoma stans*, Juss., seen more frequently further south, was observed for the first time near Gallejo spring. Shrubby *Algarobiae* were seen more plentifully, as also some other *Mimoseae*.

Here would be the proper place to introduce a notice of the several species of *Yucca* found by Dr. Wislizenus. But, unfortunately, the labels of the specimens were partly lost, so that it is impossible at this time to arrange leaves, flowers, and fruits properly. Certain it is that several species besides *Yucca angustifolia*, mentioned above, were seen; that the leaves of all of them have filamentose edges, some with very fine, others with very coarse fibres on their margin; that the majority bear juiceless capsules with very thin, paperlike seeds, but that one species produces an edible succulent fruit with very thick seeds. Fortunately the seeds col-

and long; flowers spotted, "yellow," (Dr. W.) a little smaller than in *M. proboscidea*.

²¹ *Linum aristatum*, n. sp., caulibus e rhizomate ligneo pluribus, ramossissimis, angulatis; foliis sparis subulatis, aristatis, superioribus bracteisque denticulatis; sepalis lanceolato-linearibus trinerviis, aristatis, margine membranaceo glanduloso-denticulatis; petalis (flavis) calycem sub-duplo superantibus; stylis coalitis; capsula ovata, acuta, sepalis persistentibus bis brevior.

In sandy soil near Carizal, south of El Paso; collected in August, in flower and fruit. The rhizoma in the specimen before me is 6 inches long and 3 to 4 lines in diameter, white; stems numerous, 1 to 3 feet high, divaricately branched; upper leaves (lower not seen) 3 to 4 lines long, sepals 4 lines long; flowers 10 lines in diameter; petals sulphur yellow; styles united for about three-fourths of their length; capsule 2 lines long.

²² *Martynia violacea*, n. sp., annua, foliis alternis, cordatis, repando-sinuatis, acute denticulatis, glabriusculis; bracteis lanceolatis calyce obliquo, infra usque ad basin fissis dimidio brevioribus; staminibus 4; rostro pericarpium superante.

Near lake Encinillas, north of Chihuahua, flowers August; leaves 4 to 6 inches long, and nearly as wide, indistinctly sinuate-lobed, beset with small, sharp, distant teeth, flowers from pale red to deep violet purple, as large as in *M. proboscidea*.

lected by Dr. W. arrived here in the best condition, and some have already germinated, so that we may hope to raise some of these species.

Yucca aloëfolia, of the southern United States and Mexico, is said also to bear an edible fruit, but has serrulate leaves; we have, therefore, different species of *Yucca* with edible fruits, which may constitute a peculiar section in this genus.

The soil appeared to be too fertile here for the production of *Cacti*; and with the exception of some *Opuntiae*, the only species collected between Paso and Chihuahua, about 100 miles south of the former place, was *Cereus Greggii*²³, which was peculiarly interesting, as it is probably the most northern form of *Cereus* proper. The specimens sent for cultivation by Dr. W. were unfortunately dead when they arrived here, and neither flower nor fruit had been obtained; but Dr. Gregg has collected the same species near Cadena, south of Chihuahua, in flower, from which I completed the description. I could not have given it a more appropriate name than that of the zealous and intelligent explorer of those far off regions. I learn from Prince Salm-Dyck that a *Cereus*, probably the same species, was sent to England by Mr. Potts, of Chihuahua, but his specimens also did not live; they were very remarkable for having a thick turnip-shaped root. Neither Dr. W. nor Dr. G. having paid attention to the root, I am unable to say whether their specimens agreed with those of Mr. Potts in this particular.

Dr. Wislizenus was forced to go from Chihuahua westward to Cosihuiriachi. However prejudicial this involuntary interruption of his journey may have been to the primary objects of his expedition, it appears that he could not have selected a more favorable field for botanical researches. Amongst the porphyry mountains of Cosihuiriachi and Llanos, which vary from 6,000 to 8,000 feet in height, and their deep chasm-like valleys, a great many undescribed species of plants were found; in fact almost everything collected there appears to be new!

Among the trees, I mention three species of pines, entirely different from those found farther north, but perhaps identical with some species from the Pacific coast. The most magnificent of these three is a species nearly related to *Pinus strobus* and *Pinus flexilis*, which I name *P. strobiformis*.²⁴ Its size and growth, its foliage, as well as the shape of the

²³ *Cereus Greggii*, n. sp., erectus, ramosus, pentagonus; areolis distantibus oblongis, nigro-tomentosis; aculeis nigris, brevissimis, e basi incrassata subulatis, acutissimis, 6-9 radialibus subrecurvis, infimis longioribus, centrali singulo deflexo minuto; tubo floris elongato, areolis 60-80 cinereo-tomentosis setas 6-12 nigricantes s. apice albidas gerentibus stipato; sepalis interioribus 15-20 et petalis 15-20 lanceolatis, acuminatis, integris.

North and south of Chihuahua; flowers April and May. Stem 1 to 2 feet high, about 6 lines in diameter; spines $\frac{1}{2}$ to 1 line long, extremely sharp; flower about 6 inches long and 2 inches in diameter, bristles of the tube $1\frac{1}{2}$ to 3 lines long; interior sepals reddish green, petals pale purple.

²⁴ *Pinus strobiformis*, n. sp., squamis turionum ovatis acuminatis; vaginis laxis, patulis, deciduis; foliis quintis filiformibus, supra albo lineatis, acute carinatis, subtus convexis, margine tenuissime serrulatis; strobilis cylindricis, elongatis, squamis obtusis inermibus, demum recurvis.

Highest peaks about Cosihuiriachi. The largest pine in this region 100

cones, resemble the common white pine of the north, but the cones are two or three times as large, not to speak of the other differences. It only grows on the highest mountains of this region, of about 8,000 feet elevation, and attains the height of 100 to 130 feet.

Pinus macrophylla,²⁵ another inhabitant of the higher mountains of Chihuahua, is more common than the last; like it, it closely resembles a well-known species of the United States, *P. australis*, from which it differs by its short cones, which have on each scale a mammillary recurved tubercle, and by having the leaves not only in threes, but also in fours and even in fives. It may be near *P. occidentalis* of the interior of Mexico, but that has the regularly five leaves in each sheath.

Pinus Chihuahuana,²⁶ is the common pine of Cosihuiriachi and the mountains of Chihuahua, in general at an elevation of about 7,000 feet. It grows only 30 to 50 feet high, and resembles somewhat *P. variabilis*, though sufficiently distinct. Dr. Wislizenus was unable to obtain specimens of a fourth pine, which is said to grow on the still higher mountains to the west, near Jesus-Maria, bearing cones 15 or 18 inches in length.

On the highest peaks in this region a species of *Arbutus* was found, which the inhabitants call *Matronia*; it is a small tree with a smooth, red bark, bearing in November and December red edible berries. If it is at all distinct from *A. Menziesii*, Pursh, of the northwest coast, which it closely resembles, it ought, from the color of its bark, bear the name of

to 130 feet high. Sheaths 6 lines long, very deciduous, leaves 2 to $3\frac{1}{2}$, mostly 3 inches long; cone about 10 inches in length, very resinous. This species forms with *Pinus strobus* and *Pinus flexilis* a peculiar section, distinguished by their 5 leaves, and their cylindric pendulous squarrose cones; the leaves of *P. strobus* are the most slender, concave on the back, and strongly serrate; those of *P. strobiformis* are somewhat more rigid, convex on the back, and slightly serrate; those of *P. flexilis* are still more rigid, convex on the back, and entire.

²⁵ *Pinus macrophylla*, n. sp., squamis turionum longe acuminatis, fimbriato-laceris, squarrosis, persistentibus; vaginis elongatis, adpressis, laevis; foliis ad apicem ramulorum congestis ternis, quaternis (rarius quinis) longissimis, margine carinaeque serrulatis, utrumque aspero-striatis, subglaucis; strobilis ovato-conicis; squamis tuberculo conico, apice spinifero, recurvo instructis; seminibus parvis, alatis.

Common on the higher mountains of Cosihuiriachi; 70 to 80 feet high; sheaths 15 to 20 lines long; leaves 13 to 15 inches long in the specimens before me; in fours as well as in threes; rarely in fives; cone $4\frac{1}{2}$ inches long. Evidently near *P. australis*, Mich., but well distinguished by the characters enumerated.

²⁶ *Pinus Chihuahuana*, n. sp., squamis turionum acuminatis, adpressis; vaginis adpressis, elongatis, laceris, deciduis; foliis ternis (rare quaternis) supra glaucis, subtus virescentibus, leviter striatis, margine tenuissime serrulatis; strobilis ovatis, abbreviatis; squamis transverse ovatis, inermibus.

The common pine of the mountains of Chihuahua, at an elevation of about 7,000 feet; a tree of only 30 to 50 feet in height; leaves 2 to $3\frac{1}{2}$ inches long; serrulate on the margin, but with nearly smooth striae; cone in the specimen before me $1\frac{1}{2}$ inch long.

A. sanguinea. These, together with a low scrubby oak tree, with small perennial leaves, were the only trees collected about Cosihuiachi. A species of *Juniperus*, with red berries, a *Thuja*, and a small-leaved *Cowania* (?)²⁷ all of them in fruit, were also brought from there.

Between Chihuahua and Cosihuiachi, but especially about the latter place, the porphyritic soil produced a number of *Cactaceae*, some strange *Echinocacti*, several *Mammillariaceae*, a few *Opuntiae*, and principally a great variety of *Echinocerei*. One of the latter is completely covered with stout and long spines;²⁸ another has short radiating spines, closely adpressed to the plant;²⁹ a third has short radiating spines, with single, stout black central ones, which project from the plant in all directions;³⁰ a fourth is distinguished by its longer and curved reddish radiating spines, with a stouter one projecting from their centre.³¹ I have all of these in

²⁷ *Cowania* sp. ? Shrubby; leaves crowded, small, cuneate three-toothed at apex, revolute, tomentose below, glabrous and glandular above, sweetscented; turbinate tube of calyx, as well as the oblong lobes, 1 line long; 25 stamens, persistent; about 5 woolly ovaries.—Compare below note 51.

²⁸ *Echinocereus polyacanthus*, n. sp., elongato-ovatus, 10-costatus; areolis elevatis, ovatis, subapproximatis, junioribus albedo 4-tomentosis; aculeis radialibus 10-12 flavidis, apice adustis, plus minus porrectis; lateralibus majoribus, demum subadpressis, superioribus minoribus; centralibus sub-4 corneis, apice fuscis, 3 superioribus sursum versis, inferiore singulo longiore porrecto, demum deflexo.

Cosihuiachi.—Several oval stems, 4 to 5 inches high and $2\frac{1}{2}$ to 3 in diameter, from one base; upper radial spines 4 to 5, lateral and inferior 8 to 10, upper central 9 to 12, lower one 15 to 20 lines long. Spines at last ashy-gray.

²⁹ *Echinocereus adustus*, n. sp., ovatus, 13-15-costatus; areolis elevatis, lanceolatis, approximatis, junioribus albo-tomentosis; aculeis radialibus 16-18 adpressis, albis, apice adustis; 4-5 superioribus brevibus, setaceis, lateralibus inferioribusque longioribus, robustioribus, centrali nullo.

Cosihuiachi.—Plant $1\frac{1}{2}$ to 4 inches high, 1 to 2 in diameter; upper spines 1, lower about 2, and lateral 4 to 5 lines long.

³⁰ *Echinocereus radians*, n. sp., ovatus 13-14-costatus, areolis elevatis, ovatis, subapproximatis, junioribus albo-villosis; aculeis radialibus 16-20 adpressis, junioribus apice adustis, superioribus brevibus setaceis, lateralibus inferioribusque longioribus robustioribus; centrali singulo porrecto, robusto, fusco.

Cosihuiachi.— $2\frac{1}{2}$ inches high, 2 in diameter; upper radial spines 1 to 2, lower 3, lateral about 5 lines long; central spines brown or black, much stouter, 1 inch long.

³¹ *Echinocereus rufispinus*, n. sp., elongato-ovatus, 11-costatus; areolis elevatis lanceolatis, approximatis, junioribus albedo villosis; aculeis radialibus 16-18, demum adpressis, intertextis; 3-5 superioribus setaceis, brevibus, albidis; lateralibus elongatis fuscis, recurvis, centrali singulo, robusto, fusco, porrecto.

Cosihuiachi.—Stem 4 inches high, below $2\frac{1}{2}$ in diameter; upper radial

cultivation, but have not seen as yet flowers or fruit from any of them; still they cannot but belong to my genus *Echinocereus*, to judge from analogy.

Some *Mammillariae* of Cosihuiriachi are distinguished by their compact shape; the tubercles are very short, globose, or even hemispherical, the spines strong, numerous, radiating, and adpressed, the fruits central from a woolly vertex: *Mammillaria compacta*.³² Another, *M. gummifera*,³³ belongs together with two species from Texas, and from the mouth of the Rio Grande to the section *Angulares*, with pyramidal 4-angled tubercles, and milky juice, which, hardening, forms a gum. A third species belongs to *Crinitae*, and is a most elegant little plant with numerous hairlike radiating and one stout, hooked central spine; I have named it *M. barbata*.³⁴

spines or bristles 1 to 2, lower about 4, and lateral 7 to 9 lines long; central spine much stouter, 1 inch long.

³² *Mammillaria compacta*, n. sp., simplex, hemisphaerica, s. depresso-globosa; tuberculis abbreviatis, ovoideo-conicis, sulcatis; areolis ovato-lanceolatis, junioribus albo-tomentosis; aculeis omnibus radialibus, 13-16 subaequalibus, robustis, recurvatis, adpressis, intertextis, albidis, superioribus apice fuscis; sulcis tuberculorum axillisque junioribus et vertice tomentosis; floribus in vertice congestis; baccis ellipticis perigonio coronatis, viridibus; seminibus obovatis, laevibus, fulvis.

Cosihuiriachi.—Plant 2 to 3½ inches in diameter and 1½ to 2½ inches high; tubercles in 13 rows, 4 lines high, 6 lines wide at base; spines interlocking, and thereby often deformed and twisted, stout, 7 to 10 lines long.

³³ *Mammillaria gummifera*, n. sp., lactiflua, simplex, hemisphaerica, tuberculis quadrangulato-pyramidatis; axillis areolisque junioribus albo-tomentosis; aculeis rectis, radialibus 10-12, inferioribus robustis, apice fuscis superiores setaceos albidos ter superantibus; centralibus 1-2 robustis, brevibus, fuscis, porrectis.

Cosihuiriachi.—From 3 to 5 inches in diameter, 2½ to 4 inches high; when wounded it exudes a milky fluid, which, hardening, forms a transparent or whitish gum; tubercles mostly in 13 oblique rows, 6 to 7 lines long, and 5 to 6 lines wide at base; upper spines 2 to 3, lower 6 to 7, central about 2 lines long. Flowers and fruit not seen, but probably like those of two similar species, *M. applanata*, Engelm. ined., from the Piedrales, in Texas, and *M. hemisphaerica*, Engelm. ined., from the mouth of the Rio Grande; both are also simple, lactescent, with pyramidal tubercles, and both have small reddish white flowers, and long clavate scarlet berries, without the remnants of the flower. It is a fact which I have repeatedly observed, and in a considerable number of species, that the red-globose, or clavate-berries of the mammillariae are always destitute of the remnants of the perigon, etc.; but the oval green fruits always are topped with it.

³⁴ *Mammillaria barbata*, n. sp., simplex, globoso-depressa; tuberculorum axillis nudis; aculeis radialibus numerosissimis pluriserialibus, exterioribus piliformibus albis sub-40; interioribus paulo robustioribus fulvis 10-15, centrali singulo robusto, uncinato, fusco, erecto; baccis oblongis, viridibus, apice floris rudimento coronatis.

The specimen communicated by Dr. Wislizenus, the only one found, was dead when it arrived here, but many fruits were adhering to the plant, and I was thus fortunate enough to cultivate it from the seeds.

Other remarkable cactaceae from the State of Chihuahua, which have been communicated to Dr. Wislizenus by Mr. Potts, of Chihuahua, are not described here, as it is believed that Mr. P. has sent them already to England, where, no doubt long before this, they have been published.

Amongst the other distinguished plants of Cosihuiriachi and Llanos, I cannot omit to mention a beautiful *Delphinium*,³⁶ which grew abundantly here; a *Silene*, which is perhaps new, but comes near to *S. multicaulis*, Nutt., of the Rocky mountains, and *S. Mociniana*, DC of Mexico; a new *Bouvardia*,³⁷ which is remarkably distinct from all the other Mexican species of this genus by its smoothness; an *Echeveria* perhaps identical with the Californian *E. caespitosa*, DC.; several *Gerania*, which appear to be undescribed, one of them with white flowers; an *Eryngium*,³⁷ with

Cosihuiriachi.—The only specimen seen was about 2 inches in diameter; tubercles 4 lines long; spines 3 to 4 lines in length; fruit 5 to 6 lines long, in a circle around the younger tubercles; seeds obovate scrobiculate, dark brown, minute.

³⁶ *Delphinium Wislizeni*, n. sp., perenne, erectum, simplex, glabrum; petiolis elongatis, infinis basi dilatatis; foliis pedatifide 5-7-partitis, laciniis incis, segmentis linearibus, acutis, divaricatis; floribus laxe paniculato racemosis; bracteis subulatis; floribus longe pedicellatis; calcare subulato, curvato sepala paulo superante; sepalis 2 exterioribus acutis, 3 interioribus obtusissimis; petalis brevioribus acuminatis; ovaris glaberrimis.

On the Bufa, a porphyry rock near Cosihuiriachi, 8,000 feet high, in flower in September. Stem 2 to 2½ feet high, slender, glabrous, glaucous; flowers sparse, with the spur 1½ inch long, beautifully blue, on the outside slightly puberulent.

³⁷ *Bouvardia glaberrima*, n. sp., glaberrima, caule erecto terete; foliis ternatis, breviter petiolatis, ovato lanceolatis, utrinque acuminatis, patentibus s. reflexis; cyma composita, foliacea; calycis segmentis tubum bis superantibus; corolla calyce quintuplo s. sexuplo longiore, extus glabruscula, intus parce barbata.

Cosihuiriachi, flowers September. Perennial; 2 feet high, leaves 3 to 3½ inches long, 8 to 10 lines wide; flowers bright crimson, 12 to 15 lines long. Apparently one of the largest species of the genus; leaves entirely glabrous, not revolute on the margin.

³⁷ *Eryngium heterophyllum*, n. sp., glaberrimum, caule erecto; foliis radicalibus oblanceolato-linearibus, acutis, penni-nerviis, serratis, serraturis cartilagineo-marginatis, aristatis; foliis caulinis inferioribus serrato-pinnatifidis, superioribus palmati-partiis, segmentis linearibus incis; foliis involucralibus 10-13 linearibus acuminatis, spinoso-bidentatis, rarius integris, capitulum ovale longe superantibus; bracteis coeruleis subulatis flores superantibus, interioribus longioribus.

Common in valleys about Cosihuiriachi; flowers September. Biennial, 1½ to 2 feet high; radical leaves 2 inches long, 2 lines wide; involucral leaves 12 to 15 lines long, 1 line wide; heads about 4 lines in diameter.

the lowest leaves most elegantly pectinated, and the upper ones palmately divided; a *Zinnia*,³³ intermediate between *Zinnia multiflora* and *Z. elegans*, and which last season grew finely near St. Louis from seeds picked from these specimens. Many other *Compositae* have not yet been examined; a *Centaurea* may be found to be distinct from *C. Americana*, so far the only American species of that genus, which is so extensively diffused in the old world.

Leaving aside several *Dolae*, *Lupini*, *Gilae*, a *Gentiana*, *Buchnera*, *Castilleja*, a number of *Labiatae*, *Gramineae*, and many others, I will only mention a few more, which I had time to study more closely. First of all, the beautiful and delicate *Heuchera sanguinea*,³⁴ probably the most southern, and certainly the most ornamental species of that genus. Next in beauty comes the bright-flowered *Pentstemon coccineus*;³⁵ *Lobe-*

Near two other Mexican species, *E. Carlinae*, Lar., and *E. Haenkei*, Presl., distinguished from the first by the larger number of linear, not ovate serrate involucreal leaves; from the other also by the larger number of those leaves which are generally toothed, not entire.

³³ *Zinnia intermedia*, n. sp., caule erecto, ramoso, parce adpresse piloso; foliis scabris, inferioribus ovatis, basi obtusis, superioribus subsessilibus ovato-cordatis, acutis; pedunculo apice vix incrassato; involucri ovatis squamis marginatis obtusis; paleis cristato-fimbriatis; radii ligulis oblan- ceolatis, extus scabriusculis, ciliatis; acheniis radii linearibus, disci 1- aristatis.

Common about Cosihuiriachi, flowers in September. Annual, 1 to 2 feet high; leaves 1 inch long, 6 to 8 lines wide; flowering heads 18 to 20 lines in diameter. The cultivated specimens grew 3 feet high; leaves 3 inches long and half as wide; heads hemispherical, larger, ligulae less acute. Differs from *Z. multiflora* by the less inflated peduncle, the broader and shorter leaves, the cristate paleae; from *Z. elegans*, to which the shape of the leaves and of the chaff much resembles, by the shape of the achenia. I may state here that in all the cultivated as well as native specimens of *Z. multiflora* the paleae are not entire, but fimbriate at the obtuse apex.

³⁴ *Heuchera sanguinea*, n. sp., petiolis patenti-pilosis; foliis sinu latissimo cordatis, orbiculatis, 5-7-lobatis, lobis incisim duplicatim dentatis, ciliatis; junioribus pilosis; scapo nudo, infra parce piloso, supra cum pedicellis calycibusque colorato glanduloso; floribus laxo campanulatis; calycis lobis ovatis obtusis, subaequalibus; petalis lineari-spathulatis persistentibus, cum staminibus pistillisque inclusis.

Porphyry mountains of Llanos, flowers in September. Scape 8 to 12 inches high; upper part, together with the flowers, bright scarlet; enclosed petals inserted below the throat of the calyx; stamens still lower; filaments equal in length to the orbicular cordate red anthers.

³⁵ *Pentstemon coccineus*, n. sp., glaberrimus, glaucus, foliis infimis obovatis, caulinis inferioribus oblongo-linearibus, superioribus linearibus minutis; racemo laxo, pedicellis oppositis, elongatis, 2-bracteatis, 1-floris; calycis glandulosi segmentis ovatis; corollae tubo superne dilatato, limbo bilabiato, labio superiore ad medium bilobo; antheris divaricatis, filamentis sterilis glabro, apice dilatato; capsula acuminata.

Llanos, flowers in September and October. Stem 1 to 2 feet high, nearly

lia mucronata,⁴¹ with fine red, and *L. pectinata*,⁴² with blue flowers. Amongst the most curious plants collected here is also to be mentioned an *Eriogonum*,⁴³ with inflated clavate internodia, and dark red flowers. *Phaseolus bilobatus*,⁴⁴ is another interesting plant.

naked above, pedicels filiform, lower ones much longer than the flower, which is 15 to 18 lines in length; bright scarlet or crimson. Next to *P. imberbis*, Steud., but easily distinguished.

⁴¹ *Lobelia mucronata*, n. sp., perennis, caule simplici erecto, glabro, infra folioso, supra nudo; foliis lineari-lanceolatis, elongatis, acumiuatis, argute denticulatis; floribus laxe spicatis; bracteis linearibus glanduloso-dentatis, inferioribus pedicellum superantibus, superioribus eum aequantibus; calycibus hemisphaericis et pedicellis hirtis; lobis calycis subulatis tubum duplo superantibus, tubum corollae dimidium aequantibus; lobis corollae superioribus lanceolatis, inferioribus ovatis mucronatis.

Cosihuiachi along rivulets; flowers in September. Stem 1 to 2 feet high; racemes short, few (3 to 12) flowered; color of flower darker red than in *L. cardinalis*, more like *L. fulgens*; distinguished from all similar ones by the short lobes of the calyx, and the ovate mucronate lower segments of the corolla.

I insert here the description of a nearly related species from the country below Monterey.

Lobelia phyllostachya, n. sp., glabra, caule erecto, folioso; foliis lanceolatis, acuminatis, irregulariter dentatis s. inferioribus subintegris; spica infra foliosa, elongata, densiflora; bracteis serrulatis, inferioribus florem longe superantibus, superioribus pedicello longioribus; calycis glabri laciniis subulatis corollam vix aequantibus s. ea brevioribus; laciniis corollae superioribus linearibus, inferioribus lanceolato-linearibus, acuminatis.

Swamps between Monterey and Cerralbo; flowers in May. Near *L. texensis*, Raf., but distinguished by its entire smoothness by the long (6 to 12 inches,) thick and foliaceous spike, and by the shorter segments of the calyx.

⁴² *Lobelia pectinata*, n. sp., caule erecto, scabriusculo, folioso; foliis, bracteis et lobis calycinis pectinato-dentatis, scabris; foliis inferioribus oblongo-linearibus sessilibus, superioribus e basi lata cordata, decurrente angustatis; racemo elongato densifloro, bracteis florem subaequantibus; calycis tubo turbinato pedicellum aequante, lobis duplo brevioribus; tubo corollae brevi, lobis superioribus lanceolatis, inferioribus ovatis, ad medium coalitis; antheris styloque inclusis, 2 inferioribus apice barbatis.

Cosihuiachi in moist places; flowers in September. Annual (?) 1 to 1½ foot high; leaves about 1 inch long; spike dense 4 to 6 inches long, blue flowers 6 lines long; tube with 3 slits about the middle.

⁴³ *Eriogonum atrorubens*, n. sp., perennis, foliis radicalibus petiolatis, lanceolatis, elongatis, villosis; caulis glabri glauci internodiis superne tumidis, clavatis; caule iteratim dichotomo, ad bifurcationes bracteis subulatis pilosis instructas involucrium alarem elongato-pedicellatum gerente; involucriis campanulatis 5-dentatis, margine pilosis, multifloris.

Cosihuiachi on the banks of streamlets, flowers in September. Perennial, 1½ to 2 feet high; leaves all radical, 5 to 6 inches long, 9 lines wide,

In the following spring Dr. Wislizenus accompanied the Missouri volunteers, under Colonel Doniphan, from Chihuahua to Parras, Saltillo, Monterey, and Matamoros.

Zealous as ever, he again made large collections on this tour, but his duties as a military surgeon occupied his time rather more than the naturalist should have desired. Nevertheless his collections are very full. Fortunately Dr. Gregg accompanied the same expedition, and also made rich collections in that almost unknown region, which we may consider as the southwestern limits of the valley of the Rio Grande.

Before going into detail I will only remark here, what a reference to the map and sections will more fully present, that the country between Chihuahua and Parras has a general elevation of from 4,000 to 5,000 feet; between Parras and Saltillo it rises from 5,000 to 6,000 feet, and thence it rapidly descends towards the lower Rio Grande.

South of Chihuahua, a curious leafless *Euphorbia* was collected, with tuberous roots and leafless stem, nevertheless apparently a near relative of *E. cyathophora*. Here, for the first time, *Berberis trifoliata*, Moric., was met with, which appears to inhabit the whole middle and lower valley of the Rio Grande, as we find it again in this collection from Monterey, and Mr. Lindheimer has sent beautiful specimens from the Guadalupe, in Texas.

Echinocerei and *Echinocacti* appear in greater abundance. The rediscovery of the beautiful *Echinocereus pectinatus* (*Echinocactus pectinatus*, Scheidw., *E. pectiniferus*, Lem., *Echinopsis pectinata*, Salm, in part) is peculiarly interesting, as it furnishes the means of proving a Texan species, which has been confounded with it, to be entirely distinct. The description of the plant, (which died without producing flowers,) found in several works, as well as in the latest publication on *Cactaceae*, before me, of *Foerster*, Leipzig, 1846, was made, as Prince Salm informed me, from specimens sent from Chihuahua by Mr. Potts; it entirely agrees with my specimen from the same region. But the description in Foerster's work of the flower of a specimen in Cassel, flowering in 1843, (not

on shorter petioles; some of the lower joints about 6 lines in diameter, the upper ones much less tumid; pedicells 1 to 3, lowest even 4 inches long; involucre about 1 line long and wide, always 5 toothed, including 25 to 30 deep red flowers; lobes about equal; nut olive green acuminate three winged. Singularly near *E. inflatum*, Torr. and Frem., perhaps too near to be specifically separated; but apparently distinct by the hairy leaves and bracts, the furcate division of the stem, the large number of flowers in each involucre, and perhaps their purple color, (not mentioned by Torrey.)

“*Phaseolus bilobatus*, n. sp., caule prostrato, pilis retosis hispidis; foliis adpresse pilosis reticulatis, lateralibus subsessilibus inaequaliter bilobatis, terminali petiolulato, lineari-oblongo; pedunculis folia longe superantibus multifloris; calycis hirsuti laciniis subulatis tubo aequantibus; leguminibus compressis, hirsutis, curvatis; seminibus laevibus.

Common about Cosihuiachi, flowers in September. Resembles *Ph. leiospermus*, T. and Gr., but the brown-red flowers, and legumes much smaller; shape of the leaves very characteristic. Legume 9 lines long and 1 line wide, seed very small.

known from where obtained,) shows *that* to be identical with a Texan species, common between the Brazos and Nueces rivers, which I have described in Engelmann and Gray's *Plantae Linheimerianae*, Boston Journal of Natural History, v, page 247, under the name of *Cereus caespitosus*, and which should now be named *Echinocereus caespitosus*. *Echinopsis pectinata*, β . *laevior*, Monv., and γ . *Reichenbachiana*, Salm, are perhaps forms of this Texan plant, which varies considerably in its native country. Dr. Wislizenus has sent me a living specimen and dried flowers of *E. pectinatus*; unfortunately the plant met with a similar fate to those sent to England by Mr. Potts, and there is none now in cultivation, if I am correctly informed; but I preserve the dried specimen in my herbarium, and have been enabled to draw up from it the description.⁴⁵

⁴⁵ *Echinocereus pectinatus* mihi, (*Echinocactus pectinatus*, Scheidw., *E. pectiniferus*, Lem.), simplex (an semper?), ovato-cylindricus, 23 costatus; areolis elevatis, linearibus, approximatis, junioribus albo-villosis; aculeis radialibus 16-20 subrecurvis, adpressis, pectinatis, albis, apice roseis, superioribus inferioribusque brevioribus, lateralibus longioribus; centralibus 2-5 brevissimis, uniseriatis; tubo floris pulvillis 60-70 brevimentosis aculeos albos s. apice roseos 12-15 gerentibus stipato; sepalis interioribus 18-20 oblanceolatis; petalis 16-18 oblongis, obtusis, eroso-denticulatis, mucronatis.

Bachimba, south of Chihuahua; flowers in April. Stem 7 inches high, below $3\frac{1}{2}$, above $2\frac{1}{2}$ inches in diameter; upper and lower spines 2 lines, lateral 4 lines long; central spines mostly 3, sometimes 2, and below as much as 5, in one vertical row, $\frac{1}{2}$ to 1 line in length. Flowers about 3 inches long and wide; red or purple, spiny bristles on the tube 2 to 3 lines long; the uppermost 3 to 5 lines long, only 3 to 5 together.

It will not be amiss to introduce here again a more complete and correct description of its Texan relative.

Echinocereus caespitosus mihi, (*Echinopsis pectinata*, authors in part; *Cereus caespitosus*, Engelm, l. c.) ovatus, caespitosus, 13-18-costatus, areolis elevatis, linearibus, approximatis, junioribus albo-villosis; aculeis radialibus 20-30 subrecurvis adpressis, pectinatis, albis (nonnunquam roseis, Lindh.) superioribus inferioribusque brevioribus, lateralibus longioribus, centralibus nullis; tubo floris pulvillis 80-100 longe cinereo-villosis setas apice s. totas fuscas s. nigricantes 6-12 gerentibus, stipato; sepalis interioribus 18-25 oblanceolatis integris s. denticulatis; petalis 30-40 obovato-lanceolatis, obtusis, acutis, s. mucronatis, ciliato-denticulatis; stigmatibus viridi infundibuliformi, 13-18-parito; bacca viridi ovata, perigonio coronata, villosa, setosa, demum nudata; seminibus obovatis tuberculatis, nigris.

From the Brazos to the Nueces, in Texas, Lindheimer; flowers in May and June; generally 1 to 2 inches high, and of nearly the same diameter; rarely as much as 5 or 6 inches high, and 2 to $3\frac{1}{2}$ inches in diameter; longer lateral spines in different specimens 2 to 4 lines long; flowers in the northern specimens, from Industry, 2 inches long and wide, in those from New Braunfels $2\frac{1}{2}$ to 3 inches in diameter and length; generally a little wider than long when fully open. Brown or black bristles on the tube 2 to 5 or 6 lines long, surrounded by wool, which is often 3 lines in length.

Near San Pablo another *Echinocereus*⁴⁶ was found, and dried flowers as well as living specimens have safely arrived here. A large *Echinocactus*⁴⁷ was collected near Pelayo; unfortunately no flowers were seen; but the specimen brought to St. Louis is so far in fine condition. Of another smaller, but most elegant species of the same genus,⁴⁸ Dr. Wis-

⁴⁶*Echinocereus enneacanthus*, n. sp., ovato-cylindricus 10-costatus; areolis elevatis, orbiculatis, distantibus, junioribus breviter albo-tomentosis; aculeis angulatis, compressis, rectis, albis; radialibus 8 subaequalibus, centrali singulo longiore, demum deflexo; floris tubo pulvillis 30-35 albo-tomentosis setas spinescentes albas fuscatasque inferioribus 6, superioribus 2-3 gerentibus stipato; sepalis interioribus 10-13 oblongo-linearibus, petalis 12-14 lineari-oblongis obtusis s. mucronatis, apice denticulatis; stigmatibus supra stamina breviter exsertis, 8-10 linearibus elongatis.

Near San Pablo, south of Chihuahua; flowers in April. Plant 5 to 6 inches high, 3 to 4 in diameter; branching from the base; areolae about 1 inch distant from one another, spines stout, angular, like those of *E. triglochidiatus*, lateral spines 9 to 16, central one 18 to 22 lines long. Flowers $2\frac{1}{2}$ to 3 inches long, red; spiny bristles in the axills of the lowest sepals (on the ovary) four brown 2 to 4 lines long, and two white 3 to 4 lines long; higher up the number of the brown bristles diminishes, and on the upper part of the tube we find only two white bristles of 6 lines length in the axills.

⁴⁷*Echinocactus flexispinus*, n. sp., globosus, vertice subnudo, costis 13 obliquis, tuberculato subinterruptis; areolis ovatis, junioribus albo-tomentosis, distantibus; aculeis junioribus rubellis, demum cinereis; radialibus 9-11 rectis s. subflexuosis, superioribus tenuioribus, infimo breviori, curvato, lateralibus longioribus compressis annulatis, rectiusculis; centralibus 4 angulatis compressis annulatis, 3 superioribus rectiusculis s. curvatis, inferiore longissimo flexuoso, plerumque paulo uncinato, deflexo.

Pelayo, between Chihuahua and Parras. The specimen before me is 10 inches high, and the same in diameter; ribs thick but not rounded; areolae (without the floriferous areolae, which are 3 to 4 lines long,) 6 lines long and 4 wide, 1 or $1\frac{1}{2}$ inch distant; upper spines the most slender, $1\frac{1}{4}$ to $1\frac{1}{2}$ inch long; lowest one 1 to $1\frac{1}{4}$ inch long, stouter; lateral spines $1\frac{1}{2}$ to 3 inches in length, slightly, and sometimes indistinctly annulated; upper central spines $2\frac{1}{2}$ to 4 inches long; lower spine stoutest, 4 to 5 inches long, mostly deflexed, often flexuous and twisted, more curved or even hooked at the extremity, much compressed, 4-angled, sharply carinate above and below, slightly annulated.

⁴⁸*Echinocactus unguispinus*, n. sp., depresso-globosus, costis 21 interruptis tuberculatis, areolis approximatis junioribus, albo-tomentosis; aculeis radialibus sub 21 tenuioribus, albidis, recurvis, intertextis, centralibus 5 (rarius 6) robustioribus, longioribus, corneis, sursum versis, singulo robustissimo, fusco deorsum flexo; floris ovario tuboque brevi sepalis membranaceis, auriculato-cordatis, fimbriatis stipato; petalis oblongis obtusis; stigmatibus brevissimo conico 10-15 sulcato, (s. partito?)


About Pelayo, flowers in May. A very elegant plant; the specimen

lizenus collected the living plant and flowers, and Dr. Gregg the ripe fruit. It is distinct from the other *Echinocacti* found in those regions by the membranaceous very thin sepaloid scales on the tube of the flower and the juicy glabrous fruit, in which respect it resembles my *E. setispinus* from Texas; *E. texensis*, Hpr., has a juicy fruit, covered with woolly and spiny scales; *E. Wislizeni* and others have a dry fruit, covered with hard scales.


My *Opuntia frutescens* (Plant. Lindh. l. c. p. 245) which had been collected by Mr. Lindheimer along the Colorado and Guadalupe rivers, in Texas, was also found south of Chihuahua by Dr. Wislizenus, and again along the route near Parras, and below Monterey. The suggestion made in the Plant. Lindh., that it may be a southern variety of *O. fragilis* of the Upper Missouri, has proved to be erroneous, as they belong to quite distinct sections of the genus *Opuntia*; *O. frutescens*, together with *O. vaginata*, (vide note 18,) is one of the *Opuntiae cylindraceae graciliores*, and is apparently nearly related to *O. leptocaulis* DC., but is easily distinguished by its strong, white, single spines, while *O. lept.* has 3 short blackish bristles.

Agave Americana, with several relatives, was found in abundance on this part of the route; *Argemone Mexicana*, white, yellow, or rosecolored, was frequently met with; *Samolus ebracteatus* occurred in moist places so far inland, and on such elevations, while before it was only known as a littoral plant; *Mabvaceae*, *Oenotherae*, *Asclepiadaceae*, *Giliae*, *Solaneae*, *Justiciae*, shrubby *Labiatae*, were collected of many different species; but the great characteristic of the country were the shrubs forming the often impenetrable thickets, called "chaparráls." They are mostly spinous,


before me 4 inches in diameter, 3 inches in height; the large recurved spines, especially the stoutest central one, which is of a bluish horncolor, with a brown point, and is curved and bent downward like a large fang, cover the whole surface of the plant, and give it a very pretty appearance. Lower radiating spines 6 to 10, upper 12 to 15 lines long; upper central spines 12 to 18 lines long, but lower stouter one only 10 to 12 lines in length. Flowers described from the shrivelled specimens found on the living plant; about 1 inch in length, and probably pale red. I have little doubt that some fruits collected in the same region (about San Lorenzo) by Dr. Gregg belong to this species; the fleshy oval berry is 10 or 12 lines long, covered with the same auriculate thin scales which we find on the flowers, and crowned with the remnants of the flower; seeds black, much compressed, somewhat rough, albumen considerable, embryo curved, cotyledonous short obtuse. This is a very remarkable plant, and approaches in shape some *mammillariae*; the tubercles which form the interrupted ribs are sideways compressed, have a tomentose groove on their upper edge, which ends in a regular axillary depressed areola, like that of a true *mammillaria*; but the scaly ovary and the curved embryo prove it to be an *Echinocactus*. The specimen brought here by Dr. W. died soon after it arrived, as many of those collected in April and May during the flowering season, though only two months on the road, while those collected the year before, between August and November, which had been packed up for eight or ten months, mostly do very well now. Dr. Gregg's seeds, however, have germinated well.




PROFILE OF ELEVATIONS ABOVE THE LEVEL OF THE SEA.



ROUTE FROM INDEPENDENCE MO. TO SANTA FE.



ROUTE FROM SANTA FE TO CHIHUAHUA.



ROUTE FROM CHIHUAHUA TO REYNOSA ON THE RIO GRANDE.

[4

liza
fru
the
anc
nu
anc
har

lec
Te
alo
in
the
dis
vag
anc
tin
bla

thi
wa
so
a l
Jus
the
im

be
spi
wi
co
Lo
spi
ler
liv
do
by
lin
on
bla
cu
apl
int
thi
the
pre
die
du
the
ha
Di

Sci

87

87

87

87

87

GEOLOGICAL SKETCH.

Independence




[

liz
fru
the
ano
mu
ano
han

lec
Te
alo
in
the
dis
va
an
tin
ble

thi
wa
so
a
Ju
the
im


be
spi
wi
co
Lo
spi
lex
liv
do
by
lin
on
bli
cu
apl
int
the
tha
pre
die
du
the
ha
Dr





MAP
of a tour from Independence to
SANTA FE, CHIHUAUA,
MONTEREY AND MATAMOROS
BY A. M. SHERIDAN
in 1816 and 1817.

Explanation of signs
 • Towns and Villages
 • Rivers and Canals
 • Highways
 • Antiquarian Monuments
 • Topography of the Country
 • Scale of 50 miles in one inch



very much branched, often with remarkably small leaves, and not rarely with edible fruits. Among them many rhamnaceous and Celastraceae shrubs, and some *Euphorbiaceae*, were particularly conspicuous, as well as some *Mimoseae*, one of which I must not forget to mention, because it is perhaps the smallest shrub in this family; not more than one or two inches high, with diminutive leaflets, but large purple flowers; it was collected near Chihuahua.

One of the most offensive of these chaparral-shrubs was the *Koeberlinia*, Zucc., called here *Junco*, (Gregg.) a small tree rather than a shrub, about 10 feet high, stem 4 to 6 inches in diameter; wood hard, dark brown with white alburnum; terminal branches green, with a dark brown spinous termination, 1 to 2 inches long, and $1\frac{1}{2}$ to 2 lines in diameter; very small subulate leaves soon deciduous; small white flowers in short lateral racemes; fruit not seen; in flower in May. It was frequently seen from south of Chihuahua to Monterey, (and Matamoros, Gregg.)

We find here again the interesting *Chilopsis* mentioned above, (see note 11,) also *Larrea glutinosa*, (note 10,) and another zygothylaceous shrub, a true *Guajacum*,** which appears to be an undescribed species; it belongs to those plants that connect the Mexican with the Texan flora, as we find it extending from Parras to Monterey, and from there to the Upper Colorado, in Texas. *Tecoma stans* reappeared here with smaller pubescent leaves and more alate petiole, though probably not distinct from the larger and smoother plant found below Paso.

The beautiful *Fouquieria splendens*, (see note 16,) with its panicles of long tubular crimson flowers, rose here above all other shrubs; in some instances it reached a height of from 20 to 30 feet, and perhaps more, always in single stems.

A few species of *Yucca*, together with *Opuntia arborescens*, (note 5,) formed almost the only trees on the arid plains. But in the valley of the Nazas occur stately trees of a species of *Algarobiu*, distinct from the *A. glandulosa* of the north, with broader legumes, larger seeds, and few or no glands on the leaves.

About Saltillo *Echinocactus texensis*, Hpfr. (*E. Lindheimeri*, Engelm., in Plant. Lindh. l. c.) was found, which extends from here to Matamoros, and to the Guadalupe and Colorado, in Texas. The pretty *Mammillaria strobiliformis*,* grows on rocks near Rinconada. *Hunne-*

** *Guajacum angustifolium*, n. sp., foliis sub-5 (4-8) jugis glaberrimis, foliolis oblongo-linearibus, reticulatis; pedicellis et basi calycis pubescentibus; ovario bilobo, pubescente; capsula bivalvi, seminibus 2 ovatis.

About Parras; collected also by Dr. Gregg, who has found the plant common from Monclova to Parras, Monterey, and Camargo; found by Mr. Lindheimer on the Pterdenales river in Texas; flowers in April and May. Shrub or small tree with very knotty branches; leaflets mostly in 5 or 6 pairs, only on young vigorous shoots 6 to 8 pairs, mostly only 4 lines long, $\frac{1}{2}$ to 1 line wide, reticulated on both sides. Purple flowers 6 lines in diameter; seeds yellow, of the size of small beans. The hard and heavy yellowish brown wood is called "*Guajacan*" about Saltillo, and used as a sudorific and in venereal diseases, (Dr. Gregg.)

* *Mammillaria strobiliformis*, n. sp., simplex ovato-conica, tuberculis imbricato-adpressis, conicis, applanatis, sulcatis; aculeis rectis radialibus

mannia fumariaefolia, Sweet, was collected near Saltillo, with smaller flowers, (1½ inch in diameter,) and near Rinconada, with larger ones, (3 inches in diameter;) an interesting plant, the eastern representative of the Californian *Eschscholtzia*, but perennial, with a small torus, a different stigma, etc.

I cannot omit to introduce here a beautiful shrub discovered on the rocks about Agua Nueva and Buena Vista by Dr. Gregg. Depending upon Don's characters of *Cowania* as correct, I must consider this plant as the type of a new genus, which I have great pleasure to dedicate to its indefatigable discoverer, my friend Dr. Josiah Gregg, whose name has already been frequently mentioned in these pages.⁵¹ *Greggia rupestris* is a lovely, sweet-scented shrub, with flowers resembling roses in shape and color, so that Dr. Gregg was induced to name it the "Cliff rose."

North and northeast of Monterey we reach the lower country, and with it a different vegetation; here is the home of the shrubby *Cassieae* (*Par-kinsonia*, *Casparea*, etc.), and *Mimoseae*; *Sophora*, *Diospyros*, some species of *Rhus* and *Rhamnus* are common here, as well as a climbing yellow-flowered *Hiraca*, while another erect red-flowered species grows on the table-lands near Parras. One of the most beautiful shrubs of that district is *Leucophyllum texanum*, Benth., with its whitish tomentose leaves and sweetscented blue flowers. It is common from San Antonio, in Texas, to Monclova, and from Cerralbo to Camargo, but is not seen on the table-lands.

sub-10 albidis, centralibus 3 fusco-atris, 2 minoribus sursum versis, singulo longiore porrecto; floribus in vertice lanato centralibus, ovario lanoso; sepalis sub-10 lanceolatis, acutis, integris; petalis sub-24 ovato-lanceolatis, mucronatis, integris vel versus apicem erosis; stigmatibus 7 flavis erecto-patentibus exsertis.

Rinconada, on rocks; flowers in June. About 3 inches high, and 2 inches in diameter below; tubercles in 10 to 13 oblique rows closely adpressed, so as to give the whole plant the appearance of a pineapple or cone, tomentose in the groove and the axills, about 6 lines long; radial spines 3 to 5, central 5 to 8 lines long; flowers central, 3 to 5 in a cluster together imbedded in long and dense wool, about 15 lines long and wide; petals deep purple.

⁵¹ *Greggia*, n. gen., (*Greggia*, Gaertn. = *Eugenia*, Mich., fide Endlicher,) calyx tubulosus, 5-lobus, imbricatus; petala 5 calycis fauci inserta; stamina numerosissima cum petalis inserta; ovaria plura fundo calycis inserta 1-rarius 2-ovulata; stylus villosus, deciduus, stigma nudum; ovulum supra basin ovarii placentae laterali insertum, anatropum; achenia villosa, ecaudata; semen unicum erectum, embryo radícula infera.

A Mexican shrub with small cuneate truncate dentate leaves with adnate stipules, and solitary rose-colored or purple sweetscented flowers.

Greggia rupestris, n. sp., cliffs about Saltillo, Buena Vista, and Agua Nueva, flowers January to March; several feet high, much branched, leaves about 6 lines long, and at the apex 3 lines wide, crowded; revolute on the margin, glabrous above, tomentose beneath; flowers terminal on short branchlets 15 to 18 inches in diameter. Nearly related to *Cowania*, but distinguished by the imbricate, not valvate calyx, the red, not yellow flowers, and the deciduous, not persistent style.

Vitis bipinnata and *V. incisa*, well known in the southwestern parts of the United States and Texas, were also found here. Remarkable herbaceous plants were a *Nicotiana*, an *Orobanche* (on the seacoast,) an *Eustoma*, several *Asclepiadaceae*, *Malvaceae*, *Cucurbitaceae*, *Labiatae*, and others. *Lobelia phyllostachya* has already been mentioned above. (See note 41.)

Hasty and imperfect as this notice of the collections of Dr. Wislizenus is, it cannot but impress the botanist with the richness and novelty of the flora of these countries, and invite the arduous explorer to further exertions.

GEORGE ENGELMANN, M. D.

St. Louis, December, 1847.

Upon the authority of Professor John Torrey, of New York, who has done me the favor to look over the botanical manuscript of Dr. Engelmann before its going to press, I add here the following two corrections:

Larrea glutinosa (n. sp., No. 10) seems to be *Larrea Mexicana* of Moricand, described and figured in a work to which Dr. E. had not access.

Geranium pentagynum (n. sp., No. 6) seems to be *Geranium Frémontii* (Torr.) of Frémont's second report.

A. W.

THE METEOROLOGICAL TABLES

Are prepared from my meteorological journal, kept on the road. Some of the columns may require an explanation.

The column "*boiling point of water*," refers to my observations with two thermometers, constructed by my order, by J. W. Edmonds, of Boston, each varying from 85 to 100° Celsius, and every degree divided in tenths. I made many experiments with them on the road, to find the relative difference between the boiling point of water and the mercurial column of my barometer. From about 50 such observations, made within the range of from 23 to 29 inches of the barometer, I abstracted the general result, that 1 inch of my barometer at the temperature of 32° Fahr., was = 1°.04138 boiling point Therm. Cels., and 1° Th. C. = 0".96026 of the barometer. But, at the same time, I have come to the conclusion, as others before me, that the determination by the boiling point of water can never in correctness equal the barometrical measurement. A difference in fuel, in water, in the size of the vessel, in draught of air, &c., is apt to produce such a discrepancy in the relative boiling point, that this method will answer well enough as a correlative proof of the barometer, and for heights, where several hundred feet, more or less, is not a matter of consideration, but that it will never be capable of supplying the place of the barometer.

The *dew point*, found by excess of temperature of the dry over the wet bulb, is calculated according to "tables for the determination of the dew-point," given in the Encyclopædia Britannica, and republished in the "Report to the Navy Department of the United States on American coals," by Professor Walter R. Johnson: Washington, 1844." Observations beyond the reach of these tables, I calculated according to the rule given by Professor Espy: "The dew-point, when it is not very low, may be nearly obtained by multiplying the difference between dry and wet bulb temperature with 103, dividing the result by the wet-bulb temperature, and subtracting the quotient from the dry-bulb temperature; the remainder will be the dew point."

In the column "*wind*," the force of the wind is designated, as recommended by Professor Espy, by numbers from 0 to 6; 0 being a calm, 1 a very gentle breeze, 2 a gentle breeze, 3 a fresh wind, 4 a strong wind, 5 a storm, and 6 a hurricane.

The *clearness of the sky* is also marked in numbers from 0 to 10; 0 representing entire cloudiness, and 10 entire clearness.

METEOROLOGICAL TABLES. *2.*

METEOROLOGICAL TABLE.

Date.	Hour.	Baromet.	Thermometer, Fahrenheit.			Ther. C.	Wind.	Sky.	Elevation above sea, in English feet.	Camping places.	Supposed distances in Eng. miles.		Remarks.
			Attached.	Detached.	Wet bulb.	Dew point.					From last camp.	From Independence.	
1846. May 9	5 A.	28.850	73.0	74.0	-	-	-	5	1,040	Independence, Mo., in No-land house.	-	-	On the night of 12th, and during 13th, constant rain.
	9 M.	28.955	67.0	69.0	-	-	-	5	-	do.	-	-	
	12	28.960	70.0	75.0	-	-	-	6	-	do.	-	-	
	3 A.	28.915	73.0	76.5	-	-	-	6	-	do.	-	-	
11	9 M.	28.970	68.0	68.0	-	-	-	5	-	do.	-	-	
	12	28.970	73.0	79.5	-	-	-	5	-	do.	-	-	
	3 A.	28.945	76.0	84.0	-	-	-	3	-	do.	-	-	
12	9 M.	28.880	70.0	79.0	-	-	-	3	-	do.	-	-	
	12 A.	28.845	77.0	79.0	-	-	-	3	-	do.	-	-	
	3	28.775	77.5	79.0	-	-	-	1	-	do.	-	-	
15	Sunrise	-	-	44.5	44.0	42.7	SE. 3	5	1,080	Big blue camp, 3 miles west of Big Blue river.	-	20	
	9 M.	29.190	66.0	65.0	55.5	47.0	3	5	-	do.	-	-	
	12	29.215	73.0	73.0	60.0	62.3	4	10	-	do.	-	-	
	3	29.135	75.0	70.5	68.5	66.8	4	5	-	do.	-	-	
16	Sunrise	-	-	52.0	51.0	49.8	-	4	-	do.	-	-	
	9 M.	29.200	72.5	71.0	63.0	58.1	SE. 4	8	-	do.	-	-	
	12	29.175	82.0	80.0	68.0	62.4	4	5	-	do.	-	-	
	3 A.	29.155	84.5	80.0	68.0	62.4	4	5	-	do.	-	-	
18	4 A.	29.245	71.0	67.0	63.0	60.5	NE. 3	1	-	do.	-	-	
19	Sunrise	-	-	52.5	51.0	48.1	SE. 3	1	-	do.	-	-	
	9 M.	29.265	68.0	64.0	56.0	49.0	3	3	-	do.	-	-	
	12	29.250	77.5	73.0	62.0	55.1	3	5	-	do.	-	-	
	3 A.	29.175	76.0	75.0	67.0	63.0	SE. 3	5	-	do.	-	-	
20	Sunrise	-	-	62.0	61.0	60.3	SE. 2	0	-	do.	-	-	

9 M.	29.120	79.0	79.0	72.0	69.2	-	2	-	Do.	do.	do.	-	Thunder storm, with rain, about noon.
12½ A.	29.030	75.0	69.5	68.5	67.2	99.65	2	1	Do.	do.	do.	-	Thunder storm and rain in the night.
3½	28.990	74.0	72.5	69.5	67.3	-	2	2	Do.	do.	do.	-	
21 Sunrise	-	-	62.5	61.5	60.0	-	-	-	Do.	do.	do.	-	Rain in the night.
9 M.	29.050	76.5	74.0	-	-	-	2	5	Do.	do.	do.	-	
12	28.985	84.0	82.0	70.0	64.9	99.70	4	4	Do.	do.	do.	-	
3 A.	28.925	84.0	83.0	68.0	61.1	-	4	3	Do.	do.	do.	-	
9 M.	29.095	75.0	76.0	68.5	65.0	-	4	5	Do.	do.	do.	-	
4 A.	28.985	82.0	80.0	70.0	65.7	-	4	7	Do.	do.	do.	-	
23 Sunrise	-	-	62.0	-	-	-	8	8	Do.	do.	do.	-	
3½ A.	28.915	82.0	82.0	78.5	77.4	99.65	6	1	Do.	do.	do.	-	
24 Sunrise	28.955	61.5	61.5	-	-	-	2	1	Do.	do.	do.	-	
1 A.	28.925	85.0	84.0	73.5	69.7	99.70	3	5	Do.	do.	do.	-	
5 M.	28.995	67.0	67.0	67.0	-	-	2	0	Do.	do.	do.	-	
6 A.	28.810	78.0	78.0	69.0	65.0	-	3	5	Do.	do.	do.	-	
26 Sunrise	28.865	63.4	64.0	63.0	62.3	-	1	6	Do.	do.	do.	-	
1½ A.	28.940	83.0	82.5	69.0	62.2	99.70	1	10	Do.	do.	do.	-	
5½ M.	28.865	63.5	62.0	60.0	58.5	-	3	0	Do.	do.	do.	-	
27	28.865	63.5	62.0	60.0	58.5	-	3	0	Do.	do.	do.	-	
28	28.785	88.0	87.0	74.0	69.4	99.60	1	3	Do.	do.	do.	-	
2 A.	28.560	59.0	55.0	55.0	-	-	0	2	Do.	do.	do.	-	
3½ A.	28.390	73.0	74.0	66.0	61.8	99.10	0	0	Do.	do.	do.	-	
6½	28.255	64.5	63.5	-	-	-	2	1	Do.	do.	do.	-	
29 Sunrise	28.290	51.5	50.5	-	-	-	0	5	Do.	do.	do.	-	
12	28.535	79.0	76.0	65.0	59.1	99.30	2	5	Do.	do.	do.	-	
5 M.	28.525	50.0	50.0	49.0	47.7	-	0	0	Do.	do.	do.	-	
5 A.	28.990	75.0	73.0	62.0	55.1	99.00	3	3	Do.	do.	do.	-	
31 Sunrise	-	-	57.0	55.5	54.1	-	3	2	Do.	do.	do.	-	

Thunder storm from NE. in the night, a rain shower on next morning.

Thunder storm without rain, in night.

Thunder storm, with light rain, from 3 to 7 o'clock, A.

TABLE.—Continued.

Date.	Hour.	Barometer.	Thermometer, Fahrenheit.				Ther. C.	Wind.	Sky.	Elevation above sea, in English feet.	Camping places.	Supposed distances in Eng. miles.		Remarks.
			Attached.	Detached.	Wet bulb.	Dew point.	Boiling point of water.					From last camp.	From Independence.	
1846. May 31	4½ A.	28.240	58.0	54.5	-	-	-	NE. 4	0	1,536	Night camp, on Willow cr.	14	179	Thunder storm, with hail and rain, from noon till next morning.
June 1	7 M.	28.440	54.0	53.0	50.0	46.2	-	3	10	-	Do. do.	6	185	
	4¼ A.	28.465	65.0	68.0	52.5	36.3	99.15	W. 3	1	1,550	Noon camp, on Cottonwood creek.	6	191	
2	Sunrise	-	-	44.5	43.5	40.2	-	1	7	-	Night camp in prairie, on a water pool.	12	203	
3	2 A.	28.300	80.0	80.0	72.0	68.8	99.05	S. 3	3	1,775	Noon camp, near Little Turkey creek.	10	213	
	Sunrise	28.255	60.0	59.0	56.0	54.2	-	SW. 1	5	1,732	Night camp in prairie, with- out water.	10	223	
4	2 A.	28.300	70.0	67.0	59.0	53.0	-	NE. 4	1	1,738	Noon camp, on Little Ar- kansas.	6	229	
	Sunrise	28.340	49.0	48.0	46.0	42.9	-	2	1	1,603	Night camp in prairie, with- out water.	14	243	
5	3 A.	28.430	70.0	67.0	53.0	38.8	-	NW. 2	1	1,609	Noon camp, on Big Cow cr.	16	259	
	Sunrise	28.175	45.0	44.5	43.5	40.2	-	WSW. 1	1	1,750	Night camp at Camp Osage, near Arkansas river.	8	267	
6	10½ M.	28.130	73.0	75.0	68.0	64.6	98.80	WSW. 2	3	1,920	Noon camp, on Walnut cr.	19	286	
	5 M.	27.945	52.0	52.0	48.0	42.4	-	W. 1	5	1,970	Night camp, near Ash cr.	6	292	
7	12¼ A.	27.980	83.0	79.0	61.0	49.6	98.60	SW. 1	0	2,109	Noon camp, on Pawnee fork.	16	308	
	Sunrise	28.090	55.5	54.0	52.0	49.7	-	0	1	1,878	Night camp in prairie, with- out water.	6	314	
	12½ A.	27.875	80.0	80.0	65.0	57.1	98.60	WSW. 2	1	2,210	Noon camp, on Little Coon creek.			

8	9½ M.	27.875	74.0	73.0	63.0	57.0	-	se.	2	5	2, 180	Night camp in prairie, on a water pool.	17	331
9	5 A.	27.825	87.0	78.5	64.0	55.0	98.40	se.	2	7	2, 279	Noon camp, near Arkansas	10	341
	Sunrise	27.700	55.0	52.0	51.0	49.8	-	se.	1	8	2, 264	Night camp, on Caches of Arkansas.	12	353
10	5½ A.	27.535	82.0	74.0	59.5	49.3	98.20	se.	2	5	2, 703	Night and noon camp, at crossing of Arkansas.	20	373
	10½ M.	27.445	74.0	75.0	61.5	53.0	98.10	se.	3	3	-	Do.	-	-
11	4 A.	27.295	83.0	77.0	-	-	-	s.	3	10	-	Do.	15	388
	5½ M.	27.160	54.0	52.0	49.5	46.3	-	s.	1	5	2, 811	Night camp, on Battle ground.	18	406
12	5½ A.	27.005	84.5	78.5	59.0	44.1	97.70	se.	4	10	3, 131	Noon camp in prairie, with out water.	17	423
	7 M.	27.110	64.0	64.5	56.0	47.4	-	e.	3	10	2, 923	Night camp, on Sand creek	8	431
13	4 A.	27.050	94.0	81.5	64.0	53.5	97.75	se.	3	10	3, 120	Noon camp, on Lower springs of Cimarron.	8	439
	5 M.	27.025	55.0	52.0	50.5	48.6	-	s.	3	9	2, 953	Night camp, near Cimarron	18	457
14	5 A.	26.750	92.0	88.0	65.0	53.3	97.55	se.	1	5	3, 455	Noon camp, near Cimarron	8	465
	Sunrise	26.710	60.0	58.0	53.0	47.8	-	se.	1	5	3, 313	Night camp, on Middle springs of Cimarron.	3	468
15	1½ A.	26.690	92.0	92.0	67.0	55.6	97.30	sw.	3	8	3, 533	Noon camp, near Cimarron	12	480
	Sunrise	26.475	59.0	57.5	53.0	47.1	-	sw.	1	8	3, 557	Night camp in prairie, with out water.	6	486
16	7½ A.	26.450	85.5	84.0	66.5	57.3	97.10	w.	4	0	3, 749	Noon camp, on Cimarron	8	494
	12	26.290	73.0	71.0	60.0	52.4	-	s.	2	8	3, 830	Night camp, at crossing of Cimarron.	17	511
17	4½ M.	26.250	63.0	60.5	59.0	56.9	-	sw.	1	1	-	Do.	6	517
	5 A.	25.945	78.0	74.5	62.5	58.2	96.70	sw.	2	3	4, 250	Noon camp, on Cold Spring	8	525
18	1 A.	25.800	57.0	57.0	57.0	-	-	sw.	1	0	4, 275	Night camp in prairie, with out water.	12	537
	12½ A.	25.465	83.0	85.0	64.0	52.7	96.10	nw.	1	9	4, 848	Noon camp, on Cedar creek	12	549
19	Sunrise	25.370	59.5	59.0	57.0	55.3	-	e.	1	7	4, 763	Night camp, on McNeas' cr.	12	561
	1 A.	25.135	85.0	80.5	62.0	49.9	95.75	e.	4	8	5, 203	Noon camp, on Cottonwood branch.	12	561
20	5 M.	24.735	53.0	52.0	50.5	48.6	-	-	0	10	5, 422	Night camp, on Rabbit-ear creek.	12	561

The barometrical observations are made on both sides of the river, about 100 yds distant from it, and about 10 feet above the level of the water.

About 1 A., light rain.
Very foggy.

In the evening thunder and lightning, without rain.

TABLE E—Continued.

Date.	Hour.	Barometer.	Thermometer, Fahrenheit.				Ther. C.	Wind.	Sky.	Elevation above sea, in English feet.	Camping places.	Supposed distances in Eng. miles.		Remarks.
			Attached.	Detached.	Wet bulb.	Dew point.		Boiling point of water.				From last camp.	From Independence.	
1846. June 19 20	5½ A.	24.150	79.0	75.0	57.0	40.8	-	-	3	6,202	Night camp, on Rock creek do.	20	581	In the afternoon thunder and lightning without rain, but with strong south wind. Very foggy, and drizzling.
	4¼ M.	24.140	55.0	54.0	53.0	51.9	-	-	7	6,360	Do. Noon camp, on Whetstone creek.	6	587	
	12	24.105	76.0	77.0	63.0	54.8	94.70	sw.	5					
21	5 M.	23.915	59.0	57.0	-	-	-	-	3	6,412	Night camp, on Point of Rocks.	14	601	In the afternoon thunder and lightning, with light rain.
	12	24.015	78.0	79.0	64.5	54.7	94.75	sw.	6	6,486	Noon camp, in a cañon	8	609	
	Sunrise	24.580	50.0	49.0	49.0	-	-	-	10	5,642	Night camp, on Rio Colorado.	12	621	
22	12	24.405	80.0	76.0	66.0	62.5	95.00	w.	8	6,012	Noon camp, on Ocate creek	6	627	In the afternoon thunder and lightning without rain, in the evening a hail storm.
	5¼ M.	23.965	60.0	57.0	56.5	56.0	-	-	2	6,356	Night camp in prairie, without water.	12	639	
	4½ A.	23.995	80.0	78.5	63.0	53.0	94.50	sw.	8	6,511	Noon camp at Santa Clara, near Wagon mound.	12	651	
24 25	1 A.	23.900	78.0	78.0	63.0	54.2	94.40	sw.	6	6,616	Noon camp, on Wolf creek	13	664	Towards evening thunder and lightning, with rain and hail.
	5 M.	23.755	58.0	54.5	-	-	-	sw.	10	6,583	Night camp in prairie, (passed Rio Mora.)	14	678	
	2½ A.	23.860	82.0	82.5	64.5	53.9	94.40	w.	4	6,705	Noon camp on Gallinas cr., east of Las Vegas.	12	690	
26	5 M.	23.875	60.5	62.0	58.0	54.8	-	sw.	1	6,357	Night camp, in a cañon	6	686	
	1¼ A.	24.050	85.0	84.5	65.5	55.0	94.55	sw.	4	6,499	Noon camp on a creek, near Tochalote-abajo.	7	703	

27	5 M.	24.115	53.5	52.0	51.5	50.9	-	0	10	6, 133	Night camp, east of San Miguel.	10	713
	1 A.	24.140	89.0	91.0	62.0	42.9	-	3	5	6, 431	Noon camp, west of San Miguel.	4	717
28	2 1/2 A.	23.500	88.0	89.5	58.0	33.6	94.10	NW.	3	7, 098	Noon camp at Rio Pecos springs, opposite the old Pecos village.	20	737
29	5 M.	23.135	50.0	47.5	45.8	40.8	-	0	8	7, 950	Night camp, on Cottonwood branch.	6	743
	1 A.	23.520	85.0	82.0	56.0	40.3	-	2	3	7, 176	Noon camp in a cañon, on a creek.	8	751
30	3	23.440	56.0	-	-	-	-	-	-	-	Do.	-	-
	5 1/2 M.	23.205	51.0	49.5	45.5	37.5	93.80	NW.	1	7, 184	Night camp in a cañon, near springs, (Armijo's camp.)	6	756
July 1	11 1/2 M.	23.835	83.0	80.0	60.5	47.8	94.40	S.	3	6, 723	Noon camp, on a creek - Santa Fe	5	761
2	5 A.	23.495	80.0	80.0	-	-	-	2	7	7, 047	-	4	765
	9 M.	23.505	75.0	75.0	-	-	-	0	8	-	-	-	-
	12	23.425	79.0	79.0	-	-	-	3	8	-	-	-	-
3	3 A.	23.350	76.0	76.0	-	-	-	2	5	-	-	-	-
	9 M.	23.415	75.5	75.5	-	-	-	2	10	-	-	-	-
	12	23.425	79.0	79.0	-	-	-	2	9	-	-	-	-
4	3 1/2 A.	23.355	80.0	80.0	-	-	-	1	8	-	-	-	-
6	9 M.	23.445	73.0	73.0	-	-	-	0	10	-	-	-	-
	3 M.	23.525	77.0	76.0	54.0	33.1	-	1	7	-	-	-	-
	12	23.535	79.0	81.5	60.5	45.7	-	2	5	-	-	-	-
7	3 A.	23.430	83.0	86.0	58.5	37.6	-	3	8	-	-	-	-
	9 M.	23.570	75.0	74.0	55.0	38.1	-	1	10	-	-	-	-
	12	23.525	80.0	84.5	58.0	37.3	-	2	8	-	-	-	-
8	3 A.	23.400	79.5	81.0	59.0	43.6	-	3	4	-	-	-	-
	5 A.	23.765	83.5	83.0	57.0	36.0	94.25	SW.	4	6, 732	Aqua Fria, 6 miles west of Santa Fe.	-	-
16	7 M.	25.285	69.0	67.5	64.5	61.9	-	0	0	-	About 3 miles N. of Albuquerque, in a level plain near the Rio del Norte.	-	-
17	5 1/2 M.	25.350	62.0	61.0	60.0	57.4	-	1	3	4, 813	Do.	60	Do.
	4 A.	25.415	90.0	83.5	64.0	52.5	-	1	3	4, 860	Noon camp at Sandival's Hacienda, 2 miles N. of Albuquerque.	65	-
18	5 M.	25.085	63.0	62.0	59.0	56.7	-	1	8	5, 048	Night camp on hills, 2 miles SE. of Sandival's.	-	-
	5 A.	25.410	95.0	85.5	63.5	50.3	-	2	9	4, 754	Night camp 3 miles S. of Sandival's, near R. del N.	3	68

The barometrical observations in Santa Fe are made in a house on the "Plaza." The mean of all my barometrical and thermometrical observations made in Santa Fe, is—Barometer, 23".439; Thermometer attached, 77.9; Thermometer detached, 78.6; or, Barometer (with temperature of mercury reduced to 32° Fahrenheit) = 23".447.

Drizzling rain.

TABLE.—Continued.

Date.	Hour.	Barometer.	Thermometer, Fahrenheit:				Ther. C.	Wind.	Sky.	Elevation above sea, in English feet.	Camping places.	Supposed distances in Eng. miles.		Remarks.
			Attached.	Detached.	Wet bulb.	Dew point.	Boiling point of water.					From last camp.	From Santa Fe.	
1846. July 19	Sunrise	25.460	61.5	60.0	57.0	54.4	—	—	0	7	Night camp 3 miles S. of Sandival's, near Rio del Norte.	3	71	
	3 A.	25.300	95.5	96.5	66.5	51.7	96.00	nw.	3	5	Noon camp 6 miles S. of Sandival's, near river.	2	73	
20	Sunrise	25.290	66.0	64.5	57.0	50.8	—	—	0	8	Night camp near river, opposite Ialeta.	5	78	
	3 A.	25.245	97.0	93.5	64.0	52.1	95.90	s.	3	8	Noon camp in Bosque or alamos de los Pinos.	2	80	
21	5 M.	25.430	67.0	65.0	60.0	56.4	—	—	0	2	Night camp, at Mariano Chivez's Hacienda.	5	85	
	3 A.	25.240	91.5	89.5	66.0	54.6	—	s.	3	3	Noon camp, near river	3	88	
22	6 A.	25.290	67.0	67.0	57.5	29.9	—	E.	1	9	Night camp, near Tomé	5	93	
	3 A.	25.355	97.0	95.0	61.5	38.9	—	nw.	2	9	Noon camp, in plain	6	99	
23	5 M.	25.290	61.5	58.0	51.0	42.9	—	E.	1	10	Night camp, at Casas coloradas.	4	103	
	3 A.	25.265	96.0	96.5	63.0	41.8	—	s.	3	9	Noon camp, near river	3	106	
24	5 M.	25.245	61.0	61.0	49.0	33.2	—	s.	1	6	Night camp, near river	3	109	
	3 A.	25.385	93.0	91.5	61.5	41.3	—	s.	2	3	Noon camp on river, two miles S. of Joyita.	4	113	
25	5 M.	25.440	67.0	64.5	54.5	46.6	—	—	0	1	Noon camp, in Joya	5	118	Thunder and lightning, with drizzling rain.
	2 A.	25.475	90.0	90.0	—	—	—	s.	3	0	Night camp, on river	3	121	
26	5 M.	25.575	61.0	61.0	58.0	55.5	—	E.	1	6	Noon camp on river, 1 mile S. of Sabino.	10	131	
	3 A.	25.555	82.0	83.0	—	—	—	nw.	2	0	Night camp, near Parida	5	136	
27	5 M.	25.600	65.0	64.0	63.5	61.5	—	—	0	3				

In the afternoon, thunder
storm, with rain.

	1	A.	25.610	87.0	87.5	65.0	53.5	96.20	NW.	1	5	4, 644	Noon camp, near river	2	138
28	3 1/2	A.	25.595	100.0	95.0	72.0	63.6	-	S.	1	7	4, 733	Noon camp, near river	7	145
	6	M.	25.560	67.5	64.0	60.0	57.1	-	0	10	4, 545	Night camp, about 1 mile N. of Lopez.	2	147	
30	4	M.	25.720	65.0	62.5	53.0	53.4	-	0	9	4, 362	Night camp, near river	12	159	
31	2 1/2	A.	25.730	86.0	86.0	68.0	59.9	-	NW.	2	2	4, 485	Noon camp, near river	6	165
	5	M.	25.840	63.0	62.0	54.0	46.2	-	0	9	4, 212	Night camp, in a Cottonwood grove, (passed ruins of Valverde.)	6	171	
Aug.	2	A.	25.790	93.5	94.5	62.0	40.5	-	SE.	3	6	4, 488	Noon camp, near river	4	175
	7	M.	25.885	68.0	66.0	58.5	52.7	-	N.	1	10	4, 295	Night camp, near river	7	182
	1	A.	25.695	93.0	95.0	61.5	38.9	-	NE.	2	9	4, 439	N. camp, near Fray Cristobal	5	187
	5	A.	25.385	92.0	87.5	62.0	45.8	-	SE.	2	6	5, 019	Noon camp, near Ojo del Muerto, in Jornada del Muerto.	22	209
3	12		25.575	89.5	88.5	61.5	44.0	-	NE.	2	2	4, 799	Noon camp, on a hill without water, in Jornada del Muerto.	20	229
4	5	M.	25.730	65.5	64.5	58.5	52.8	-	E.	1	2	4, 452	Night camp at Barilla, on a water pool, in Jornada del Muerto.	16	245
5	12		25.945	78.0	77.0	67.0	62.1	-	E.	3	1	4, 298	Noon camp on a water pool, in Jornada del Muerto.	5	250
	5	M.	25.830	64.0	62.0	59.0	56.7	-	0	5	4, 328	Night camp, without water, in Jornada del Muerto.	18	268	
6	12		26.270	91.5	95.0	72.5	64.4	-	S.	1	5	4, 044	Noon camp at Robledo, near river.	8	276
	5	M.	26.240	66.0	64.0	-	-	-	-	-	-	3, 891	Night camp, 2 miles south of Doñana.	12	288
7	3 1/2	A.	26.179	99.0	95.5	70.0	59.0	-	SW.	3	3	4, 163	Noon camp, on a waterpool	5	293
	5	M.	26.230	64.0	62.5	60.0	57.2	-	0	6	3, 890	Night camp, near river	3	296	
8	3	A.	26.380	92.0	91.0	67.0	56.0	-	S.	2	4	3, 928	Noon camp, near riv., (Brazito.)	15	311
	9	M.	26.435	83.0	84.0	68.0	60.7	-	SE.	2	5	3, 797	Upper crossing of Rio del Norte.	28	339
9	9	M.	26.455	74.5	74.0	68.0	65.1	-	E.	1	0	3, 814	El Paso del Norte	6	345
10	12		26.435	74.5	75.0	72.0	70.7	-	1	0	0	1	1	-	-
	3	A.	26.430	75.5	76.5	71.0	67.7	-	1	1	1	1	1	-	-
	5	M.	26.420	73.0	70.0	67.0	65.4	-	1	2	6	6	6	-	-
	9	M.	26.465	71.0	80.5	71.5	67.0	-	NE.	2	0	0	0	-	-
11	Sunrise		26.350	74.0	69.5	67.0	64.9	-	-	-	-	-	-	-	-

The observation is made on the low river bank.
The barom. obser. in el Paso are made in a house near the Plaza. The rainy season commenced. It rained almost every day, tho' more in evening than morning.

TABLE—Continued.

Date.	Hour.	Barometer.	Thermometer, Fahrenheit.				Ther. C.	Wind.	Sky.	Elevation above sea, in English feet.	Camping places.	Supposed distances in Eng. miles.		Remarks.
			Attached.	Detached.	Wet bulb.	Dew point.						From last camp.	From El Paso.	
1846.														
Aug. 11	11 M.	26.335	82.0	89.0	73.0	67.2	-	E. 2 0	7	-	El Paso del Norte	-	-	The mean of all my barometrical and thermometrical observations made in El Paso, is—Barometer, 26".372; Thermometer attached, 77.6; Thermometer detached, 73.5; or, Barometer, (with temperature of mercury reduced to 32° Fahrenheit,) 26".360.
	4 A.	26.310	77.5	76.5	68.0	64.9	-	W. 2 0	4					
	5 1/2 M.	26.370	73.0	73.5	69.5	63.3	-	W. 2 0	4					
	9	26.375	79.0	84.0	71.0	62.3	-	- - -	6					
	12	26.340	81.8	87.5	71.0	64.7	-	- - -	5					
	3 A.	26.315	82.0	81.0	71.0	64.7	-	- - -	2					
	5 M.	26.395	77.0	71.0	68.0	66.5	-	- - -	4					
	9	26.440	77.5	80.0	72.0	68.8	-	- - -	4					
	12	26.375	80.5	84.0	72.5	67.9	-	- - -	1					
	3 A.	26.335	80.5	84.0	72.5	68.1	-	- - -	5					
	6 A.	26.370	77.0	69.5	67.0	64.9	-	W. 2 2	5					
	2 A.	26.265	81.0	92.0	71.0	62.9	97.00	NW. 3 9	9					
	6 1/2 M.	26.295	76.0	74.0	67.5	64.3	-	SW. 1 5	5					
	12	25.890	90.0	89.0	74.0	68.8	-	- - -	1					
	6 M.	25.875	66.5	67.5	66.0	64.4	-	NE. 1 1	1	4, 445	Noon camp, north of Sand hills.	-	32	From El Paso to Chihuahua we had every day about noon thunder and lightning, with more or less rain; it rained sometimes all night, but generally cleared up in the morning. We are amidst the rainy season.
	12	25.950	88.0	85.0	73.0	68.5	-	N. 2 3	3	4, 306	Night camp, at the southern end of Sand hills.	12	44	
	7 M.	26.085	69.0	68.5	-	-	-	- - -	0	4, 355	Noon camp, south of Sand hills.	12	56	
	3 A.	26.120	83.0	80.5	-	-	-	- - -	0	4, 085	Night camp, in prairie (passed Lake Patos.)	15	71	
	6 M.	26.050	67.5	66.0	-	-	-	- - -	0	4, 133	Noon camp, in prairie, (passed Lake Patos.)	15	86	
	5 1/2 M.	25.980	68.5	67.5	-	-	-	- - -	0	4, 110	Night camp, in prairie, beyond Rio Carmen.	12	98	
	21	25.075	84.5	79.0	69.0	64.5	-	SE. 2 0	0	4, 219	Night camp, in prairie, beyond Rio Carmen.	15	113	
							-	- - -	0	5, 317	Noon camp, in prairie, (passed Gallejo spring.)	50	163	

22	7 M.	25.215	63.0	61.0	-	-	-	0	0	5,004	Night camp, near north end of Laguna de Encinillas.	8	171
	4 A.	25.275	70.0	70.5	-	-	-	NE.	2	5,004	Noon camp, in prairie, near south end of Laguna de Encinillas.	20	191
23	6½ M.	25.250	60.0	60.0	-	-	-	S.	2	4,953	Night camp, in el Pagnol -	8	199
	1 A.	25.110	76.0	76.0	66.0	60.8	-	SSW.	2	5,237	Noon camp, in prairie	12	211
24	6 M.	25.265	61.0	60.0	-	-	-	W.	1	4,940	Night camp, on Sacramento river.	10	221
	12	25.455	81.0	79.5	68.0	61.8	-	S.	1	4,873	Noon camp, 8 miles north of Chihuashua.	11	232
25	9 M.	25.595	74.5	76.0	67.5	63.4	-	N.	1	4,640	Chihuashua	8	240
	12	25.530	75.0	81.0	68.0	62.0	96.95	N.	1				
26	3 A.	25.480	78.0	81.5	68.0	61.8	-						
	6 M.	-	-	68.0	-	-	-	N.	1	6			
	9	25.570	74.0	77.5	68.0	69.0	-	N.	2	7			
	12	25.550	77.5	80.0	67.5	61.6	-	E.	2	7			
	3½ A.	25.475	80.0	81.5	68.5	61.0	-	N.	2	1	Do.	-	-
27	9 M.	25.570	73.0	72.0	65.0	61.1	-	NE.	2	0			
	1 A.	25.595	80.0	79.0	66.0	59.4	-		1	1			
	5	25.545	76.0	78.0	65.0	58.1	-	E.	1	3			
28	9 M.	25.585	72.0	73.0	63.5	57.9	-		1	8			
	1 A.	25.545	75.0	77.0	62.5	53.8	-	NE.	1	6			
	4	25.510	75.5	77.5	61.0	47.7	-		1	5			
29	9 M.	25.580	72.0	72.5	63.0	56.4	-	N.	1	10			
	12	25.565	74.0	72.5	64.5	57.6	-	NE.	1	6			
30	12	25.495	72.0	74.0	-	-	-	SW.	1	0	Do.	-	-
	3½ A.	25.440	73.5	75.0	66.0	61.3	-		1	1			

All barometrical observations in Chihuashua are made on the "Plaza."

Thunder and lightning and rain, in the evening.

Thunder storm, and rain.

TABLE—Continued.

Observations in Chihuahua—Continued.

Date.	Hour.	Barometer.	Thermometer, Fahrenheit.				Wind.	Sky.	Remarks.
			Attached.	Detached.	Wet bulb.	Dew point.			
1846.									
Aug. 31	9 M.	25.480	73.0	75.0	65.0	59.5	NE. 1	2	
	12	25.455	75.0	78.0	65.0	58.1	N. 1	3	
	3 A.	25.385	76.5	78.0	—	—	N. 1	3	Rain in the evening.
Sep. 1	9 M.	25.505	74.0	75.5	66.5	60.1	SW. 1	9	
	12	25.470	79.0	81.0	66.5	59.4	NW. 1	4	
	3 A.	25.415	80.0	82.0	66.0	58.0	N. 1	4	
	2 Sunrise	—	—	65.5	—	—	—	—	
	12	25.460	79.5	81.0	66.0	58.5	NE. 1	5	
	3 A.	25.430	80.0	81.0	65.0	56.6	SE. 2	4	Thunder and lightning, without rain.
	3								
	9 M.	25.440	74.0	76.0	—	—	NE. 1	10	
	12	25.405	79.0	81.0	65.0	56.6	E. 1	5	
	3 A.	25.370	81.5	83.0	66.5	57.8	SW. 1	5	
	4								
	9 M.	25.395	76.0	80.0	—	—	SW. 1	1	
	12	25.400	78.0	81.0	—	—	SE. 2	2	
	3 A.	25.315	77.0	79.0	—	—	NW. 1	0	Rain, with thunder & lightning, all night.
	5								
	9 M.	25.385	73.5	73.0	63.0	57.0	NW. 1	3	
	12	25.355	77.0	78.0	—	—	N. 1	6	
Dec. 23	9 M.	25.765	53.0	53.0	—	—	E. 1	10	
	12	25.710	61.5	61.5	—	—	E. 1	9	
	3 A.	25.605	61.0	61.0	—	—	E. 1	8	
24	9 M.	25.730	49.5	49.5	—	—	NE. 1	10	
	12	25.660	61.0	61.0	—	—	NE. 1	8	
	3 A.	25.645	62.0	62.0	—	—	NE. 1	9	
25	9 M.	25.760	48.5	48.5	—	—	NE. 1	9	
	12	25.685	61.5	61.5	—	—	SW. 1	10	
	3 A.	26.655	65.0	65.0	—	—	E. 2	9	
26	9 M.	25.615	50.0	50.0	—	—	SE. 1	5	
	12	25.580	62.0	62.0	—	—	SE. 2	4	
	3 A.	25.550	67.0	67.0	—	—	S. 1	4	
27	9 M.	25.555	49.5	49.5	—	—	S. 1	8	
	12	25.520	67.0	67.0	—	—	S. 2	7	
	3 A.	25.420	69.0	69.0	—	—	SW. 2	5	
28	9 M.	25.410	59.0	59.0	—	—	SW. 2	7	
	12	25.400	70.0	70.0	—	—	SW. 2	7	
	3 A.	25.400	57.5	57.5	—	—	NE. 3	9	
29	7 ¹ / ₂ M.	25.525	32.0	32.0	—	—	NE. 1	10	
	9	25.520	42.0	42.0	—	—	NW. 1	10	
	12	25.465	59.0	59.0	—	—	E. 1	10	
	3 ¹ / ₄ A.	25.395	64.0	64.0	—	—	S. 2	5	
30	9 M.	25.460	60.0	60.0	—	—	S. 3	5	
	12	25.380	68.5	68.5	—	—	S. 4	5	
	3 A.	25.215	66.5	66.5	—	—	SW. 4	5	
31	9 M.	25.395	37.0	37.0	—	—	NE. 4	9	
	12	25.345	43.5	43.5	—	—	NE. 3	8	
1847.									
Mar. 22	12	25.400	81.0	78.0	55.0	—	W. 2	3	
	3 A.	25.350	73.5	73.5	50.0	—	W. 2	3	
23	9 M.	25.655	50.0	47.5	34.0	—	NNW. 1	10	
	12	25.625	63.0	59.0	40.0	—	N. 1	10	

TABLE—Continued.
Observations in Chihuahua—Continued.

Date.	Hour.	Barometer.	Thermometer, Fahrenheit.				Wind.	Sky.	Remarks.
			Attached.	Detached.	Wet bulb.	Dew point.			
1847.									
Mar. 23	3 A.	25.520	69.5	67.0	44.0	-	NW. 1	10	
24	9 M.	25.415	57.5	56.0	40.0	-	S. 1	9	
	12	25.370	74.0	74.0	53.0	-	S. 1	7	
	3 A.	25.300	77.5	77.5	52.0	-	SW. 1	3	
25	9 M.	25.585	60.0	60.0	42.5	-	NNE. 1	10	
	12	25.595	67.0	67.0	46.0	-	NNE. 1	10	
	3 $\frac{1}{2}$ A.	25.615	67.5	67.5	46.0	-	N. 2	10	
26	12	25.570	68.5	64.5	44.0	-	ESE. 2	8	
	3 A.	25.675	69.0	67.0	45.0	-	E. 2	9	
27	9 M.	25.690	53.5	53.5	39.5	-	E. 1	10	
	12	25.640	72.0	70.0	48.0	-	ESE. 1	10	
	3 A.	25.605	75.5	75.0	49.5	-	ESE. 1	10	
28	9 M.	25.640	61.5	62.5	47.0	-	SE. 1	9	
	12	25.625	80.0	78.5	54.5	-	E. 1	4	
	3 A.	25.560	80.0	79.0	-	-	NE. 1	5	
29	12	25.490	84.5	81.0	55.0	-	NE. 1	4	
	3 A.	25.385	85.5	84.0	56.0	-	E. 2	6	
30	9 M.	25.420	68.0	70.5	51.0	-	W. 1	5	
	12 $\frac{1}{2}$ A.	25.410	82.5	82.5	55.0	-	SW. 1	6	
	3 A.	25.340	85.0	84.5	54.0	-	NW. 1	4	
31	9 M.	25.460	69.0	69.5	51.0	-	SW. 1	5	
	12	25.460	84.5	82.5	55.0	-	NE. 1	4	
	3 A.	25.375	84.0	85.0	58.0	-	NE. 1	4	
April 1	9 M.	25.570	72.0	72.0	53.0	-	W. 1	6	
	12	25.530	81.5	81.5	56.0	-	SW. 1	4	
	3 A.	25.490	88.0	86.0	55.0	-	SSW. 2	4	
15	12	25.685	54.5	49.5	47.5	-	NE. 1	0	Last night fell the first rain in Chihuahua since the rainy season of last year.
	3 A.	25.670	56.0	50.5	47.0	-	NW. 1	1	

The mean of all my barometrical and thermometrical observations made in Chihuahua, is:—Barometer, 25".5097; Thermometer attached, 68.82; Thermometer detached, 69.93: or, Barometer, (with temperature of mercury reduced to 32° Fahrenheit,) 25".42608.

Highest stand of Barometer, (reduced to 32° Fahrenheit,) 25".717.

Lowest stand of Barometer, (reduced to 32° Fahrenheit,) 25".137.

To the favor of Mr. J. Potts, in Chihuahua, I am indebted for the following table of the quantity (in inches) of rain that fell in the city of Chihuahua in the years 1843, 1844, and 1845:

January	-	-	0.17	0.09	0.00
February	-	-	0.00	2.61	1.90
March	-	-	0.02	0.00	0.76
April	-	-	0.00	0.00	0.00
May	-	-	0.07	0.00	0.00
June	-	-	0.83	2.05	1.28
July	-	-	7.73	8.37	9.45
August	-	-	6.33	5.73	6.02
September	-	-	3.66	6.10	5.93
October	-	-	0.00	2.00	1.14
November	-	-	3.35	0.00	0.07
December	-	-	0.00	0.00	0.00
			<u>22.16</u>	<u>26.95</u>	<u>26.55</u>

TABLE—Continued.

Date.	Hour.	Barometer.	Thermometer, Fah.			Wind.	Sky.	Remarks.
			Attached.	Detached.	Wet bulb.			
1847.								
Jan. 6	9 M.	23.840	48.0	49.0	34.0	N. 3	9	Observations made in Cosihuirachi, about ninety miles wsw. of Chihuahua, in the Sierra Madre.
	3 A.	23.805	50.0	56.0	38.0	N. 3	0	
	9 M.	24.040	47.0	43.0	34.0	SW. 1	10	
7	12 $\frac{1}{2}$ A.	23.955	45.5	46.0	35.5	SW. 1	10	
	3	23.925	48.0	47.0	38.0	SW. 1	8	
	10 M.	23.590	46.5	52.5	-	SE. 3	5	
	12	23.745	50.0	57.0	39.5	NW. 2	6	
	3 A.	23.740	54.0	60.0	-	NW. 3	4	
	9 M.	23.825	47.0	48.5	36.5	SE. 2	8	
	12 $\frac{1}{2}$	23.720	54.5	56.0	39.0	N. 3	1	
	3 A.	23.720	52.0	50.0	-	N. 1	0	The mean of all my barometrical and thermometrical observations made in Cosihuirachi, is:—Barometer, 23".898; Thermo. attached, 51.05; Thermo. detached, 53.3: or, Barometer, (with temperature of mercury reduced to 32° Fahrenheit,) = 23".857.
10	10 M.	23.840	49.0	49.0	-	N. 2	10	
	3 A.	23.760	50.0	53.5	39.0	N. 2	7	
	9 M.	23.980	44.5	44.5	-	S. 2	10	
11	12	23.875	49.0	50.0	40.0	NE. 3	10	
	Sunrise	-	-	34.0	-	N. 2	3	
	9 M.	23.960	46.0	44.0	38.5	S. 2	5	
	12 $\frac{1}{2}$ A.	23.895	48.5	53.5	42.0	S. 2	5	
	3 A.	23.885	48.5	52.0	41.0	S. 2	2	
	9 M.	24.010	46.0	49.0	40.0	N. 1	4	
13	12 $\frac{1}{2}$	23.930	49.5	60.0	44.5	N. 2	2	In the afternoon, drizzling rain. Observation in Cosihuirachi. Observation made on summit of "Bufa," the highest mountain in the neighborhood. Observation in Cosihuirachi.
	3 A.	23.920	53.0	62.0	47.0	S. 2	5	
14	9 $\frac{1}{2}$ M.	23.945	52.0	56.0	47.0	N. 2	5	
	12 $\frac{1}{2}$ A.	23.870	57.5	64.5	49.0	S. 3	7	
	3	23.870	57.0	65.5	47.0	N. 3	5	
15	9 M.	23.880	53.5	56.0	47.0	SE. 3	8	
	12	23.840	57.5	60.0	49.0	NE. 3	0	
	3 A.	23.810	57.5	59.0	-	NE. 3	3	
16	9 M.	23.985	51.5	53.5	46.0	S. 1	10	
	12	22.640	61.5	59.0	43.0	S. 3	9	
	3 A.	23.910	58.5	64.0	45.5	S. 2	9	

TABLE—Continued.

Date.	Hour.	Barometer.	Thermometer, Fahrenheit.		Wind.	Sky.	Elevation above sea, in English feet.	Supposed distances, in English miles.		Camping places.	Remarks.
			Attached.	Detached.				From last camp.	From Chihuahua.		
1847. April 27	5 1/2 M.	26.130	59.7	59.5	E.	1	3,856	-	32	Night camp, in Bachimba	Observations made during the march of Col. Domínguez's regiment from Chihuahua to Monterey.
April 28	9 M.	26.240	74.0	73.5	SW.	1	3,915	20	52	Night camp, 1 mile S. of Santa Cruz.	
	12	26.195	89.0	86.5	NW.	1	-	-	-	do.	
	3 A.	26.190	95.0	94.0	NE.	1	-	-	-	do.	
29	3 1/2 A.	26.180	90.0	86.5	SW.	2	3,855	23	75	Night camp, in El Saucello.	
May 1	9 1/2 M.	26.145	89.5	83.0	NW.	2	4,019	30	105	Night camp, near Santa Rosalia.	Observation made during the march, on a high table land, nearly in the middle between Guajuquilla and San Bernardo, which divides the waters of the Conchos and Rio Grande.
	1 A.	26.115	95.0	90.0	NW.	1	4,318	24	129	do.	
2	3 A.	25.790	86.0	85.0	E.	2	4,490	33	163	Night camp, near La Ramada.	
3	4 A.	25.615	81.0	82.0	ESE.	2	4,490	33	-	Night camp, in Guajuquilla.	
4	Sunrise	25.630	56.0	56.0	E.	0	-	-	-	do.	
	12	25.595	89.0	85.0	E.	2	4,607	3	165	Noon camp, at Hacienda de Dolores.	Observation made during the march, on a high table land, nearly in the middle between Guajuquilla and San Bernardo, which divides the waters of the Conchos and Rio Grande.
	5	25.470	75.0	75.0	ESE.	2	4,706	-	-	do.	
6	Sunrise	25.615	63.0	65.0	SW.	1	4,577	60	225	Night camp, at San Bernardo springs.	
	4 A.	25.585	97.5	98.5	W.	2	4,643	10	235	Night camp, at El Andabazo, or Cerro Gordo creek.	
7	4 A.	25.500	90.5	90.5	NE.	1	4,719	25	260	Night camp, at San José Pelayo.	
8	4 A.	25.220	95.5	94.0	SW.	1	5,056	18	278	Night camp, at Cadena.	Observation made during the march, on a high table land, nearly in the middle between Guajuquilla and San Bernardo, which divides the waters of the Conchos and Rio Grande.
9	3 A.	25.725	96.5	96.0	W.	2	4,487	21	299	Night camp, in Mapimi.	
10	6 A.	26.325	87.5	81.0	NE.	1	3,785	35	334	Night camp in San Sebastian, on Nasas river.	
	5 A.	26.310	91.5	93.0	NW.	1	3,815	24	358	Night camp in San Lorenzo, on Nasas river.	
11	5 A.	26.310	91.5	93.0	NW.	1	3,815	24	358	Night camp in San Lorenzo, on Nasas river.	

TABLE—Continued.

Date.	Hour.	Barometer.	Thermometer, Fahrenheit.		Wind.	Sky.	Elevation above sea, in English feet.	Supposed distances, in English miles.		Camping places.	Remarks.
			Attached.	Detached.				From last camp.	From Chihuahua.		
1847.											
May 12	3 A.	26.365	100.0	99.0	sw.	1	3,770	15	373	Night camp at San Juan Bautista, on Nacoso river.	
13	5 A.	26.150	92.0	93.0	w.	2	3,990	25	398	Night camp, at El Pozo.	
15	12	25.220	83.0	84.0	sw.	2	4,987	26	424	Night camp, in Parras.	
16	3 A.	25.275	83.5	83.0	sw.	1	-	-	-	Do. do.	
17	3 A.	25.275	82.0	83.9	w.	2	-	-	-	Do. do.	
18	3 A.	25.210	84.5	85.0	sw.	1	-	-	-	Do. do.	
19	3 A.	25.910	72.0	71.0	E.	3	4,209	25	449	Night camp, in Ciepega Grande.	
20	6 A.	25.910	72.0	71.0	E.	3	4,717	18	467	Night camp, near Rancho Nuevo	Thunder-storm and rain, on 19th, from 4 to 6 A.
21	3 A.	25.485	84.0	84.5	w.	1	-	-	-	Do. do.	
22	5 M.	25.285	63.5	64.0	E.	2	4,880	25	492	Night camp, at Vequeria.	
23	3 A.	24.435	81.0	82.5	E.	2	5,920	22	514	Night camp, at Sau Juan.	
24	9 M.	24.260	77.0	75.5	N.	3	6,104	10	524	Night camp, at Encantada.	
25	9 M.	24.270	70.5	72.5	se.	2	-	-	-	Do. do.	
26	12	24.255	77.0	75.0	sw.	3	-	-	-	Do. do.	
27	9 M.	25.010	79.0	79.0	sw.	1	5,242	12	536	Saltillo	The observation is made near the Plaza, in the hotel of the "Great Western."
28	6 A.	25.215	76.5	76.5	N.	1	4,955	6	542	Night camp, NE. of Saltillo.	
29	5 M.	25.265	67.0	66.5	0	6	-	-	-	Do. do.	
30	5 M.	26.665	68.5	68.0	0	3	3,381	30	572	Night camp, at Rinconada	Thunder-storm and rain, in the evening of the 25th.
31	9 M.	28.425	74.5	74.5	0	0	1,636	28	600	Monterey, near Plaza.	
32	4 A.	28.440	77.0	77.0	E.	1	1,658	4	604	Night camp at Walnut springs, Gen. Taylor's camp.	
33	5 M.	28.450	62.0	62.0	0	10	-	-	-	Do. do.	
34	5 M.	28.795	63.0	63.0	E.	2	1,354	20	624	Night camp, in Marin.	

29	6 M.	29.015	72.0	72.0	72.0	0	7	1, 107	33	637		
	1½ A.	29.205	94.0	94.0	94.0	sw.	2	1, 006	7	664	Night camp, at Carrizitos.	
30	6 M.	29.365	73.0	73.0	73.0	se.	2	708	15	679	Noon camp, in Cerralvo.	
31	4½ M.	29.635	77.5	77.5	77.5	s.	2	417	30	709	Night camp, in Puntigudo.	
	6 A.	29.740	90.0	90.0	90.0	e.	3	422	25	734	Night camp, at Mier.	
June 1	8½ M.	30.000	86.5	86.5	86.5	ese.	2	184	48	782	Night camp, at Camargo.	
											Reynosa, on Rio Grande	-
6	6 M.	30.255	82.0	82.0	82.0	ese.	2	-	-	-	Mouth of Rio Grande	-
7	9 M.	30.110	87.0	87.0	87.0	ese.	3	-	-	-	Do.	do.
8	9 M.	30.075	86.0	86.0	86.0	ese.	4	-	-	-	Do.	do.
	3 A.	30.070	88.5	88.5	88.5	ese.	3	-	-	-	Do.	do.

The observation is made about 10 feet above the level of the river.

The observations on mouth of Rio Grande are made on the flat river bank, about 1 mile from the sea, and about 5 feet above the level of the sea. The mean of these observations is:—Barometer, 30".170; Thermometer, attached and detached, 85.9 Fahrenheit; or, Barometer, (temperature of mercury reduced to 32° Fahrenheit,) 30".025.

100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200

100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200

100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200

THE GEOLOGICAL SKETCH,

Which I have drawn, does not make any pretensions to a geological map, which even a more able geologist than I am could not give in the short time and haste, in which I travelled through that country, but it may elucidate and concentrate at least what little information I have acquired in relation to that object. To make it more intelligible, I will add yet a short summary of the various geological observations spread over the whole extent of the journal.

Independence, near the western frontier of the State of Missouri, is situated in the great Missouri coal basin, which occupies more than one-third of that State.

The first rock in situ which I saw in the prairie, after leaving Independence, was on Rock creek, (about 79 miles from Independence.) It was a yellow-brownish compact limestone, with encrinurites, and similar fossils of the carboniferous limestone, as found in Missouri.

On Pleasant Valley creek (125 miles) the bluffs are formed by two different limestones: the one is white and compact; the other grayish, soft, and argillaceous. The first contained some indistinct fossils, but in too imperfect a state to determine what formation they indicate.

In Council grove (113 miles) a horizontal, grayish, argillaceous limestone prevails, without fossils.

Leaving Cottonwood creek (185 miles,) irregular heaps of bog-ore are seen in the prairie, and a ferruginous sandstone of yellow, brown, and blue color, extends from here to Pawnee fork, (a distance of about 100 miles.)

The bluffs of the Little Arkansas consisted of a spotted, yellow, calcareous sandstone, and isolated pieces of ferruginous sandstone.

Between Camp Osage (the first camp near the Arkansas river) and Walnut creek, (263 miles,) I met with a very porous and scoriaceous rock in situ, apparently the product of action of subterranean fires upon the ferruginous sandstone. Most likely a large coal-field lying beneath here has become ignited, and produced this change of the rock. The so called Pawnee rock (between Walnut creek and Ash creek) consists of the same ferruginous sandstone, changed by fire. On Pawnee fork (292 miles) I saw the last of it; the ferruginous sandstone there was more compact, and deep red.

On a branch of Big Coon creek (332 miles) I found the bluffs to consist of common sandstone below, and a white, fine-grained marl above it. This marl resembles very much some from the cretaceous formation of the Upper Missouri; but finding no fossils, I could not ascertain it.

Two miles beyond that place (341 from Independence,) I had the first chance to examine the bluffs on the Arkansas; it was a grayish, conglomerated limestone, with a few small fossils, that were rather imperfect, but seemed to belong to the cretaceous formation. The neighborhood of the above mentioned marl raises this presumption nearly to certainty. I have, therefore, not hesitated to lay it down as cretaceous formation. About 20 miles higher up on the Arkansas, I saw, upon a second examination, but a coarse conglomerate of sand and limestone. At the usual fording place (373 miles,) where I left the Arkansas for the Cimarron, no rocks were in situ.

Having crossed the Arkansas, I met with the first rocks again, on the "middle springs of Cimarron," (468 miles;) it was a sandy limestone above common sandstone.

Six miles west of the Crossing of Cimarron (500 miles from Independence,) light bluffs rise in the prairie, of a yellow, reddish, and spotted sandstone, combined with lime and argile.

A few miles beyond them a large, isolated mountain of boulders stands in the plains, composed of heavy blocks of quartz and quartzose sandstone, and many erratic rocks were afterwards found on our road.

On Cedar creek, McNees' creek, and Cottonwood branch, a yellow sandstone prevailed.

On Rabbit ear creek I met for the first time with amygdaloidal basalt, a black, heavy, basaltic rock, with a great many irregular, vesicular cavities, that are generally hollow—sometimes, too, filled with lime; in rare instances, with olivin. This rock is most common throughout the high mountains of Mexico. It occurs in most irregular masses, in whole mountains, as well as in millions of pieces strewn over the surface of the country. Here it rose in high perpendicular walls, as bluffs of the creek, and a very compact quartzose sandstone was below in horizontal layer.

The Round mound, a mountain in the prairie about three miles further west, which I ascended, is formed of a brown, decomposed basaltic rock.

On Rock creek, and Whetstone creek, the amygdaloidal basalt with underlying sandstone was found.

In going from there to "Point of Rocks," (600 miles,) extensive strata of a yellow, compact quartzose sandstone are passed, dipping gently towards the east. Point of Rocks itself, a spur of the western mountains, is a mass of sienite.

Some 12 miles beyond it, rises a hill in the plains, composed of very compact, black basalt, with underlying white sandstone.

The bed and bluffs of the Rio Colorado and Ocaté creek (627 miles,) are formed by quartzose sandstone.

The Wagon mound, an isolated mountain in the high plain, consists of a compact, black, and spotted basalt, rising in columnar shape.

On Wolf creek (664 miles) the amygdaloidal basalt and quartzose sandstone reappeared, both in horizontal layers.

Reaching the Gallinas creek, near las Vegas, (690 miles,) I met, after a long interval, with limestone again. It was a dark blue, with casts of *Inoceramus* of the cretaceous series.

From here we penetrated into the very heart of the mountains. At first we met but with sandstone, common and quartzose, and of most different colors.

Near San Miguel (707 miles,) a coarse conglomerate was found of decomposed granite, sandstone, and lime, and large blocks of decomposed granite lined the Pecos river, opposite the old Pecos village, (737 miles.)

In the cañon leading from here to Santa Fe, at first sandstone is found, common, quartzose, and calcareous, of various colors and granulations, till about 15 miles from Santa Fe, granite in situ appears, and continues all the way to Santa Fe. Near where I met for the first time with granite in situ, the sandstone, if I may judge from a very limited examination, was suddenly uplifted and thrown back in an angle of nearly 100 degrees.

West of Santa Fe, granite seems also to prevail. In my excursion to the Placers, southwest of Santa Fe, I found sandstone below, and on the height of the mountains granite and trap rocks.

In the mountains of that neighborhood common limestone and sulphate of lime are said to exist; but on the road over which I travelled I had no chance to see any.

Granitic and trap formations seem to predominate, too, in the valley of the Rio del Norte below Santa Fe; but as the road leads always along the river, and the mountains on either side are generally about 10 miles distant, I could not examine them as I wished to do, and had often to depend alone upon the external form of the mountain chain, apparently indicating unstratified and igneous rocks. Whenever the mountains approached the river, I gained more information. So, for instance, I found between Joyita and Joya (about 115 miles from Santa Fe) quartzose sandstone and quartz in a spur of the eastern mountain chain; and in Joyita itself, bluffs near the river of amygdaloidal basalt.

Some miles west of Socorro, (140 miles,) on the right bank of the river, I examined the western mountains, and found porphyritic and trachitic rocks.

Near the ruins of Valverde (165 miles) I met with bluffs of a dark-brown, nodular sandstone; and about eight miles beyond, with amygdaloidal basalt again.

In the Jornada del Muerto granitic and basaltic formation, to judge from their shape, exists in the distant mountain chains; part of them in the eastern chains is called, for their basaltic appearance, Organ mountains.

Below Doña Ana I perceived some primitive rocks again, near the river, resembling a decomposed porphyry.

The mountains above el Paso belong mainly to the trap formation.

During my short stay in el Paso I made an excursion to the southwestern mountains of the valley, and was rather astonished to find mountains of limestone. The foot of the mountains was formed by a horizontal quartzose sandstone, similar to that underlying the amygdaloidal basalt. The very compact and gray limestone, intersected with many white veins of calcspar, rose upon it to the crest of the mountains; but on several places, granite and greenstone seemed to have burst through it and formed partial eruptions. After a long search I discovered some fossils, and though much injured and imperfect, they are nevertheless sufficient to determine the age of this formation. The fossils are a coral: *Calamopora*, and a bivalve shell of the genus *Pterinea*. This limestone is therefore a Silurian rock. Several mines have formerly been worked in it.

On the road from el Paso to Chihuahua I met in the first day or two with the same limestone. The pieces lying on the road were generally surrounded with a white crust of carbonate of lime; pieces, too, of what appeared to be fresh-water limestone, occurred. It is rather probable that this is the same material as the white crust of the blue limestone, and that both are the result of calcareous springs.

About 50 miles south of el Paso the limestone seems to cease, and porphyritic rocks of the most varied colors and combinations continued from here as far as Chihuahua, interrupted sometimes only by granitic rocks. The base of the porphyry is generally felspar.

Around Chihuahua and some distance to the south and west of it, in the Sierra Madre, porphyritic rocks predominate, and valuable mines are found in them.

Near Chihuahua, I understood, about 12 miles northeast of it, moun-

tains of limestone appear; and through the favor of Mr. Potts, in Chihuahua, I received a piece of limestone from there, containing some casts of the chambers of an *Orthoceras*, proving that this limestone belongs also to the Silurian system. Mines are also found in it.

Another fossil I received in Chihuahua, said to come from the limestone near Corralitas, a mining place about 250 miles northwest of Chihuahua. It is a *Pecten quinquecostatus* (Sowerby,) of the cretaceous series; but not having travelled through that part of the State, I am not able to give any comment upon it.

From Chihuahua to Matamoras, travelling with the army as a surgeon, my time was so occupied that I could not make any distant excursions from the road; but generally, too, the geology of the country seemed to be very uniform and uninteresting.

From Chihuahua some distance south, the porphyritic rocks continued. In Saucillo (70 miles from Chihuahua) I perceived the first limestone again. From there to Santa Rosalia I passed some hills of amygdaloidal basalt, but the main chain of the mountains was all limestone, and continued to be so throughout the whole eastern ramification of the Sierra Madre, over which we travelled from here down to Saltillo and Monterey, where the low country begins. This limestone forms steep, often rugged mountains, rising on an average 2,000 feet above the plain; it is metalliferous, and has all the appearance of the Silurian limestone, found at el Paso and Chihuahua, but I was never able to discover any fossils on this route. Silver and lead mines are of various occurrence in it; in the limestone surrounding Cadena, coal has been found, I was informed, but I had no time to verify it.

From Monterey to the seashore I made but one interesting discovery; near Mier. On the bank of the Alamo river, about four miles above its mouth into the Rio Grande, I found an extensive bed of large fossil shells of *Ostrea*, belonging to the cretaceous formation. As the same formation has lately been discovered by Dr. Roehmer, of Berlin, as extending in Texas from the San Antonio to the Brazos, this cretaceous bed near Mier is in all probability a continuation of it. In looking over the recent publication of "Notes of the upper Rio Grande, by Bryan Tilden," I found, in a description of the river bank of the Rio Grande below Laredo, that "entire hills are to be seen, composed almost wholly of what appears to be a collection of large sea oyster-shells." I presume, therefore, that the same cretaceous formation extends in this direction higher up on the Rio Grande.

THE MAP.

The map which accompanies this work is based, as far as my own route is concerned, upon astronomical observations made at the principal places, upon daily observations of the compass, and in regard to localities which I have not visited, upon the best authorities in existence. The latitude and longitude of many places in Mexico will be found to differ often widely from their positions on Mexican maps, which lay the latitudes generally too far north; the longitudes too far east.

Being rather poorly provided with astronomical instruments; occupied, besides that, in the most various pursuits, and having no scientific assistance whatever, I had to confine my astronomical observations only to the principal stations. But as on the northern part of my route many points had been already determined by former explorers, and in the southern part I enjoyed the valuable aid of Dr. J. Gregg, (as mentioned in the preface,) sufficient points have been ascertained for the practical purposes of a map, whose principal object is to enable the reader to follow my route and to correct the many gross errors, not only in minutes but even in degrees, that are commonly found in Mexican maps. In connecting my daily sketches, I have laid down the country only as far as it fell under my own observation, leaving to future explorers to ascertain the regions beyond that.

Taken as a whole, therefore, I believe that this map, though by no means as perfect as I wish it to be, will at least be found more correct than any other published at present of the northeastern part of Mexico; and although, on the two end points of my route, that have been explored also by the engineer corps of Generals Wool and Kearny, it will not be able to compete with their more elaborate maps, it may nevertheless deserve some credit for filling up a large intermediate space of nearly 1,000 miles between Santa Fe and Parras, where no engineer of the army has prepared a map of the country, and for connecting, in this way, the scientific labors of the two engineer corps attached to General Wool's and General Kearny's expeditions.

As my own route embraces in substance the long, celebrated march of Colonel Doniphan's regiment, it will afford for that reason additional interest to the public. Besides that, I have laid down the march of General Wool from Corpus Christi to Parras, and General Kearny's from Bent's Fort to Santa Fe, according to the unofficial memoranda of several officers of those corps, (I claim, therefore, no authenticity for them,) and have added all the rest of the most interesting routes that have ever been travelled from the United States and Texas, to New Mexico and Chihuahua.

THE BAROMETRICAL PROFILE.

If the elevation above the sea affords in other countries so probable a criterion for their climate and general character, that an elevation of 3,000 feet is considered equal in its effect upon the climate to nearly 10 degrees difference in latitude, an eminent proof of this rule is given in Mexico, where nature has combined, under the same degree of latitude, all variations of climate, from the tropical often to the coldest, by the mere difference in elevation above the sea.

Of the southern part of Mexico we possess already excellent profiles of the country, made by Alexander Von Humboldt, Burkhardt, and other scientific travellers; but of northern Mexico scarcely anything is known in that respect, and the series of elevations above the sea from Independence (Missouri) to Santa Fe, Chihuahua, Monterey, and the seashore, as represented in this profile, is the first one published, and will prove, as I am inclined to believe, highly interesting to every person that wishes to form for himself an opinion of the character of that country.

The calculations are based upon daily barometrical observations made by myself on the road, and cotemporaneous observations made by Dr. G. Engelmann in St. Louis, and by Mr. Lilly in New Orleans.

My barometer was a syphon barometer of 30 English inches. After having been filled with purified mercury, and boiled out several times, I compared it before my departure with Dr. Engelmann's, and found mine to be 0".139 higher than the latter. After my return to St. Louis, another comparison proved it to be only 0".123 higher: it had during the whole time changed but 0".016—a most favorable result, if the long transportation of it by water and land, in carriages and on pack-mules, often over the roughest road, is considered.

The mean of my barometrical observations, made on the seashore, mouth of Rio Grande, was 30".025, (the temperature of the mercury having been reduced to 32° Fahr.) By referring it to the cotemporaneous observations made in St. Louis, I calculated the elevation of St. Louis on the "city directrix," near the old market house, to be 420 feet above the sea. The city directrix is a well known and stable point, to which all the geometrical measurements in the city are at present reduced. It is supposed to be 38 feet 1 inch above the lowest water-mark of the river, and 7 feet 7 inches below the highest water-mark in 1814.

From Independence to Chihuahua I reduced my own observations to those made in St. Louis, by comparing my transient daily observations with the monthly mean of the St. Louis observations. From Chihuahua to Monterey I reduced them to the mean of my barometrical observations made in Chihuahua during summer, winter, and spring months, and containing, therefore, most likely the absolute mean of the whole year. From Monterey, where the low country begins, to the seashore, I reduced them to the observations of Mr. Lilly in New Orleans, to whom I am under obligations for a copy of his meteorological journal.

All the reductions and calculations have been made according to the known formula of Gauss.

MEXICAN COINS, MEASURES, AND WEIGHTS.

1 onza (gold)	= 16 dollars.
1 peso (silver)	= 1 dollar.
1 real (silver)	= 12½ cents.
½ real (silver)	= 6¼ cents.
1 quartillo (copper)	= 3¼ cents.
1 tlaco (copper)	= 1⅙ cent.
1 foot Mexican	= 0.928 foot English.
1 vara (3 feet Mexican)	= 2.784 ft. Eng. = 2 ft. 9.3141 inches Engl.
1 legua (26.63 to 1 meridian)	= 5,000 varas = 2.636 miles English.

1 onza (8 ochavos)	= 1 ounce.
1 marco (8 onzas)	= ½ pound.
1 libra (2 marcos)	= 1 pound.
1 arroba (25 libras)	= 25 pounds.
1 quintal (4 arrobas)	= 100 pounds.
1 carga (3 quintals)	= 300 pounds.
1 fanega (140 pounds)	= about 2 bushels.
1 almuer (almuerza)	= ⅓ of a fanega.
1 frasco	= about 5 pints.

ERRATA.

Page 4, line 26 from top,	for I. Gregg,	read J. Gregg.
" 8, " 10 "	" Willowgreen,	" Willow creek.
" 12, " 20 "	" mirage,	" the mirage.
" 14, " 7 from bottom,	" Salvador,	" Salvador.
" 17, " 6 "	" Armija,	" Armijo.
" 18, " 6 from top,	" or the Rio,	" on the Rio.
" 21, last line,	" 27 miles,	" 27 leagues.
" 36, " 15 from top,	" mimosaeae,	" mimosaeae.
" 45, " 2 from bottom,	" Oj,	" Ojo.
" 46, " 23 "	" effervescence,	" efflorescence.
" 56, " 15 from top,	" feet more,	" feet, more.
" 66, " 12 from bottom,	" northeast,	" northwest.
" 63, " 22 "	" 24 miles to San Lorenzo,	" to San Lorenzo, (24 miles.)
" 70, " 11 "	" southern,	" northern.
" 71, " 22 & 43 from top,	" Captain Ried,	" Captain Reid.
" 76, " 11 from bottom,	" Moleno de Jusus,	" Molino de Jesus.
" 77, " 15 from top,	" stone,	" straw.
" 78, " 3 "	" tree ; a mimosea,	" tree, a mimosea.
" 78, " 5 "	" mineral,	" animal.

THE HISTORY OF THE

REIGN OF
 CHARLES THE FIRST
 BY
 JOHN BURNET

IN TWO VOLUMES.
 THE SECOND VOLUME.

THE HISTORY OF THE
 REIGN OF
 CHARLES THE FIRST
 BY
 JOHN BURNET

THE HISTORY OF THE
 REIGN OF
 CHARLES THE FIRST
 BY
 JOHN BURNET

